

| Version | Revision Date: | SDS Number: | Date of last issue: 12/05/2019 |
|---------|----------------|--------------|---------------------------------|
| 3.0 | 02/14/2022 | 102000021539 | Date of first issue: 09/13/2018 |

SECTION 1. IDENTIFICATION

| Product name | : | SYMIC B001 L |
|----------------------------|------|--|
| Product code | : | 035699MJ0 |
| Manufacturer or supplier's | deta | ils |
| Company name of supplier | : | ECKART America Corporation |
| Address | : | 830 East Erie Street |
| | | Painesville OH 44077 |
| Telephone | : | 866-458-7837 |
| | | (440) 954-7600 |
| Telefax | : | (440) 354-6224 |
| e-mail adresse | : | info.eckart.america.oh@altana.com |
| Emergency telephone | : | CHEMTREC: 800-424-9300 |
| | | CHEMTREC: 1-703-527-3387 (International) |
| | | NCEC: |
| | | (contract no. ECKART29003-NCEC) |
| | | US: +1 866 928 0789 (Toll free) |
| | | Canada: +1 800 579 7421 (Toll Free) |
| | | |

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Mexico: +52 55 5004 8763

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

| Chemical name | CAS-No. | Concentration (% w/w) |
|--------------------------------------|------------|-----------------------|
| Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) | 12003-38-2 | >= 50 - < 70 |
| Titanium oxide (TiO2) | 13463-67-7 | >= 30 - < 50 |

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice

: Do not leave the victim unattended.



| Version 3.0 | Revision Date: 02/14/2022 | SDS Numb 102000021 | | t issue: 12/05/2019 st issue: 09/13/2018 |
|----------------|--|--------------------------------|---|---|
| lf inh | aled | : If uncor advice. | cious, place in recov | ery position and seek medical |
| | se of skin contact se of eye contact | lf symp : Wash o : Remov | oms persist, call a phy f with soap and water contact lenses. tation persists, consu | |
| If swallowed | | : Keep re Do not Never g | piratory tract clear. ive milk or alcoholic b | beverages. In to an unconscious person. |
| | important symptoms effects, both acute and /ed | : None k | | , |

SECTION 5. FIRE-FIGHTING MEASURES

| : | Foam |
|---|---|
| | Carbon dioxide (CO2) |
| | ABC powder |
| : | Standard procedure for chemical fires. |
| | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| : | Wear self-contained breathing apparatus for firefighting if necessary. |
| | : |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | : | Avoid dust formation. |
|---|---|--|
| Environmental precautions | : | No special environmental precautions required. |
| Methods and materials for containment and cleaning up | : | Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

| Advice on protection against fire and explosion | : | Provide appropriate exhaust ventilation at places where dust is formed. |
|---|---|--|
| Advice on safe handling | : | For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. |
| Conditions for safe storage | : | Electrical installations / working materials must comply with |



| Version 3.0 | Revision Date: 02/14/2022 | SDS Number: 102000021539 | Date of last issue: 12/05/2019 Date of first issue: 09/13/2018 |
|----------------|-----------------------------------|-----------------------------|---|
| Mater | rials to avoid | | jical safety standards. to be especially mentioned. |
| | er information on ge stability | : No decompo | sition if stored and applied as directed. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible | Basis |
|---|------------|--|---|----------|
| | | • • | concentration | |
| Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) | 12003-38-2 | TWA | 2.5 mg/m3 (Fluorine) | OSHA Z-1 |
| | | TWA | 2.5 mg/m3 (Fluorine) | ACGIH |
| | | TWA (Respirable particulate matter) | 1 mg/m3 (Aluminum) | ACGIH |
| | | TWA | 2.5 mg/m3 (Fluorine) | OSHA P0 |
| Titanium oxide (TiO2) | 13463-67-7 | TWA (total dust) | 50 Million particles per cubic foot | OSHA Z-3 |
| | | TWA (total dust) | 15 mg/m3 | OSHA Z-3 |
| | | TWA (respirable fraction) | 5 mg/m3 | OSHA Z-3 |
| | | TWA (respirable fraction) | 15 Million particles per cubic foot | OSHA Z-3 |
| | | TWA (total dust) | 15 mg/m3 | OSHA Z-1 |
| | | TWA (Total dust) | 10 mg/m3 | OSHA P0 |
| | | TWA | 10 mg/m3 (Titanium dioxide) | ACGIH |

Ingredients with workplace control parameters

Biological occupational exposure limits

| Components | CAS-No. | Control parameters | Biological specimen | Samplin g time | Permissible concentratio n | Basis |
|-----------------|-----------|-----------------------|------------------------|-------------------|----------------------------------|-------|
| Fluorphlogopite | 12003-38- | Fluoride | Urine | Prior to | 2 mg/l | ACGIH |

A member of **C ALTANA**



SYMIC B001 L

| ersion Revision Date: 0 02/14/2022 | | | | | Date of last issue: 12/05/2019 Date of first issue: 09/13/2018 | | | |
|--|--|----------------------------------|---|--|--|--|---------------|--------------|
| (Mg3ł | ([AIF2O(SiO3)3]) | 2 | | (Fluorine) | | shift (16 hours after exposure ceases) | | BEI |
| | | | | Fluoride (Fluorine) | Urine | End of shift (As soon as possible after exposure ceases) | 3 mg/l | ACGIH BEI |
| Perso | onal protective equi | inment | | | | | | |
| | ratory protection | : | No | personal resp uired. | piratory pro | tective equipr | ment normally | |
| Skin a | rotection and body protection ne measures | : | Pro | ety glasses ntective suit neral industria | al hygiene | practice. | | |
| CTION | 9. PHYSICAL AND | CHEM | ICAL | PROPERTIE | S | | | |
| Anne | | | | | | | | |
| Color Odor pH Meltin Initial range Flash Evapo | arance Threshold g point/freezing poin boiling point and bo point pration rate nability (solid, gas) | | sil Na Na Na Na Na | lid ver o data availab o data availab bstance/mixto o data availab o data availab o data availab o data availab o data availab | le ure is non-s le le | soluble (in wat | ter) | |
| Color Odor pH Meltin Initial range Flash Evapo | Threshold g point/freezing poin boiling point and bo point pration rate | | sil Na Na Na Na Na Na | ver o data availab o data availab bstance/mixto o data availab o data availab o data availab o data availab | le ure is non-s le le le | | ter) | |
| Color Odor PH Meltin Initial range Flash Evapo Flamr | Threshold g point/freezing poin boiling point and bo point pration rate | iling : : : | sil No Su No No No No | ver o data availab o data availab bstance/mixto o data availab o data availab o data availab o data availab ill not burn | le ure is non-s le le le s a flamma | | ter) | |
| Color Odor pH Meltin Initial range Flash Evapo Flamr Upper flamm Lower flamm | Threshold g point/freezing poin boiling point and bo point pration rate nability (solid, gas) r explosion limit / Up nability limit | iling : : : : : : | sil No No No No No No No | ver b data availab b data availab b stance/mixtro b data availab b data availab b data availab b data availab c data availab c data availab b data availab b data availab b data availab c data availab | le ure is non-s le le le s a flamma le | | ter) | |
| Color Odor PH Meltin Initial range Flash Evapo Flamm Lower flamm Vapor Relati Solub | Threshold g point/freezing poin boiling point and bo point pration rate nability (solid, gas) r explosion limit / Up nability limit | iling : : : : : : | sil No Su No No No No No No No No | ver b data availab b data availab b stance/mixto b data availab b data availab b data availab b data availab c data availab c data availab c data availab c data availab c data availab | le ure is non-s le le le s a flamma le le le | | ter) | |



SYMIC B001 L

| Version 3.0 | Revision Date: 02/14/2022 | SDS Number: 102000021539 | Date of last issue: 12/05/2019 Date of first issue: 09/13/2018 |
|----------------|---|---|---|
| | | | |
| | gnition temperature mposition temperature osity | No data availab No data availab No data availab | le |
| SECTION | 10. STABILITY AND R | EACTIVITY | |
| | nical stability ibility of hazardous | : No decomposit : Stable under rec | ion if stored and applied as directed. ion if stored and applied as directed. commended storage conditions. e specially mentioned. |
| Cond | itions to avoid | : No data availab | le |
| SECTION | 11. TOXICOLOGICAL | INFORMATION | |
| | e toxicity lassified based on availa | able information. | |
| <u>Com</u> | ponents: | | |
| | ium oxide (TiO2): e oral toxicity | : LD50 (Rat): > 5,0 | 000 mg/kg |
| Acute | e inhalation toxicity | : LC50 (Rat): 6.8 r Exposure time: 4 Test atmosphere | ⊧ ĥ |
| Acute | e dermal toxicity | : LD50 (Rabbit): > | 5,000 mg/kg |
| | corrosion/irritation lassified based on availa | able information. | |
| | ous eye damage/eye irr lassified based on availa | | |
| Resp | iratory or skin sensitiz | ation | |
| - | sensitization lassified based on availa | able information. | |
| • | iratory sensitization lassified based on availa | able information. | |
| | n cell mutagenicity lassified based on availa | able information. | |
| | nogenicity lassified based on availa | able information. | |
| | | 5 / 10 | A member of C ALTAN |



| ersion D | Revision Date: 02/14/2022 | SDS Number: 102000021539 | Date of last issue: 12/05/2019 Date of first issue: 09/13/2018 | | | |
|--|--|-----------------------------|--|--|--|--|
| | | | | | | |
| IARC | ; | Group 2B: Possibl | Group 2B: Possibly carcinogenic to humans | | | |
| | | Titanium oxide (TiC | 02) 13463-67-7 | | | |
| OSH | Α | | No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. | | | |
| NO ingredient of this product present at levels greater than equal to 0.1% is identified as a known or anticipated carci by NTP. | | | | | | |
| - | oductive toxicity lassified based on ava | ailable information. | | | | |
| | F-single exposure lassified based on av | ailable information. | | | | |
| | F-repeated exposure lassified based on available | ailable information. | | | | |
| - | ration toxicity lassified based on ava | ailable information. | | | | |
| Furth | er information | | | | | |
| CTION | 12. ECOLOGICAL II | NFORMATION | | | | |
| | oxicity ata available | | | | | |
| Persistence and degradability No data available | | | | | | |
| Bioaccumulative potential No data available | | | | | | |
| Other adverse effects No data available | | | | | | |
| <u>Com</u> | ponents: | | | | | |
| Fluorphlogopite (Mg3K[AIF2O(SiO3)3]): Additional ecological : No data available information | | | | | | |



SYMIC B001 L

| Version | Revision Date: | SDS Number: | Date of last issue: 12/05/2019 |
|---------|----------------|--------------|-----------------------------------|
| 3.0 | 02/14/2022 | 102000021539 | Date of first issue: 09/13/2018 |
| | | | Date 01 11/3t 1350e. 03/ 13/ 2010 |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods Contaminated packaging | : Empty containers should be taken to an approved waste handling site for recycling or disposal. |
|---|--|
| SECTION 14. TRANSPORT INFO | RMATION |
| Domestic regulation | |
| 49 CFR | : Not classified as dangerous in the meaning of transport regulations. |
| International Regulations | |
| Remarks | : Not classified as dangerous in the meaning of transport regulations. |
| ADR | : Not classified as dangerous in the meaning of transport regulations. |
| IATA-DGR | : Not classified as dangerous in the meaning of transport regulations. |
| IMDG-Code | : Not classified as dangerous in the meaning of transport regulations. |
| Not dangerous goods in the m | neaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards



| Version | Revision Date: | SDS Number: | Date of last issue: 12/05/2019 |
|---------|----------------|--------------|---------------------------------|
| 3.0 | 02/14/2022 | 102000021539 | Date of first issue: 09/13/2018 |

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307 This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

| Massachusetts Right To Know Titanium oxide (TiO2) | 13463-67-7 |
|--|------------|
| Pennsylvania Right To Know Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) | 12003-38-2 |
| Titanium oxide (TiO2) | 13463-67-7 |

California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



WARNING: This product can expose you to chemicals including Titanium oxide (TiO2), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

Fluorphlogopite (Mg3K[AIF2O(SiO3)3])

12003-38-2



SYMIC B001 L

| Version | Revision Date: | SDS Number: | Date of last issue: 12/05/2019 |
|---------|----------------|--------------|---------------------------------|
| 3.0 | 02/14/2022 | 102000021539 | Date of first issue: 09/13/2018 |
| | | | |

California Permissible Exposure Limits for Chemical Contaminants

| Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) | 12003-38-2 |
|--------------------------------------|------------|
| Titanium oxide (TiO2) | 13463-67-7 |

The ingredients of this product are reported in the following inventories:

| DSL : | All components of this product are on the Canadian DSL |
|--------|--|
| TSCA : | All substances listed as active on the TSCA inventory |

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

| Full text of other a | abbreviations |
|----------------------|---------------|
|----------------------|---------------|

| ACGIH | | USA ACCILI Threehold Limit Values (TLV) |
|----------------|---|--|
| ACGIN | | USA. ACGIH Threshold Limit Values (TLV) |
| ACGIH BEI | : | ACGIH - Biological Exposure Indices (BEI) |
| OSHA PO | : | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - |
| | | 1910.1000 |
| OSHA Z-1 | : | USA. Occupational Exposure Limits (OSHA) - Table Z-1 |
| | | Limits for Air Contaminants |
| OSHA Z-3 | : | USA. Occupational Exposure Limits (OSHA) - Table Z-3 |
| | | Mineral Dusts |
| ACGIH / TWA | : | 8-hour, time-weighted average |
| OSHA P0/TWA | : | 8-hour time weighted average |
| OSHA Z-1 / TWA | : | 8-hour time weighted average |
| OSHA Z-3 / TWA | : | 8-hour time weighted average |

AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -



SYMIC B001 L

| Version | Revision Date: | SDS Number: | Date of last issue: 12/05/2019 |
|---------|----------------|--------------|---------------------------------|
| 3.0 | 02/14/2022 | 102000021539 | Date of first issue: 09/13/2018 |

International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 02/14/2022

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8