

## STAPA SDF 5-901 Aluminum Paste

Version 4.0      Revision Date: 02/06/2023      SDS Number: 102000030225      Date of last issue: 01/12/2021  
 Date of first issue: 09/07/2018

### SECTION 1. IDENTIFICATION

Product name : STAPA SDF 5-901 Aluminum Paste  
 Product code : 024151A20

#### Manufacturer or supplier's details

Company name of supplier : ECKART America Corporation  
 Address : 830 East Erie Street  
 Painesville OH 44077  
 Telephone : 866-458-7837  
 (440) 954-7600  
 Telefax : (440) 354-6224  
 e-mail adresse : info.eckart.america.oh@altana.com  
 Emergency telephone : **CHEMTREC:** 800-424-9300  
**CHEMTREC:** 1-703-527-3387 (International)

#### NCEC:

(contract no. ECKART29003-NCEC)  
 US: +1 866 928 0789 (Toll free)  
 Canada: +1 800 579 7421 (Toll Free)  
 Mexico: +52 55 5004 8763

### SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous ingredients

| Chemical name                               | CAS-No.    | Concentration (% w/w) |
|---|------------|-----------------------|
| Aluminum                                    | 7429-90-5  | >= 50 - < 70          |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | >= 30 - < 50          |
| Octadecanoic acid                           | 57-11-4    | >= 1 - < 5            |

Actual concentration is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

## STAPA SDF 5-901 Aluminum Paste

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 01/12/2021  |
| 4.0     | 02/06/2023     | 102000030225 | Date of first issue: 09/07/2018 |

---

|   |   |  |
|---|---|--|
| General advice  | : | Take the victim into fresh air.<br>Move out of dangerous area.<br>Show this material safety data sheet to the doctor in attendance.  |
| If inhaled  | : | Consult a physician after significant exposure.<br>If unconscious, place in recovery position and seek medical advice.   |
| In case of skin contact                                     | : | Wash off immediately with soap and plenty of water.<br>If skin irritation persists, call a physician.<br>If on skin, rinse well with water.<br>If on clothes, remove clothes.                                |
| In case of eye contact                                      | : | Immediately flush eye(s) with plenty of water.<br>Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist. |
| If swallowed  | : | Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.                                |
| Most important symptoms and effects, both acute and delayed | : | None known.  |

---

### SECTION 5. FIRE-FIGHTING MEASURES

|  |   |   |
|--|---|---|
| Suitable extinguishing media                   | : | Dry sand<br>Special powder against metal fire   |
| Unsuitable extinguishing media                 | : | Water<br>Foam<br>ABC powder<br>Carbon dioxide (CO <sub>2</sub> )  |
| Specific hazards during fire fighting          | : | Do not allow run-off from fire fighting to enter drains or water courses.   |
| Further information                            | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : | Use personal protective equipment.<br><br>Wear self-contained breathing apparatus for firefighting if necessary.  |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

|                       |   |                                   |
|-----------------------|---|-----------------------------------|
| Personal precautions, | : | Evacuate personnel to safe areas. |
|-----------------------|---|-----------------------------------|

---

## STAPA SDF 5-901 Aluminum Paste

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 01/12/2021  |
| 4.0     | 02/06/2023     | 102000030225 | Date of first issue: 09/07/2018 |

---

|   |  |
|---|--|
| protective equipment and emergency procedures         | Use personal protective equipment.<br>Remove all sources of ignition.<br>Use personal protective equipment.<br>Avoid dust formation.   |
| Environmental precautions                             | : The product should not be allowed to enter drains, water courses or the soil.<br><br>Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Use mechanical handling equipment.<br>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br><br>Do not flush with water.<br>Keep in suitable, closed containers for disposal.  |

---

### SECTION 7. HANDLING AND STORAGE

|   |   |
|---|---|
| Advice on protection against fire and explosion | : Keep away from open flames, hot surfaces and sources of ignition.<br>Earthing of containers and apparatuses is essential.<br><br>Avoid dust formation.  |
| Advice on safe handling                         | : Keep away from heat and sources of ignition.<br>Avoid dust formation.<br>Ensure adequate ventilation.<br>Avoid formation of respirable particles.<br>Do not breathe vapors/dust.<br>Avoid exposure - obtain special instructions before use.<br>Avoid contact with skin and eyes.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Provide sufficient air exchange and/or exhaust in work rooms.<br>Dispose of rinse water in accordance with local and national regulations. |
| Conditions for safe storage                     | : Store in original container.<br>Keep containers tightly closed in a cool, well-ventilated place.<br>Keep container closed when not in use.<br>Keep away from sources of ignition - No smoking.<br>Keep container tightly closed in a dry and well-ventilated  |

## STAPA SDF 5-901 Aluminum Paste

Version 4.0      Revision Date: 02/06/2023      SDS Number: 102000030225      Date of last issue: 01/12/2021  
 Date of first issue: 09/07/2018

place.  
 Observe label precautions.  
 Electrical installations / working materials must comply with the technological safety standards.

Technical measures/Precautions : Protect from humidity and water.  
 Do not allow to dry.

Materials to avoid : Do not store together with oxidizing and self-igniting products.  
 Never allow product to get in contact with water during storage.  
 Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

| Components | CAS-No.   | Value type (Form of exposure)       | Control parameters / Permissible concentration | Basis     |
|------------|-----------|-------------------------------------|--|-----------|
| Aluminum   | 7429-90-5 | TWA (total dust)                    | 50 Million particles per cubic foot            | OSHA Z-3  |
|            |           | TWA (Respirable)                    | 5 mg/m <sup>3</sup>                            | NIOSH REL |
|            |           | TWA (total dust)                    | 15 mg/m <sup>3</sup>                           | OSHA Z-3  |
|            |           | TWA (total)                         | 10 mg/m <sup>3</sup>                           | NIOSH REL |
|            |           | TWA (respirable fraction)           | 5 mg/m <sup>3</sup>                            | OSHA Z-3  |
|            |           | TWA (respirable fraction)           | 15 Million particles per cubic foot            | OSHA Z-3  |
|            |           | TWA (Respirable particulate matter) | 1 mg/m <sup>3</sup>                            | ACGIH     |
|            |           | TWA (Aluminum)                      | 5 mg/m <sup>3</sup>                            | NIOSH REL |
|            |           | TWA (Total Aluminum)                | 15 mg/m <sup>3</sup>                           | OSHA P0   |
|            |           | TWA (Respirable Aluminum)           | 5 mg/m <sup>3</sup>                            | OSHA P0   |

## STAPA SDF 5-901 Aluminum Paste

Version  
4.0Revision Date:  
02/06/2023SDS Number:  
102000030225Date of last issue: 01/12/2021  
Date of first issue: 09/07/2018

|   |            |                                     |  |           |
|---|------------|-------------------------------------|--|-----------|
|   |            | fraction)                           |  |           |
|   |            | TWA (total dust)                    | 15 mg/m <sup>3</sup><br>(Aluminum)                 | OSHA Z-1  |
|   |            | TWA (respirable fraction)           | 5 mg/m <sup>3</sup><br>(Aluminum)                  | OSHA Z-1  |
|   |            | TWA (Total dust)                    | 15 mg/m <sup>3</sup><br>(Aluminum)                 | OSHA P0   |
|   |            | TWA (respirable dust fraction)      | 5 mg/m <sup>3</sup><br>(Aluminum)                  | OSHA P0   |
|   |            | TWA (welding fumes)                 | 5 mg/m <sup>3</sup><br>(Aluminum)                  | NIOSH REL |
|   |            | TWA (pyro powders)                  | 5 mg/m <sup>3</sup><br>(Aluminum)                  | NIOSH REL |
|   |            | TWA (Respirable particulate matter) | 1 mg/m <sup>3</sup><br>(Aluminum)                  | ACGIH     |
|   |            | TWA (Fumes)                         | 5 mg/m <sup>3</sup>                                | OSHA P0   |
|   |            | TWA (powder)                        | 5 mg/m <sup>3</sup><br>(Aluminum)                  | OSHA P0   |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | TWA                                 | 500 ppm<br>2,000 mg/m <sup>3</sup>                 | OSHA Z-1  |
|   |            | TWA                                 | 200 mg/m <sup>3</sup><br>(total hydrocarbon vapor) | ACGIH     |
|   |            | TWA                                 | 400 ppm<br>1,600 mg/m <sup>3</sup>                 | OSHA P0   |
|   |            | TWA (Mist)                          | 5 mg/m <sup>3</sup>                                | OSHA Z-1  |
|   |            | TWA (Mist)                          | 5 mg/m <sup>3</sup>                                | OSHA P0   |
|   |            | TWA (Mist)                          | 5 mg/m <sup>3</sup>                                | NIOSH REL |
|   |            | ST (Mist)                           | 10 mg/m <sup>3</sup>                               | NIOSH REL |
| Octadecanoic acid                           | 57-11-4    | TWA                                 | 10 mg/m <sup>3</sup>                               | ACGIH     |
|   |            | TWA (Inhalable particulate matter)  | 10 mg/m <sup>3</sup>                               | ACGIH     |
|   |            | TWA (Respirable particulate matter) | 3 mg/m <sup>3</sup>                                | ACGIH     |

## STAPA SDF 5-901 Aluminum Paste

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 01/12/2021  |
| 4.0     | 02/06/2023     | 102000030225 | Date of first issue: 09/07/2018 |

---

### Personal protective equipment

- Respiratory protection : Use suitable breathing protection if workplace concentration requires.  
In the case of dust or aerosol formation use respirator with an approved filter.
- Hand protection  
Material : Solvent-resistant gloves
- Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Safety glasses
- Skin and body protection : Long sleeved clothing  
Safety shoes  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Pasty solid
- Color : silver
- Odor : characteristic
- Odor Threshold : No data available
- pH : substance/mixture is non-soluble (in water)
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available

**STAPA SDF 5-901 Aluminum Paste**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 01/12/2021  |
| 4.0     | 02/06/2023     | 102000030225 | Date of first issue: 09/07/2018 |

---

|  |   |                    |
|--|---|--------------------|
| Evaporation rate                                 | : | No data available  |
| Flammability (solid, gas)                        | : | Combustible Solids |
| Auto-flammability                                | : | not auto-flammable |
| Upper explosion limit / Upper flammability limit | : | No data available  |
| Lower explosion limit / Lower flammability limit | : | No data available  |
| Vapor pressure                                   | : | No data available  |
| Relative density                                 | : | No data available  |
| Solubility(ies)                                  | : | No data available  |
| Partition coefficient: n-octanol/water           | : | No data available  |
| Autoignition temperature                         | : | No data available  |
| Decomposition temperature                        | : | No data available  |
| Viscosity  | : | No data available  |
| Explosive properties                             | : | Not explosive      |

---

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |   |   |
|------------------------------------|---|---|
| Reactivity                         | : | No decomposition if stored and applied as directed.   |
| Chemical stability                 | : | No decomposition if stored and applied as directed.   |
| Possibility of hazardous reactions | : | Reacts with alkalis, acids, halogenes and oxidizing agents. Contact with acids and alkalis may release hydrogen. Mixture reacts slowly with water resulting in evolution of hydrogen. Vapor/air-mixtures are explosive at intense warming. Stable under recommended storage conditions. |
| Conditions to avoid                | : | Do not allow to dry.<br>No data available   |
| Incompatible materials             | : | Acids<br>Bases<br>Oxidizing agents<br>Highly halogenated compounds  |

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Not classified based on available information.

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Distillates (petroleum), hydrotreated light:**

**STAPA SDF 5-901 Aluminum Paste**

Version 4.0      Revision Date: 02/06/2023      SDS Number: 102000030225      Date of last issue: 01/12/2021  
Date of first issue: 09/07/2018

---

Result: Mild skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Distillates (petroleum), hydrotreated light:**

Result: No eye irritation

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.



**STAPA SDF 5-901 Aluminum Paste**

Version 4.0      Revision Date: 02/06/2023      SDS Number: 102000030225      Date of last issue: 01/12/2021  
Date of first issue: 09/07/2018

---

**Components:****Distillates (petroleum), hydrotreated light:**

May be fatal if swallowed and enters airways.

**Further information****Components:****Octadecanoic acid:**

Remarks: No data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Other adverse effects**

No data available

**Components:****Octadecanoic acid:**

Additional ecological information : No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.  
In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
In accordance with local and national regulations.

---

**STAPA SDF 5-901 Aluminum Paste**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 01/12/2021  |
| 4.0     | 02/06/2023     | 102000030225 | Date of first issue: 09/07/2018 |

---

**SECTION 14. TRANSPORT INFORMATION****Domestic regulation****49 CFR**

Not regulated as a dangerous good

**49 CFR** : Not classified as dangerous in the meaning of transport regulations.

**International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

Remarks : Not classified as dangerous in the meaning of transport regulations.

**ADR** : Not classified as dangerous in the meaning of transport regulations.

**IATA-DGR** : Not classified as dangerous in the meaning of transport regulations.

**IMDG-Code** : Not classified as dangerous in the meaning of transport regulations.

Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

## STAPA SDF 5-901 Aluminum Paste

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 01/12/2021  |
| 4.0     | 02/06/2023     | 102000030225 | Date of first issue: 09/07/2018 |

---

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

|          |           |                |
|----------|-----------|----------------|
| Aluminum | 7429-90-5 | >= 50 - < 70 % |
|----------|-----------|----------------|

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

|  |            |   |
|--|------------|---|
| Distillates (petroleum),<br>hydrotreated light | 64742-47-8 | % |
|--|------------|---|

### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

### US State Regulations

#### Massachusetts Right To Know

|   |            |
|---|------------|
| Aluminum                                    | 7429-90-5  |
| Distillates (petroleum), hydrotreated light | 64742-47-8 |

#### Pennsylvania Right To Know

|   |            |
|---|------------|
| Aluminum                                    | 7429-90-5  |
| Distillates (petroleum), hydrotreated light | 64742-47-8 |

#### California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## STAPA SDF 5-901 Aluminum Paste

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 01/12/2021  |
| 4.0     | 02/06/2023     | 102000030225 | Date of first issue: 09/07/2018 |

---



WARNING: This product can expose you to chemicals including Distillates (petroleum), hydrotreated light, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### California List of Hazardous Substances

|   |            |
|---|------------|
| Aluminum                                    | 7429-90-5  |
| Distillates (petroleum), hydrotreated light | 64742-47-8 |

### California Permissible Exposure Limits for Chemical Contaminants

|   |            |
|---|------------|
| Aluminum                                    | 7429-90-5  |
| Distillates (petroleum), hydrotreated light | 64742-47-8 |

### The ingredients of this product are reported in the following inventories:

|      |   |  |
|------|---|--|
| DSL  | : | All components of this product are on the Canadian DSL |
| TSCA | : | All substances listed as active on the TSCA inventory  |

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

|                 |   |   |
|-----------------|---|---|
| ACGIH           | : | USA. ACGIH Threshold Limit Values (TLV)   |
| NIOSH REL       | : | USA. NIOSH Recommended Exposure Limits  |
| OSHA P0         | : | USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)                        |
| OSHA Z-1        | : | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants          |
| OSHA Z-3        | : | USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts                        |
| ACGIH / TWA     | : | 8-hour, time-weighted average   |
| NIOSH REL / TWA | : | Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek |
| NIOSH REL / ST  | : | STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday    |

## STAPA SDF 5-901 Aluminum Paste

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 01/12/2021  |
| 4.0     | 02/06/2023     | 102000030225 | Date of first issue: 09/07/2018 |

---

OSHA P0 / TWA : 8-hour time weighted average

OSHA Z-1 / TWA : 8-hour time weighted average

OSHA Z-3 / TWA : 8-hour time weighted average

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 02/06/2023

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# SAFETY DATA SHEET



## STAPA SDF 5-901 Aluminum Paste

Version  
4.0

Revision Date:  
02/06/2023

SDS Number:  
102000030225

Date of last issue: 01/12/2021  
Date of first issue: 09/07/2018

---

US / Z8