

# **TOPSTAR G2 HEATSET 06-2758 BRILLIANT SILVER**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11/01/2022

 3.1
 04/02/2025
 102000027222
 Date of first issue: 03/26/2018

#### **SECTION 1. IDENTIFICATION**

Product name : TOPSTAR G2 HEATSET 06-2758 BRILLIANT SILVER

Product code : 046094AQ0

Manufacturer or supplier's details

Company name of supplier : ECKART America Corporation

Address : 830 East Erie Street

Painesville OH 44077

Telephone : 866-458-7837

(440) 954-7600

Telefax : (440) 354-6224

e-mail adresse : info.eckart.america.oh@altana.com

Emergency telephone : **CHEMTREC**: 800-424-9300

CHEMTREC: 1-703-527-3387 (International)

NCEC:

(contract no. ECKART29003-NCEC) US: +1 866 928 0789 (Toll free) Canada: +1 800 579 7421 (Toll Free)

Mexico: +52 55 5004 8763

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

# **Hazardous ingredients**

Chemical name	CAS-No.	Concentration (% w/w)
Linseed oil	8001-26-1	>= 20 - < 30
Distillates (petroleum), hydrotreated light	64742-47-8	>= 5 - < 10
White mineral oil (petroleum)	8042-47-5	>= 5 - < 10
Aluminum	7429-90-5	>= 5 - < 10
Distillates (petroleum), hydrotreated light	64742-55-8	>= 5 - < 10



# **TOPSTAR G2 HEATSET 06-2758 BRILLIANT SILVER**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11/01/2022

 3.1
 04/02/2025
 102000027222
 Date of first issue: 03/26/2018

 paraffinic
 68187-84-8
 >= 1 - < 5</th>

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : Take the victim into fresh air.

No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical

advice

If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms

and effects, both acute and

delayed

None known.

# **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Dry sand

Special powder against metal fire

Unsuitable extinguishing

media

Water

Foam

ABC powder

Carbon dioxide (CO2)

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment:

for fire-fighters

Use personal protective equipment.

Wear self-contained breathing apparatus for firefighting if

necessary.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Evacuate personnel to safe areas.
Use personal protective equipment.
Remove all sources of ignition.

2/14



# **TOPSTAR G2 HEATSET 06-2758 BRILLIANT SILVER**

Revision Date: SDS Number: Version Date of last issue: 11/01/2022 3.1 04/02/2025 102000027222 Date of first issue: 03/26/2018

Avoid dust formation.

General advice The product should not be allowed to enter drains, water

courses or the soil.

Environmental precautions The product should not be allowed to enter drains, water

courses or the soil.

Methods and materials for containment and cleaning up

Use mechanical handling equipment.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Sweep up and shovel. Do not flush with water.

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

Keep away from open flames, hot surfaces and sources of

ignition.

Earthing of containers and apparatuses is essential.

Normal measures for preventive fire protection.

Keep away from heat and sources of ignition. Advice on safe handling

Avoid dust formation.

Ensure adequate ventilation.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Conditions for safe storage Store in original container.

Keep containers tightly closed in a cool, well-ventilated place.

Keep container closed when not in use.

Keep away from sources of ignition - No smoking.

Electrical installations / working materials must comply with

the technological safety standards.

Technical Protect from humidity and water.

measures/Precautions Materials to avoid

Do not allow to dry.

Do not store together with oxidizing and self-igniting products.

Never allow product to get in contact with water during

storage.

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Further information on No decomposition if stored and applied as directed.



# **TOPSTAR G2 HEATSET 06-2758 BRILLIANT SILVER**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11/01/2022

 3.1
 04/02/2025
 102000027222
 Date of first issue: 03/26/2018

storage stability

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Linseed oil	8001-26-1	TWA (mist - total)	10 mg/m3	NIOSH REL
		TWA (mist - respirable)	5 mg/m3	NIOSH REL
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
White mineral oil (petroleum)	8042-47-5	TWA	5 mg/m3	OSHA P0
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Aluminum	7429-90-5	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-3
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (respirable	5 mg/m3	OSHA Z-3



# **TOPSTAR G2 HEATSET 06-2758 BRILLIANT SILVER**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11/01/2022

 3.1
 04/02/2025
 102000027222
 Date of first issue: 03/26/2018

		fraction)		
		TWA	15 Million	OSHA Z-3
		(respirable	particles per cubic	
		fraction)	foot	
		TWA	1 mg/m3	ACGIH
		(Respirable		
		particulate		
		matter)		
		TWA	5 mg/m3	NIOSH REL
			(Aluminum)	
		TWA (Total)	15 mg/m3	OSHA P0
			(Aluminum)	
		TWA	5 mg/m3	OSHA P0
		(Respirable	(Aluminum)	
		fraction)		
		TWA (total	15 mg/m3	OSHA Z-1
		dust)	(Aluminum)	
		TWA	5 mg/m3	OSHA Z-1
		(respirable	(Aluminum)	
		fraction)		
		TWA (Total	15 mg/m3	OSHA P0
		dust)	(Aluminum)	
		TWA	5 mg/m3	OSHA P0
		(respirable	(Aluminum)	
		dust fraction)		
		TWA	5 mg/m3	NIOSH REL
		(welding	(Aluminum)	
		fumes)		
		TWA (pyro	5 mg/m3	NIOSH REL
		powders)	(Aluminum)	40011
		TWA	1 mg/m3	ACGIH
		(Respirable	(Aluminum)	
		particulate		
		matter)	F / O	00114 D0
		TWA	5 mg/m3	OSHA P0
		(Fumes)	F === == /=== 2	OCUA DO
		TWA	5 mg/m3	OSHA P0
Distillator (notre le : ::::)	64740.55.0	(powder)	(Aluminum)	ACCILI
Distillates (petroleum),	64742-55-8	TWA	5 mg/m3	ACGIH
hydrotreated light paraffinic		(Inhalable		
		particulate		
		matter) TWA	5 mg/m2	OCHA DO
			5 mg/m3	OSHA PO
		TWA (Mist)	5 mg/m3	OSHA Z-1



# **TOPSTAR G2 HEATSET 06-2758 BRILLIANT SILVER**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11/01/2022

 3.1
 04/02/2025
 102000027222
 Date of first issue: 03/26/2018

		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Castor oil, oxidized	68187-84-8	TWA (mist - total)	10 mg/m3	NIOSH REL
		TWA (mist - respirable)	5 mg/m3	NIOSH REL

### Personal protective equipment

Respiratory protection : Use suitable breathing protection if workplace concentration

requires.

Hand protection

Material : Solvent-resistant gloves

Remarks : Take note of the information given by the producer

concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective

gloves.

Eye protection : Safety glasses
Skin and body protection : Long sleeved clothing

Safety shoes

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : General industrial hygiene practice.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Pasty solid
Color : silver

Odor : characteristic
Odor Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/freezing point : No data available

Boiling point/boiling range : > 100 °C



# **TOPSTAR G2 HEATSET 06-2758 BRILLIANT SILVER**

Version Revision Date: SDS Number: Date of last issue: 11/01/2022 3.1 04/02/2025 102000027222 Date of first issue: 03/26/2018

: > 100 °C Flash point

Evaporation rate : No data available Flammability (solid, gas) Combustible Solids

Auto-flammability : not auto-flammable

not auto-flammable : No data available

Upper explosion limit / Upper

flammability limit

Lower explosion limit / Lower : No data available

flammability limit

Vapor pressure : No data available Relative density : No data available

Density 1.0 g/cm3

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-: No data available

octanol/water

Autoignition temperature : 220 °C

Decomposition temperature

Viscosity

Viscosity, kinematic > 21 mm2/s (40 °C)

Explosive properties Not explosive

Not explosive

: No data available

Total Volatile organic

20.00 - 30.00 % compounds (VOC) content

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous Reacts with alkalis, acids, halogenes and oxidizing agents. reactions

Contact with acids and alkalis may release hydrogen.

Mixture reacts slowly with water resulting in evolution of

hydrogen.

Vapor/air-mixtures are explosive at intense warming. Stable under recommended storage conditions.

Conditions to avoid Do not allow to dry.

No data available

Incompatible materials Acids



# **TOPSTAR G2 HEATSET 06-2758 BRILLIANT SILVER**

Version 3.1

Revision Date: 04/02/2025

SDS Number: 102000027222

Date of last issue: 11/01/2022 Date of first issue: 03/26/2018

**Bases** 

Oxidizing agents

Highly halogenated compounds

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

#### **Components:**

## Distillates (petroleum), hydrotreated light paraffinic:

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation

Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.



# **TOPSTAR G2 HEATSET 06-2758 BRILLIANT SILVER**

Version 3.1 Revision Date: 04/02/2025

SDS Number: 102000027222

Date of last issue: 11/01/2022 Date of first issue: 03/26/2018

#### Reproductive toxicity

Not classified based on available information.

## STOT-single exposure

Not classified based on available information.

## STOT-repeated exposure

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

#### Components:

### Distillates (petroleum), hydrotreated light:

May be fatal if swallowed and enters airways.

#### **Further information**

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

No data available

### Persistence and degradability

No data available

### **Bioaccumulative potential**

No data available

## Other adverse effects

No data available

#### Components:

### White mineral oil (petroleum):

Additional ecological

: No data available

information

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues : In accordance with local and national regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

In accordance with local and national regulations.



# **TOPSTAR G2 HEATSET 06-2758 BRILLIANT SILVER**

Version 3.1

Revision Date: 04/02/2025

SDS Number: 102000027222

Date of last issue: 11/01/2022 Date of first issue: 03/26/2018

#### **SECTION 14. TRANSPORT INFORMATION**

## **Domestic regulation**

**49 CFR** 

Not regulated as a dangerous good

**49 CFR** : Not classified as dangerous in the meaning of transport

regulations.

### **International Regulations**

**UNRTDG** 

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Remarks : Not classified as dangerous in the meaning of transport

regulations.

ADR : Not classified as dangerous in the meaning of transport

regulations.

IATA-DGR : Not classified as dangerous in the meaning of transport

regulations.

IMDG-Code : Not classified as dangerous in the meaning of transport

regulations.

Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.



# **TOPSTAR G2 HEATSET 06-2758 BRILLIANT SILVER**

Version 3.1

Revision Date: 04/02/2025

SDS Number: 102000027222

Date of last issue: 11/01/2022 Date of first issue: 03/26/2018

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Aluminum 7429-90-5 >= 5 - < 10 %

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

White mineral oil (petroleum) 8042-47-5

2-47-5 >= 10 - < 20 %

Distillates (petroleum),

64742-47-8

>= 5 - < 10 %

hydrotreated light

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307 This product does not contain any priority pollutants related to the U.S. Clean Water Act

### **US State Regulations**

#### Massachusetts Right To Know

Distillates (petroleum), hydrotreated light 64742-47-8

White mineral oil (petroleum) 8042-47-5

Aluminum 7429-90-5

Distillates (petroleum), hydrotreated light paraffinic 64742-55-8



68187-84-8

64742-55-8

# **TOPSTAR G2 HEATSET 06-2758 BRILLIANT SILVER**

Version 3.1

Revision Date: 04/02/2025

SDS Number: 102000027222

Date of last issue: 11/01/2022 Date of first issue: 03/26/2018

#### Pennsylvania Right To Know

Distillates (petroleum), steam-cracked, polymd. 68131-77-1 Linseed oil 8001-26-1 Kein gefährlicher Stoff oder gefährliches Gemisch gemäß dem Not Assigned Global Harmonisierten System (GHS). Distillates (petroleum), hydrotreated light 64742-47-8 White mineral oil (petroleum) 8042-47-5 Aluminum 7429-90-5 Distillates (petroleum), hydrotreated light paraffinic 64742-55-8 Soybean oil 8001-22-7

### California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



WARNING: This product can expose you to chemicals including Distillates (petroleum), hydrotreated light, Distillates (petroleum), hydrotreated light paraffinic, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### California List of Hazardous Substances

Castor oil, oxidized

Distillates (petroleum), hydrotreated light 64742-47-8

White mineral oil (petroleum) 8042-47-5

Aluminum 7429-90-5

### **California Permissible Exposure Limits for Chemical Contaminants**

Distillates (petroleum), hydrotreated light paraffinic

Linseed oil 8001-26-1



# **TOPSTAR G2 HEATSET 06-2758 BRILLIANT SILVER**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11/01/2022

 3.1
 04/02/2025
 102000027222
 Date of first issue: 03/26/2018

Distillates (petroleum), hydrotreated light 64742-47-8

White mineral oil (petroleum) 8042-47-5

Aluminum 7429-90-5

Distillates (petroleum), hydrotreated light paraffinic 64742-55-8

#### The ingredients of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL TSCA : All substances listed as active on the TSCA inventory

**TSCA list** 

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1

Limits for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3

Mineral Dusts

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average OSHA Z-3 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the



# **TOPSTAR G2 HEATSET 06-2758 BRILLIANT SILVER**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11/01/2022

 3.1
 04/02/2025
 102000027222
 Date of first issue: 03/26/2018

German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/02/2025

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8