

POWDERSAFE 1080-02 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/20/2023

 2.0
 04/25/2023
 102000006728
 Date of first issue: 02/03/2022

SECTION 1. IDENTIFICATION

Product name : POWDERSAFE 1080-02 Silver

Product code : 052871GD0

Manufacturer or supplier's details

Company name of supplier : ECKART America Corporation

Address : 830 East Erie Street

Painesville OH 44077

Telephone : 866-458-7837

(440) 954-7600

Telefax : (440) 354-6224

e-mail adresse : info.eckart.america.oh@altana.com

Emergency telephone : CHEMTREC: 800-424-9300

CHEMTREC: 1-703-527-3387 (International)

NCEC:

(contract no. ECKART29003-NCEC) US: +1 866 928 0789 (Toll free) Canada: +1 800 579 7421 (Toll Free)

Mexico: +52 55 5004 8763

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Aluminum	7429-90-5	>= 70 - < 90
Silica	7631-86-9	>= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Take the victim into fresh air.



POWDERSAFE 1080-02 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/20/2023

 2.0
 04/25/2023
 102000006728
 Date of first issue: 02/03/2022

No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water.

In case of eye contact : Remove contact lenses.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry sand

Special powder against metal fire

Unsuitable extinguishing

media

ABC powder Carbon dioxide (CO2)

Water

Foam

Specific hazards during fire

fighting

Contact with water liberates extremely flammable gas

(hydrogen).

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Evacuate personnel to safe areas.

Avoid dust formation.

Environmental precautions : The product should not be allowed to enter drains, water

courses or the soil.

Methods and materials for containment and cleaning up

Use mechanical handling equipment.

Pick up and arrange disposal without creating dust.

Sweep up and shovel. Do not flush with water.



POWDERSAFE 1080-02 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/20/2023

 2.0
 04/25/2023
 102000006728
 Date of first issue: 02/03/2022

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid creating dust.

Routine housekeeping should be instituted to ensure that

dusts do not accumulate on surfaces.

Store away from heat.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Conditions for safe storage : Store in original container.

Keep containers tightly closed in a cool, well-ventilated place.

Keep away from sources of ignition - No smoking.

Keep container closed when not in use.

Electrical installations / working materials must comply with

the technological safety standards. Protect from humidity and water.

Technical

measures/Precautions

Ma di la di

Materials to avoid : Do not store near acids.

Do not store together with oxidizing and self-igniting products.

Never allow product to get in contact with water during

storage.

Keep away from oxidizing agents and strongly acid or alkaline

materials.

Further information on

storage stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	
			concentration	
Aluminum	7429-90-5	TWA (total	50 Million	OSHA Z-3
		dust)	particles per cubic	
			foot	
		TWA	5 mg/m3	NIOSH REL
		(Respirable)		
		TWA (total	15 mg/m3	OSHA Z-3



POWDERSAFE 1080-02 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/20/2023

 2.0
 04/25/2023
 102000006728
 Date of first issue: 02/03/2022

	1	dust)	I	
		TWA (total)	10 mg/m3	NIOSH REL
		TWA	5 mg/m3	OSHA Z-3
		(respirable		
		fraction)		
		TWA	15 Million	OSHA Z-3
		(respirable	particles per cubic	
		fraction)	foot	4.000
		TWA	1 mg/m3	ACGIH
		(Respirable particulate		
		matter)		
		TWA	5 mg/m3	NIOSH REL
		1007	(Aluminum)	NIOOTTIKEE
		TWA (Total)	15 mg/m3	OSHA P0
		(1010.)	(Aluminum)	
		TWA	5 mg/m3	OSHA P0
		(Respirable	(Aluminum)	
		fraction)		
		TWA (total	15 mg/m3	OSHA Z-1
		dust)	(Aluminum)	
		TWA	5 mg/m3	OSHA Z-1
		(respirable	(Aluminum)	
		fraction)	45	OCHA DO
		TWA (Total dust)	15 mg/m3 (Aluminum)	OSHA P0
		TWA	5 mg/m3	OSHA P0
		(respirable	(Aluminum)	OSHA PU
		dust fraction)	(Alaminam)	
		TWA	5 mg/m3	NIOSH REL
		(welding	(Aluminum)	
		fumes)		
		TWA (pyro	5 mg/m3	NIOSH REL
		powders)	(Aluminum)	
		TWA	1 mg/m3	ACGIH
		(Respirable	(Aluminum)	
		particulate		
		matter)	5 / O	00114 50
		TWA (Fumos)	5 mg/m3	OSHA P0
		(Fumes) TWA	5 mg/m3	OSHA P0
		(powder)	(Aluminum)	OUTA FU
	1	(howaei)		1
Silica	7631-86-0	TWA (Dust)	20 Million	OSHA 7-3
Silica	7631-86-9	TWA (Dust)	20 Million particles per cubic	OSHA Z-3



POWDERSAFE 1080-02 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/20/2023

 2.0
 04/25/2023
 102000006728
 Date of first issue: 02/03/2022

	(Silica)	
TWA (Dust)	80 mg/m3	OSHA Z-3
	/ %SiO2	
	(Silica)	
TWA	6 mg/m3	NIOSH REL
	(Silica)	

Personal protective equipment

Respiratory protection : Use suitable breathing protection if workplace concentration

requires.

Breathing apparatus with filter.

P1 filter

No personal respiratory protective equipment normally

required.

Hand protection

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to

be observed.

Eye protection : Safety glasses
Skin and body protection : Long sleeved clothing

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets
Color : silver
Odor : odorless

Odor Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/range : 100 - 120 °C

Boiling point/boiling range : Not applicable
Flash point : Not applicable
Evaporation rate : No data available
Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper :

flammability limit

No data available

Lower explosion limit / Lower

No data available

flammability limit



POWDERSAFE 1080-02 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/20/2023

 2.0
 04/25/2023
 102000006728
 Date of first issue: 02/03/2022

Vapor pressure : No data available Relative density : No data available

Density : 2.1 g/cm3

Solubility(ies) : No data available Partition coefficient: n- : No data available

octanol/water

Autoignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous : Contact with acids and alkalis may release hydrogen.

reactions Stable under recommended storage conditions.

Dust may form explosive mixture in air.

Conditions to avoid : No data available

Incompatible materials : Acids

Bases

Oxidizing agents

Water

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

Silica:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

(Mouse): 15,000 mg/kg

Acute inhalation toxicity : (Rat): 0.139 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.



POWDERSAFE 1080-02 Silver

Version Revision Date: 2.0 04/25/2023

SDS Number: 102000006728

Date of last issue: 03/20/2023 Date of first issue: 02/03/2022

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Silica:

Toxicity to daphnia and other : (Daphnia): 7,600 mg/l

aquatic invertebrates

Toxicity to algae : (Chlorella pyrenoidosa): 440 mg/l



POWDERSAFE 1080-02 Silver

Version Revision Date: 2.0 04/25/2023

SDS Number: 102000006728

Date of last issue: 03/20/2023 Date of first issue: 02/03/2022

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Other adverse effects

No data available

Components:

Silica:

Additional ecological

information

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : In accordance with local and national regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

In accordance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

Not regulated as a dangerous good

49 CFR : Not classified as dangerous in the meaning of transport

regulations.

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Remarks : Not classified as dangerous in the meaning of transport

regulations.

ADR : Not classified as dangerous in the meaning of transport



POWDERSAFE 1080-02 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/20/2023

 2.0
 04/25/2023
 102000006728
 Date of first issue: 02/03/2022

regulations.

IATA-DGR : Not classified as dangerous in the meaning of transport

regulations.

IMDG-Code : Not classified as dangerous in the meaning of transport

regulations.

Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Aluminum 7429-90-5 >= 70 - < 90 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.



POWDERSAFE 1080-02 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/20/2023

 2.0
 04/25/2023
 102000006728
 Date of first issue: 02/03/2022

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307 This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

Aluminum 7429-90-5 Silica 7631-86-9

Pennsylvania Right To Know

Aluminum 7429-90-5

Hexanedioic acid, polymer with 1,4-butanediol and 1,2- 26570-73-0

ethanediol

Ethene, homopolymer 9002-88-4

Silica 7631-86-9

California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

Aluminum 7429-90-5

Silica 7631-86-9

California Permissible Exposure Limits for Chemical Contaminants

Aluminum 7429-90-5

Silica 7631-86-9

The ingredients of this product are reported in the following inventories:

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

TSCA : All substances listed as active on the TSCA inventory



POWDERSAFE 1080-02 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/20/2023

 2.0
 04/25/2023
 102000006728
 Date of first issue: 02/03/2022

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1

Limits for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3

Mineral Dusts

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average OSHA Z-3 / TWA : 8-hour time weighted average

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of



POWDERSAFE 1080-02 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/20/2023

 2.0
 04/25/2023
 102000006728
 Date of first issue: 02/03/2022

Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/25/2023

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8