

LUXAN C393

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
1.1	03/09/2022	102000034952	Date of first issue: 01/18/2022

SECTION 1. IDENTIFICATION

Product name	:	LUXAN C393
Product code	:	038072ML0
Manufacturer or supplier's	deta	ils
Company name of supplier	:	ECKART America Corporation
Address	:	830 East Erie Street
		Painesville OH 44077
Telephone	:	866-458-7837
		(440) 954-7600
Telefax	:	(440) 354-6224
e-mail adresse	:	info.eckart.america.oh@altana.com
Emergency telephone	:	CHEMTREC: 800-424-9300
		CHEMTREC: 1-703-527-3387 (International)
		NCEC:
		(contract no. ECKART29003-NCEC)
		US: +1 866 928 0789 (Toll free)
		Canada: +1 800 579 7421 (Toll Free)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Mexico: +52 55 5004 8763

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Glass, oxide, chemicals	65997-17-3	>= 50 - < 70
Iron hydroxide oxide yellow	51274-00-1	>= 10 - < 20
Silica	7631-86-9	>= 10 - < 20
Titanium oxide (TiO2)	13463-67-7	>= 5 - < 10
Actual concentration is withhold on a	trada a a set	

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES



LUXAN C393

Version 1.1	Revision Date: 03/09/2022		lumber: 0034952	Date of last issue: 01/18/2022 Date of first issue: 01/18/2022			
Gene	ral advice	· Do	not leave the	victim unattended.			
If inhaled		: If u ad	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. 				
In ca	In case of skin contact		: Wash off with soap and water.				
In ca	In case of eye contact		: Remove contact lenses. If eye irritation persists, consult a specialist.				
lf swa	allowed	 Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious per If symptoms persist, call a physician. 					
	important symptoms effects, both acute and ved		ne known.				

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Carbon dioxide (CO2) ABC powder
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid dust formation.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.



LUXAN C393

Version 1.1	Revision Date: 03/09/2022		S Number: 2000034952	Date of last issue: 01/18/2022 Date of first issue: 01/18/2022
Conditions for safe storage		:		ions / working materials must comply with safety standards.
Mate	Materials to avoid		•	e especially mentioned.
Further information on storage stability		:	Keep in a dry plac	ce.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Iron hydroxide oxide yellow	51274-00-1	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (total dust)	15 mg/m3	OSHA Z-3
		TWA (respirable fraction)	5 mg/m3	OSHA Z-3
		TWA (respirable fraction)	15 Million particles per cubic foot	OSHA Z-3
Silica	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
		TWA	6 mg/m3 (Silica)	NIOSH REL
Titanium oxide (TiO2)	13463-67-7	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (total dust)	15 mg/m3	OSHA Z-3
		TWA (respirable fraction)	5 mg/m3	OSHA Z-3
		TWA (respirable fraction)	15 Million particles per cubic foot	OSHA Z-3
		TWA (total	15 mg/m3	OSHA Z-1

A member of **C ALTANA**



LUXAN C393

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
1.1	03/09/2022	102000034952	Date of first issue: 01/18/2022

dus	st)		
TW	/A (Total 10 mg	j/m3	OSHA P0
dus	st)		
TW	/A 10 mg	j/m3	ACGIH
	(Titani	um dioxide)	

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye protection Skin and body protection Hygiene measures		Safety glasses Protective suit General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Color Odor Odor Threshold pH Melting point/freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability (solid, gas)		powder gold characteristic No data available substance/mixture is non-soluble (in water) No data available No data available No data available Will not burn Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit Lower explosion limit / Lower flammability limit Vapor pressure Relative density Density	: : : :	No data available No data available No data available No data available 2.5 - 3.01 g/cm3
Bulk density Solubility(ies) Water solubility Partition coefficient: n- octanol/water Autoignition temperature Decomposition temperature Viscosity	:	0.56 - 0.62 g/cm3 partly miscible No data available No data available No data available No data available



LUXAN C393

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
1.1	03/09/2022	102000034952	Date of first issue: 01/18/2022

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	 No decomposition if stored and applied as directed. No decomposition if stored and applied as directed. Stable under recommended storage conditions. No hazards to be specially mentioned. 	
Conditions to avoid	: No data available	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

Silica: Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
		(Mouse): 15,000 mg/kg
Acute inhalation toxicity	:	(Rat): 0.139 mg/l Exposure time: 4 h
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg
Titanium oxide (TiO2):		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 6.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity		LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.



LUXAN C393

Version	Revision Date:	SDS Number:	Date
1.1	03/09/2022	102000034952	Date

Date of last issue: 01/18/2022 Date of first issue: 01/18/2022

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC	Group 2A: Probably carcinogenic to humans		
	Glass, oxide, chemicals	65997-17-3	
	Group 2B: Possibly carcinoger	nic to humans	
	Titanium oxide (TiO2)	13463-67-7	
OSHA	No component of this product equal to 0.1% is on OSHA's lis	present at levels greater than or t of regulated carcinogens.	
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Silica:

Toxicity to daphnia and other : (Daphnia): 7,600 mg/l





LUXAN C393

ersion .1	Revision Date: 03/09/2022		DS Number: 2000034952	Date of last issue: 01/18/2022 Date of first issue: 01/18/2022
aquat	ic invertebrates			
	ity to algae	:	(Chlorella pyre	noidosa): 440 mg/l
	stence and degradabi	lity		
	ccumulative potential ata available			
	adverse effects ata available			
<u>Com</u>	ponents:			
Addit	s, oxide, chemicals: ional ecological nation	:	No data availab	le
	a: ional ecological nation	:	No data availab	le
ECTION	13. DISPOSAL CONSI	DER	ATIONS	
Dispo	osal methods			
-	aminated packaging	:		ers should be taken to an approved waste r recycling or disposal.
ECTION	14. TRANSPORT INFO	ORM	ATION	
Dome	estic regulation			
49 CF	-			
	egulated as a dangerou	s go	od	
49 CF	FR	:	Not classified a regulations.	as dangerous in the meaning of transport
Interr	national Regulations			
UNR1 Not re	DG egulated as a dangerou	s go	od	
IATA Not re	-DGR egulated as a dangerou	s go	od	
	-Code egulated as a dangerou	s go	od	



LUXAN C393

Version 1.1	Revision Date: 03/09/2022	SDS Number: 102000034952	Date of last issue: 01/18/2022 Date of first issue: 01/18/2022
Remar	ks	: Not classified regulations.	as dangerous in the meaning of transport
ADR		: Not classified as dangerous in the meaning of transport regulations.	
IATA-E	DGR	: Not classified as dangerous in the meaning of transport regulations.	
IMDG-	Code	: Not classified regulations.	as dangerous in the meaning of transport

Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

 SARA 313
 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).



LUXANC393

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
1.1	03/09/2022	102000034952	Date of first issue: 01/18/2022

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307 This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know	
Silica	7631-86-9
Titanium oxide (TiO2)	13463-67-7
Pennsylvania Right To Know	
Glass, oxide, chemicals	65997-17-3
Iron hydroxide oxide yellow	51274-00-1
Silica	7631-86-9
Titanium oxide (TiO2)	13463-67-7

California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



WARNING: This product can expose you to chemicals including Titanium oxide (TiO2), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances Silica	7631-86-9
California Permissible Exposure Limits for Chemical Control Iron hydroxide oxide yellow	ontaminants 51274-00-1
Silica	7631-86-9
Titanium oxide (TiO2)	13463-67-7

A member of **C ALTANA**



LUXAN C393

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
1.1	03/09/2022	102000034952	Date of first issue: 01/18/2022

The ingredients of this product are reported in the following inventories:

DSL	:	All components of this product are on the Canadian DSL
TSCA	:	All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH		USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA PO	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0/TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National



LUXAN C393

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
1.1	03/09/2022	102000034952	Date of first issue: 01/18/2022

Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/09/2022

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8