

## POWDERSAFE 3580-02 Silver

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/28/2023 102000036664 Date of first issue: 08/28/2023

#### **SECTION 1. IDENTIFICATION**

Product name : POWDERSAFE 3580-02 Silver

Product code : 052873GD0

Manufacturer or supplier's details

Company name of supplier : ECKART America Corporation

Address : 830 East Erie Street

Painesville OH 44077

Telephone : 866-458-7837

(440) 954-7600

Telefax : (440) 354-6224

e-mail adresse : info.eckart.america.oh@altana.com

Emergency telephone : CHEMTREC: 800-424-9300

CHEMTREC: 1-703-527-3387 (International)

NCEC:

(contract no. ECKART29003-NCEC) US: +1 866 928 0789 (Toll free) Canada: +1 800 579 7421 (Toll Free)

Mexico: +52 55 5004 8763

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

## Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Aluminum	7429-90-5	>= 70 - < 90
Silica	7631-86-9	>= 1 - < 5

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : Take the victim into fresh air.



## POWDERSAFE 3580-02 Silver

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/28/2023 102000036664 Date of first issue: 08/28/2023

Do not leave the victim unattended.

If inhaled Remove to fresh air.

If unconscious, place in recovery position and seek medical

If symptoms persist, call a physician.

In case of skin contact In case of eye contact

Wash off immediately with soap and plenty of water.

Remove contact lenses.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media Dry sand

Special powder against metal fire

Unsuitable extinguishing

media

ABC powder

Carbon dioxide (CO2)

Water

Foam

Specific hazards during fire

fighting

Contact with water liberates extremely flammable gas

(hydrogen).

Further information Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment. Evacuate personnel to safe areas.

Avoid dust formation.

The product should not be allowed to enter drains, water Environmental precautions

courses or the soil.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Use mechanical handling equipment.



## POWDERSAFE 3580-02 Silver

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/28/2023 102000036664 Date of first issue: 08/28/2023

Pick up and arrange disposal without creating dust.

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid creating dust.

Routine housekeeping should be instituted to ensure that

dusts do not accumulate on surfaces.

Store away from heat.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Conditions for safe storage : Store in original container.

Keep containers tightly closed in a cool, well-ventilated place.

Keep away from sources of ignition - No smoking.

Keep container closed when not in use.

Electrical installations / working materials must comply with

the technological safety standards. Protect from humidity and water.

Technical

measures/Precautions
Materials to avoid

Do not store near acids.

Do not store together with oxidizing and self-igniting products.

Never allow product to get in contact with water during

storage.

Keep away from oxidizing agents and strongly acid or alkaline

materials.

No materials to be especially mentioned.

Further information on storage stability

No decomposition if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Aluminum	7429-90-5	TWA (total dust)	50 Million particles per cubic	OSHA Z-3



# POWDERSAFE 3580-02 Silver

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/28/2023 102000036664 Date of first issue: 08/28/2023

l I	1	foot	1
	TWA	5 mg/m3	NIOSH REL
	(Respirable)	5 mg/ms	NIOSH KEL
	TWA (total	15 mg/m3	OSHA Z-3
	dust)	15 mg/ms	OSHA 2-3
	TWA (total)	10 mg/m3	NIOSH REL
	TWA (total)	5 mg/m3	OSHA Z-3
	(respirable	o mg/mo	0011A 2 3
	fraction)		
	TWA	15 Million	OSHA Z-3
	(respirable	particles per cubic	00.11.20
	fraction)	foot	
	TWA	1 mg/m3	ACGIH
	(Respirable	3	
	particulate		
	matter)		
	TWA	5 mg/m3	NIOSH REL
		(Aluminum)	
	TWA (Total)	15 mg/m3	OSHA P0
		(Aluminum)	
	TWA	5 mg/m3	OSHA P0
	(Respirable	(Aluminum)	
	fraction)		
	TWA (total	15 mg/m3	OSHA Z-1
	dust)	(Aluminum)	
	TWA	5 mg/m3	OSHA Z-1
	(respirable	(Aluminum)	
	fraction)	45 / 0	00114 D0
	TWA (Total	15 mg/m3	OSHA P0
	dust)	(Aluminum)	OCUA DO
	TWA	5 mg/m3	OSHA P0
	(respirable	(Aluminum)	
	dust fraction) TWA	5 mg/m3	NIOSH REL
	(welding	(Aluminum)	NIOSH KEL
	fumes)	(Aluminum)	
	TWA (pyro	5 mg/m3	NIOSH REL
	powders)	(Aluminum)	14IOOIT IXEE
	TWA	1 mg/m3	ACGIH
	(Respirable	(Aluminum)	7.007
	particulate	(	
	matter)		
	TWA	5 mg/m3	OSHA P0
	(Fumes)		
	TWA	5 mg/m3	OSHA P0



## POWDERSAFE 3580-02 Silver

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/28/2023 102000036664 Date of first issue: 08/28/2023

		(powder)	(Aluminum)	
Silica	7631-86-9	TWA (Dust)	20 Million	OSHA Z-3
			particles per cubic	
			foot	
			(Silica)	
		TWA (Dust)	80 mg/m3	OSHA Z-3
			/ %SiO2	
			(Silica)	
		TWA	6 mg/m3	NIOSH REL
			(Silica)	

Personal protective equipment

Respiratory protection : Use suitable breathing protection if workplace concentration

requires.

Breathing apparatus with filter.

P1 filter

No personal respiratory protective equipment normally

required.

Hand protection

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to

be observed.

Eye protection : Safety glasses
Skin and body protection : Long sleeved clothing

Protective suit

Hygiene measures : General industrial hygiene practice.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : pellets Color : silver

Odor : characteristic
Odor Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/range : 100 - 120 °C

Boiling point/boiling range : Not applicable

Not applicable

Flash point : Not applicable Not applicable

Evaporation rate : No data available



## POWDERSAFE 3580-02 Silver

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/28/2023 102000036664 Date of first issue: 08/28/2023

No data available

No data available

No data available

Flammability (solid, gas) Combustible Solids

Upper explosion limit / Upper

flammability limit

Lower explosion limit / Lower

flammability limit

Vapor pressure No data available Relative density No data available

Density 2.1 g/cm3

Solubility(ies)

Water solubility insoluble

Partition coefficient: n-

octanol/water

No data available Autoignition temperature Decomposition temperature No data available Viscosity No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity No decomposition if stored and applied as directed. No decomposition if stored and applied as directed. Chemical stability Possibility of hazardous

reactions

Contact with acids and alkalis may release hydrogen. Stable under recommended storage conditions.

Dust may form explosive mixture in air.

Conditions to avoid No data available

Incompatible materials Acids

**Bases** 

Oxidizing agents

Water

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

## Components:

Silica:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

(Mouse): 15,000 mg/kg

Acute inhalation toxicity (Rat): 0.139 mg/l

Exposure time: 4 h



## POWDERSAFE 3580-02 Silver

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/28/2023 102000036664 Date of first issue: 08/28/2023

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

## Serious eye damage/eye irritation

Not classified based on available information.

## Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

## Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### Reproductive toxicity

Not classified based on available information.

## STOT-single exposure

Not classified based on available information.

## STOT-repeated exposure

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.



# POWDERSAFE 3580-02 Silver

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/28/2023 102000036664 Date of first issue: 08/28/2023

#### **Further information**

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

## **Components:**

Silica:

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia): 7,600 mg/l

Toxicity to algae : (Chlorella pyrenoidosa): 440 mg/l

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Other adverse effects

No data available

**Components:** 

Silica:

Additional ecological

information

: No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

## **Domestic regulation**

**49 CFR** 

Not regulated as a dangerous good

49 CFR : Not classified as dangerous in the meaning of transport

regulations.

## International Regulations

**UNRTDG** 

Not regulated as a dangerous good



## POWDERSAFE 3580-02 Silver

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/28/2023 102000036664 Date of first issue: 08/28/2023

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Remarks : Not classified as dangerous in the meaning of transport

regulations.

ADR : Not classified as dangerous in the meaning of transport

regulations.

IATA-DGR : Not classified as dangerous in the meaning of transport

regulations.

IMDG-Code : Not classified as dangerous in the meaning of transport

regulations.

Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Aluminum 7429-90-5 >= 70 - < 90 %

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).



## POWDERSAFE 3580-02 Silver

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/28/2023 102000036664 Date of first issue: 08/28/2023

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307 This product does not contain any priority pollutants related to the U.S. Clean Water Act

## **US State Regulations**

# Massachusetts Right To Know

Aluminum 7429-90-5 Silica 7631-86-9

## Pennsylvania Right To Know

Aluminum 7429-90-5

Not Assigned

Ethene, homopolymer 9002-88-4

Silica 7631-86-9

#### California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### California List of Hazardous Substances

Aluminum 7429-90-5

Silica 7631-86-9

#### California Permissible Exposure Limits for Chemical Contaminants

Aluminum 7429-90-5



## POWDERSAFE 3580-02 Silver

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/28/2023 102000036664 Date of first issue: 08/28/2023

Silica 7631-86-9

## The ingredients of this product are reported in the following inventories:

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

TSCA : All chemical substances in this product are either listed as

active on the TSCA Inventory or are in compliance with a

TSCA Inventory exemption.

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1

Limits for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3

Mineral Dusts

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average OSHA Z-3 / TWA : 8-hour time weighted average

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory



# POWDERSAFE 3580-02 Silver

Version Revision Date: SDS Number: Date of last issue: -

1.0 08/28/2023 102000036664 Date of first issue: 08/28/2023

of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08/28/2023

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8