according to Regulation (EC) No. 1907/2006



SYMIC C321

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	102000002391	Date of first issue: 09.01.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	SYMIC C321

Product code : 035670MJ0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colouring agents, pigments
Substance/Mixture		

1.3 Details of the supplier of the safety data sheet

Company	Gi	CKART GmbH Jentersthal 4 235 Hartenstein
Telephone	: +4	99152770
Telefax	: +4	99152777008
E-mail address of person responsible for the SDS	: <u>m</u> e	sds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Additional Labelling

EUH210	Safety data sheet available on request.	
--------	---	--

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe





VersionRevision Date:SDS Number:Print Date: 02.12.20244.013.02.202310200002391Date of first issue: 09.01.2014

dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Componente			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Substances with a workplace	exposure limit:		
Fluorphlogopite	12003-38-2		>= 50 - <= 100
(Mg3K[AIF2O(SiO3)3])			
	234-426-5		
	01-2119971065-37		
For explanation of abbreviation	one con soction 16	•	•

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Do not leave the victim unattended.
lf inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water.
In case of eye contact	:	Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed None known.



SYMIC C321

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	102000002391	Date of first issue: 09.01.2014

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Not combustible.

Not applicable

5.2 Special hazards arising from the substance or mixture

This information is not available.

5.3 Advice for firefighters

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

• • •	equipment and emergency procedures Avoid dust formation.
6.2 Environmental precautions Environmental precautions :	No special environmental precautions required.
6.3 Methods and material for contain Methods for cleaning up :	nment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling					
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.			
Advice on protection against	:	Provide appropriate exhaust ventilation at places where dust			

according to Regulation (EC) No. 1907/2006

SYMIC C321



Version 4.0	Revision Date: 13.02.2023)S Number: 2000002391	Print Date: 02.12.2024 Date of first issue: 09.01.2014
fire a	nd explosion		is formed.	
Hygie	Hygiene measures		General indus	trial hygiene practice.
7.2 Condi	itions for safe storage,	inc	uding any inc	ompatibilities
•	irements for storage and containers	:		allations / working materials must comply with ical safety standards.
Advi	Advice on common storage		No materials t	o be especially mentioned.
	er information on ge stability	:	Keep in a dry No decompos	place. ition if stored and applied as directed.
7 2 Encoi	fic and use(a)			

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
Fluorphlogopite	12003-38-2	TWA	2.5 mg/m3	2000/39/EC
(Mg3K[AIF2O(SiO 3)3])			(Fluorine)	
	Further inforn	nation: Indicative		
titanium dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40
	inhalable dus when samplin MDHS14/4 G respirable, the substance has concentration inhalable dus any dust will b levels. Some must comply particles of a particular part response that distinguishes and 'respirabl material that e available for o to the fraction definitions an contain comp should be cor	t are those fractions of is undertaken in a eneral methods for so pracic and inhalable zardous to health ind in air equal to or great tor 4 mg.m-3 8-hour be subject to COSHH dusts have been assist with the appropriate wide range of sizes. ticle after entry into the it elicits, depend on two size fractions for e'., Inhalable dust appendent two size fractions for e'., Inhalable dust appendent that penetrates to the deposition in the resp that penetrates to the dexplanatory material onents that have the mplied with., Where response	ises of these limits, respiration of airborne dust which will coordance with the methologicampling and gravimetric a aerosols., The COSHH decludes dust of any kind whether than 10 mg.m-3 8-hotor TWA of respirable dust. TWA of respirable dust. Two of respirable dust. The behaviour, deposition he human respiratory system the nature and size of the proximates to the fraction mouth during breathing arbitratory tract. Respirable dust are given in MDHS14/4 in own assigned WEL, all no specific short-term experison of the should be the store of the stor	I be collected ds described in analysis or efinition of a en present at a our TWA of This means that o dust above these exposure to these ests contain n and fate of any tem, and the body e particle. HSE rmed 'inhalable' n of airborne nd is therefore lust approximates f the lung. Fuller ., Where dusts the relevant limits osure limit is listed,

according to Regulation (EC) No. 1907/2006



SYMIC C321

Version 4.0	Revision Date: 13.02.2023	SDS Number: 102000002391	Print Date: 02.12.2024 Date of first issue: 09	-	
1		TWA (Inhala	ble) 10 mg/m3	GB EH40	
		TWA (Respi	rable 4 mg/m3	GB EH40	
		dust)			
	Furth	ner information: For the	purposes of these limits,	respirable dust and	
	inhal	inhalable dust are those fractions of airborne dust which will be collec			
			en in accordance with the		

	when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed,				
	a figure three	-	exposure limit should be use		
		TWA (Respirable fraction)	4 mg/m3	GB EH40	
diiron trioxide	1309-37-1	TWA (Inhalable)	10 mg/m3	GB EH40	
		TWA (Respirable fraction)	4 mg/m3	GB EH40	
		TWA (inhalable dust)	10 mg/m3	GB EH40	
	IWA (inhalable dust)10 mg/m3GB EH40Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in 				

according to Regulation (EC) No. 1907/2006



SYMIC C321

Version 4.0	Revision Date: 13.02.2023		Print Date: 02.12.2024 Date of first issue: 09.01.2014	
	defi cont sho	nitions and explanatory mat tain components that have t uld be complied with., When	o the gas exchange region of the gas exchange region of the erial are given in MDHS14/4., wheir own assigned WEL, all the e no specific short-term exposed mexposure limit should be used at mg/m3	Where dusts e relevant limits ure limit is listed,
	inha whe MDF resp sub- cond inha any leve mus part part resp disti and mate avai to th defi cont shot	lable dust are those fraction n sampling is undertaken in HS14/4 General methods for virable, thoracic and inhalabi- stance hazardous to health centration in air equal to or lable dust or 4 mg.m-3 8-ho dust will be subject to COS ls. Some dusts have been a to comply with the appropria icles of a wide range of size icular particle after entry intro- onse that it elicits, depend inguishes two size fractions 'respirable'., Inhalable dust erial that enters the nose are lable for deposition in the re- ne fraction that penetrates to nitions and explanatory mat- tain components that have t- uld be complied with., When	poses of these limits, respirables of airborne dust which will be accordance with the methods or sampling and gravimetric analytic accordance with the methods or sampling and gravimetric analytic accordance with the methods or sampling and gravimetric analytic accordance with the methods or sampling and gravimetric analytic accordance with the methods or sampling and gravimetric analytic accordance with the methods or sampling and gravimetric analytic accordance with the methods or sampling and gravimetric analytic accordance with the methods of any kind when greater than 10 mg.m-3 8-hour or two of respirable dust. This has a specific WELs and externation of the behaviour, deposition a both the nature and size of the p for limit-setting purposes term approximates to the fraction of the mouth during breathing and espiratory tract. Respirable dust of the gas exchange region of the reial are given in MDHS14/4., wheir own assigned WEL, all the e no specific short-term exposes mexposure limit should be used.	e collected described in alysis or nition of a present at a TWA of s means that ust above these posure to these contain and fate of any n, and the body article. HSE ed 'inhalable' f airborne is therefore t approximates ne lung. Fuller Where dusts e relevant limits ure limit is listed,

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	. ()		()	
Substance name	End Use	Exposure routes	Potential health	Value
			effects	
Fluorphlogopite (Mg3K[AIF2O(SiO3)3])	Consumers	Ingestion	Long-term systemic effects	62.5 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection	: Safety glasses
Skin and body protection	: Protective suit
Respiratory protection	: No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : powder

according to Regulation (EC) No. 1907/2006

SYMIC C321



Vers 4.0	sion	Revision Date: 13.02.2023		S Number: 2000002391	Print Date: 02.12.2024 Date of first issue: 09.01.2014
	Colour		:	gold	
	Odour		:	odourless	
	Odour	Threshold	:	No data available	
	Freezir	ig point	:	No data available	
	Boiling	point/boiling range	:	No data available	•
	Flamm	ability	:	Will not burn	
		explosion limit / Upper ability limit	:	No data available	
		explosion limit / Lower ability limit	:	No data available	
	Flash p	point	:	No data available)
	Auto-ig	nition temperature	:	Not relevant	
	Decom	position temperature	:	No data available)
	рН		:	substance/mixtur	e is non-soluble (in water)
	Vise	cosity, kinematic	:	No data available	9
	Wat	ter solubility	:	No data available	,
	Sol	ubility in other solvents	:	No data available)
	Partitio octano	n coefficient: n-	:	No data available	•
		r pressure	:	No data available	9
	Relativ	e density	:	No data available	•
	Density	ý	:	3.29 g/cm3	
	Bulk de Relativ	ensity e vapour density	:	0.27 g/cm3 No data available	
	Par	ticle Size Distribution	:		

9.2 Other information

No data available



SYMIC C321

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	102000002391	Date of first issue: 09.01.2014

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

- Hazardous reactions
- : Stable under recommended storage conditions. No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

10.6 Hazardous decomposition products

This information is not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

SYMIC C321



4.0	Revision Date: 13.02.2023	SDS Number: 102000002391	Print Date: 02.12.2024 Date of first issue: 09.01.2014
	- repeated exposur lassified based on av		
-	ation toxicity lassified based on ava	ailable information.	
11.2 Infor	mation on other haz	ards	
Furth	er information		
<u>Prod</u> Rema		: No data availa	ble
		formation	
12.1 Toxic	•	formation	
12.1 Toxi o No da 12.2 Pers i	_		
12.1 Toxic No da 12.2 Persi No da 12.3 Bioa	city ata available istence and degrada	bility	
12.1 Toxic No da 12.2 Persi No da 12.3 Bioa No da 12.4 Mobi	city ata available istence and degrada ata available ccumulative potentia	bility	
12.1 Toxic No da 12.2 Persi No da 12.3 Bioa No da 12.4 Mobi	city ata available istence and degrada ata available ccumulative potentia ata available lity in soil	bility al	

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological : No data available information

Components:

Fluorphlogopite (Mg3K[AIF2O(SiO3)3]): Additional ecological : No data available information



SYMIC C321

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	102000002391	Date of first issue: 09.01.2014

SECTION 13: Disposal considerations

13.1 Waste treatment methods Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal.				
SECTION 14: Transport information						
14.1 UN number or ID number						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.2 UN proper shipping name						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.3 Transport hazard class(es)						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.4 Packing group						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
IATA (Cargo)	:	Not regulated as a dangerous good				
IATA (Passenger)	:	Not regulated as a dangerous good				
14.5 Environmental hazards Not regulated as a dangerous good						
14.6 Special precautions for use Remarks	r :	Not classified as dangerous in the meaning of transport regulations.				

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



SYMIC C321

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	102000002391	Date of first issue: 09.01.2014

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,	:	Not applicable
mixtures and articles (Annex XVII)		
Regulation (EC) No 1005/2009 on substances that	:	Not applicable
deplete the ozone layer		
UK REACH List of substances subject to authorisation	:	Not applicable
(Annex XIV)		

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first
		list of indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2000/39/EC / TWA	:	Limit Value - eight hours
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect



SYMIC C321

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	102000002391	Date of first issue: 09.01.2014

Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN