according to Regulation (EC) No. 1907/2006



## AlSi7Mg0,6 EN-AC 42200 powder 20-63 μm

Version Revision Date: SDS Number: Print Date: 15.04.2024

1.1 02.04.2024 102000036896 Date of first issue: 25.10.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : AlSi7Mg0,6 EN-AC 42200 powder 20-63 µm

Product code : 031404UL1

1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

1.3 Details of the supplier of the safety data sheet

Company : ECKART TLS GmbH

PC-Straße 5

06749 Bitterfeld-Wolfen

Germany

Telephone : +493493929590

Telefax : +4934939295999

E-mail address of person

responsible for the SDS

info.eckart.tls@altana.com

## 1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe)

Call and response in your language is possible.

Contract no.: ECKART29003-NCEC.

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

## 2.3 Other hazards

Combustible Solids

according to Regulation (EC) No. 1907/2006



## AlSi7Mg0,6 EN-AC 42200 powder 20-63 μm

Version Revision Date: SDS Number: Print Date: 15.04.2024

1.1 02.04.2024 102000036896 Date of first issue: 25.10.2023

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Remarks : No hazardous ingredients

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice : Move the victim to fresh air.

Do not leave the victim unattended.

If inhaled : Remove to fresh air.

If unconscious, place in recovery position and seek medical

advice

If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water.

In case of eye contact : Remove contact lenses.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

None known.

## 4.3 Indication of any immediate medical attention and special treatment needed

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Dry sand

Special powder against metal fire

Unsuitable extinguishing : ABC powder

media Carbon dioxide (CO2)

according to Regulation (EC) No. 1907/2006



## AlSi7Mg0,6 EN-AC 42200 powder 20-63 µm

Version Revision Date: SDS Number: Print Date: 15.04.2024

1.1 02.04.2024 102000036896 Date of first issue: 25.10.2023

Foam Water

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Contact with water liberates extremely flammable gas

(hydrogen).

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Evacuate personnel to safe areas.

Avoid dust formation.

6.2 Environmental precautions

General advice : The product should not be allowed to enter drains, water

courses or the soil.

No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

Do not use a vacuum cleaner.

Pick up and arrange disposal without creating dust.

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid creating dust.

Routine housekeeping should be instituted to ensure that

dusts do not accumulate on surfaces.

Store away from heat.

according to Regulation (EC) No. 1907/2006



## AlSi7Mg0,6 EN-AC 42200 powder 20-63 μm

Version Revision Date: SDS Number: Print Date: 15.04.2024

1.1 02.04.2024 102000036896 Date of first issue: 25.10.2023

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Advice on protection against

fire and explosion

Use explosion-proof equipment. During processing, dust may form explosive mixture in air. Take measures to prevent the build up of electrostatic charge. When transferring from one container to another apply earthing measures and use conductive hose material.

Provide appropriate exhaust ventilation at places where dust

is formed.

Hygiene measures : General industrial hygiene practice.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Earthing of containers and apparatuses is essential. Reaction with water liberates extremely flammable gas (hydrogen) Use explosion-proof equipment. Store in original container. Keep away from sources of ignition - No smoking. Keep container

closed when not in use.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on storage conditions

Protect from humidity and water.

Advice on common storage

Do not store together with oxidizing and self-igniting products.

Never allow product to get in contact with water during

storage.

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

No materials to be especially mentioned.

Further information on

storage stability

: No decomposition if stored and applied as directed.

## 7.3 Specific end use(s)

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
aluminium	7429-90-5	TWA (inhalable	10 mg/m3	GB EH40
		dust)		
		TWA (Respirable	4 mg/m3	GB EH40
		dust)		

according to Regulation (EC) No. 1907/2006



## AlSi7Mg0,6 EN-AC 42200 powder 20-63 μm

Version Revision Date: SDS Number: Print Date: 15.04.2024

1.1 02.04.2024 102000036896 Date of first issue: 25.10.2023

silicon	7440-21-3   TWA (Inhalable)   10 mg/m3	GB EH40		
	Further information: For the purposes of these limits, respirable			
	inhalable dust are those fractions of airborne dust which will b			
	when sampling is undertaken in accordance with the methods			
	MDHS14/4 General methods for sampling and gravimetric and			
	respirable, thoracic and inhalable aerosols., The COSHH defi	nition of a		
	substance hazardous to health includes dust of any kind when			
	concentration in air equal to or greater than 10 mg.m-3 8-hour			
	inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. Thi			
		any dust will be subject to COSHH if people are exposed to dust above these		
		levels. Some dusts have been assigned specific WELs and exposure to these		
	must comply with the appropriate limits., Most industrial dusts			
	particles of a wide range of sizes. The behaviour, deposition a			
	particular particle after entry into the human respiratory syster			
	response that it elicits, depend on the nature and size of the p			
	distinguishes two size fractions for limit-setting purposes term			
	and 'respirable'., Inhalable dust approximates to the fraction o			
	material that enters the nose and mouth during breathing and			
	available for deposition in the respiratory tract. Respirable dus			
	to the fraction that penetrates to the gas exchange region of the lung. Fuller			
	definitions and explanatory material are given in MDHS14/4.,			
	contain components that have their own assigned WEL, all the			
	should be complied with., Where no specific short-term expos			
	a figure three times the long-term exposure limit should be use			
	TWA (Respirable 4 mg/m3 fraction)	GB EH40		
	Further information: For the purposes of these limits, respirable	le dust and		
	inhalable dust are those fractions of airborne dust which will b			
	when sampling is undertaken in accordance with the methods	described in		
	MDHS14/4 General methods for sampling and gravimetric and	alysis or		
	respirable, thoracic and inhalable aerosols., The COSHH defi	nition of a		
	substance hazardous to health includes dust of any kind when	present at a		
	concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of			
	inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. Thi			
	any dust will be subject to COSHH if people are exposed to d			
	levels. Some dusts have been assigned specific WELs and ex			
	must comply with the appropriate limits., Most industrial dusts contain			
	particles of a wide range of sizes. The behaviour, deposition a	•		
	particular particle after entry into the human respiratory syster			
	response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates			
	to the fraction that penetrates to the gas exchange region of the lung. Fuller			
	definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits			
	should be complied with., Where no specific short-term expos			
	a figure three times the long-term exposure limit should be use			
	TWA (inhalable 10 mg/m3	GB EH40		
	dust)			

according to Regulation (EC) No. 1907/2006



## AlSi7Mg0,6 EN-AC 42200 powder 20-63 μm

Version Revision Date: SDS Number: Print Date: 15.04.2024

1.1 02.04.2024 102000036896 Date of first issue: 25.10.2023

Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'.. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.

TWA (Respirable dust) 4 mg/m3 GB EH40

Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits.. Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health	Value
			effects	

according to Regulation (EC) No. 1907/2006



## AlSi7Mg0,6 EN-AC 42200 powder 20-63 μm

Version Revision Date: SDS Number: Print Date: 15.04.2024

1.1 02.04.2024 102000036896 Date of first issue: 25.10.2023

aluminium	Workers	Inhalation	Long-term local effects	3.72 mg/m3
	Consumers	Oral	Long-term systemic effects	3.95 mg/kg
	Workers	Inhalation	Long-term systemic effects	3.72 mg/m3

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
aluminium	clarification plant	20 mg/l

#### 8.2 Exposure controls

Personal protective equipment

Eye/face protection : Face-shield

Safety glasses

Hand protection

Material : Leather

Glove length : Long sleeve gloves

Remarks : Leather gloves The choice of an appropriate glove does not

only depend on its material but also on other quality features

and is different from one producer to the other.

Skin and body protection : Anti-static and fire resistant protective clothing. DIN EN

11612; EN 533; EN 1149-1. Anti-static safety shoes.

Protective suit

Respiratory protection : Use suitable breathing protection if workplace concentration

requires.

Breathing apparatus with filter.

P1 filter

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Form : granular

Colour : No data available

Odour : characteristic

Odour Threshold : No data available

Freezing point : No data available

Boiling point/boiling range : No data available

Flammability : Combustible Solids

Upper explosion limit / Upper

flammability limit

: No data available

according to Regulation (EC) No. 1907/2006



## AlSi7Mg0,6 EN-AC 42200 powder 20-63 µm

Version Revision Date: SDS Number: Print Date: 15.04.2024

1.1 02.04.2024 102000036896 Date of first issue: 25.10.2023

Lower explosion limit / Lower

flammability limit

No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : substance/mixture is non-soluble (in water)

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Relative vapour density : No data available

Particle characteristics

Particle Size Distribution : No data available

#### 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

## 10.2 Chemical stability

No decomposition if stored and applied as directed.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : Contact with acids and alkalis may release hydrogen.

Stable under recommended storage conditions.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : No data available

according to Regulation (EC) No. 1907/2006



## AlSi7Mg0,6 EN-AC 42200 powder 20-63 μm

Version Revision Date: SDS Number: Print Date: 15.04.2024

1.1 02.04.2024 102000036896 Date of first issue: 25.10.2023

## 10.5 Incompatible materials

Materials to avoid : Acids

**Bases** 

Oxidizing agents

Water

#### 10.6 Hazardous decomposition products

This information is not available.

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

## **Aspiration toxicity**

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



## AlSi7Mg0,6 EN-AC 42200 powder 20-63 µm

Version Revision Date: SDS Number: Print Date: 15.04.2024

1.1 02.04.2024 102000036896 Date of first issue: 25.10.2023

#### 11.2 Information on other hazards

#### **Further information**

**Product:** 

Remarks : No data available

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

## 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

**Product:** 

Additional ecological

information

: No data available

#### **SECTION 13: Disposal considerations**

European Waste Catalogue : 10 03 21 - other particulates and dust (including ball-mill dust)

containing hazardous substances

13.1 Waste treatment methods

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

according to Regulation (EC) No. 1907/2006



## AlSi7Mg0,6 EN-AC 42200 powder 20-63 µm

Version Revision Date: SDS Number: Print Date: 15.04.2024

1.1 02.04.2024 102000036896 Date of first issue: 25.10.2023

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport

regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be

considered:

according to Regulation (EC) No. 1907/2006



## AlSi7Mg0,6 EN-AC 42200 powder 20-63 µm

Version Revision Date: SDS Number: Print Date: 15.04.2024

1.1 02.04.2024 102000036896 Date of first issue: 25.10.2023

magnesium, powder or turnings

(Number on list 40)

titanium (Number on list 40)

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great

Britain)

Regulation (EC) No 1005/2009 on substances that

deplete the ozone layer

Regulation (EU) 2019/1148 on the marketing and use of

explosives precursors

Not applicable

Not applicable

Not applicable

Not applicable

aluminium

magnesium, powder or turnings

UK REACH List of substances subject to authorisation

(Annex XIV)

Regulation (EU) 2019/1148 on the marketing and use of

explosives precursors

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

aluminium (ANNEX II) magnesium, powder or turnings (ANNEX II)

### 15.2 Chemical safety assessment

No data available

#### **SECTION 16: Other information**

#### Full text of other abbreviations

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO

according to Regulation (EC) No. 1907/2006



## AlSi7Mg0,6 EN-AC 42200 powder 20-63 μm

Version Revision Date: SDS Number: Print Date: 15.04.2024

1.1 02.04.2024 102000036896 Date of first issue: 25.10.2023

International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN