according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Supernova Gold

Version	Revision Date:	SDS Number:	Print Date: 21.12.2024
6.1	19.12.2024	102000022609	Date of first issue: 10.02.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	SYNCRYSTAL Supernova Gold
Product code	:	021131MJ0
1.2 Relevant identified uses of	the s	ubstance or mixture and uses advised against
Use of the	:	Cosmetic products
Substance/Mixture		Colouring agents, pigments

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Additional Labelling

EUH210 Safety data sheet available on request.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Supernova Gold

0.1 13.12.2024 10200022003 Date of hist issue. 10.02.2013	Version 6.1	Revision Date: 19.12.2024	SDS Number: 102000022609	Print Date: 21.12.2024 Date of first issue: 10.02.2015
---	----------------	---------------------------	-----------------------------	---

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components						
Chemical name	CAS-No.	ClassificationREGUL	Concentration			
	EC-No.	ATION (EC) No	(% w/w)			
	Index-No.	1272/2008				
	Registration number					
Substances with a workplace exposure limit :						
Fluorphlogopite	12003-38-2		>= 25 - < 50			
(Mg3K[AIF2O(SiO3)3])	234-426-5					
	01-2119971065-37					
			•			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water.
In case of eye contact	:	Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Supernova Gold

Version	Revision Date:	SDS Number:	Print Date: 21.12.2024
6.1	19.12.2024	102000022609	Date of first issue: 10.02.2015

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Not combustible.

Not applicable

5.2 Special hazards arising from the substance or mixture

This information is not available.

5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

•		equipment and emergency procedures Avoid dust formation.
6.2 Environmental precautions		
General advice	:	No special environmental precautions required.
6.3 Methods and material for con-	taiı	nment and cleaning up
Methods for cleaning up	:	Pick up and arrange disposal without creating dust. Sweep up and shovel.
		Keep in suitable, closed containers for disposal.
6.4 Reference to other sections		
For personal protection and eastion	0	

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling					
Advice on safe handling	:	For personal protection see section 8.			
		Smoking, eating and drinking should be prohibited in the application area.			
Advice on protection against	:	Provide appropriate exhaust ventilation at places where dust			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Supernova Gold

Version 6.1	Revision Date: 19.12.2024		DS Number: 2000022609	Print Date: 21.12.2024 Date of first issue: 10.02.2015
fire	and explosion		is formed.	
Hy	giene measures	:	General industria	I hygiene practice.
7.2 Conditions for safe storage, in		inc	luding any incom	patibilities
Requirements for storage areas and containers				tions / working materials must comply with safety standards.
Advice on common storage		:	No materials to b	e especially mentioned.
	ther information on rage stability	:	Keep in a dry plac No decompositio	ce. n if stored and applied as directed.
7 3 Sno	cific and use(s)			

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis						
		of exposure)								
titanium dioxide	13463-67-7	TWA (inhalable	10 mg/m3	GB EH40						
		dust)								
		Further information: For the purposes of these limits, respirable dust and								
	inhalable dus	t are those fractions	of airborne dust which will be	e collected						
		0	ccordance with the methods							
			ampling and gravimetric ana							
			aerosols., The COSHH defir							
			ludes dust of any kind when							
			ater than 10 mg.m-3 8-hour							
			TWA of respirable dust. This							
			if people are exposed to du							
		levels. Some dusts have been assigned specific WELs and exposure to these								
		must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any								
		particular particle after entry into the human respiratory system, and the body								
		response that it elicits, depend on the nature and size of the particle. HSE								
	distinguishes two size fractions for limit-setting purposes termed 'inhalable'									
	and 'respirable'., Inhalable dust approximates to the fraction of airborne									
	material that enters the nose and mouth during breathing and is therefore									
	available for deposition in the respiratory tract. Respirable dust approximates									
	to the fraction that penetrates to the gas exchange region of the lung. Fuller									
	definitions and explanatory material are given in MDHS14/4., Where dusts									
	contain components that have their own assigned WEL, all the relevant limits									
	should be complied with., Where no specific short-term exposure limit is listed,									
		a figure three times the long-term exposure limit should be used.								
		TWA (Inhalable)	10 mg/m3	GB EH40						
		TWA (Respirable	4 mg/m3	GB EH40						
		dust)								

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Supernova Gold

Version 6.1	Revision Da 19.12.2024			int Date: 21.12.2024 ate of first issue: 10.02.2015	5
		inhalable dust when samplin MDHS14/4 Ge respirable, the substance has concentration inhalable dust any dust will b levels. Some particles of a particular part response that distinguishes and 'respirable material that e available for o to the fraction definitions and contain comp should be cor	are those fractions ig is undertaken in a eneral methods for s pracic and inhalable zardous to health ind in air equal to or great to r 4 mg.m-3 8-hour be subject to COSHI dusts have been as with the appropriate wide range of sizes. icle after entry into t it elicits, depend on two size fractions for e'., Inhalable dust ap enters the nose and leposition in the resp that penetrates to t d explanatory materi onents that have the nplied with., Where times the long-term TWA (Respirable	oses of these limits, respirate of airborne dust which will b accordance with the methods sampling and gravimetric an aerosols., The COSHH def cludes dust of any kind when eater than 10 mg.m-3 8-hour r TWA of respirable dust. The if people are exposed to co signed specific WELs and e limits., Most industrial dusts The behaviour, deposition the human respiratory syste of the nature and size of the p or limit-setting purposes term oproximates to the fraction of mouth during breathing and biratory tract. Respirable du he gas exchange region of the al are given in MDHS14/4., air own assigned WEL, all the no specific short-term expose exposure limit should be us 4 mg/m3	be collected s described in halysis or inition of a n present at a r TWA of his means that dust above these xposure to these s contain and fate of any m, and the body barticle. HSE hed 'inhalable' of airborne I is therefore st approximates the lung. Fuller Where dusts he relevant limits sure limit is listed,
	hlogopite {[AIF2O(SiO	12003-38-2	fraction) TWA	2.5 mg/m3 (Fluorine)	2000/39/EC
, 1,		Further inform	hation: Indicative		
diiron	trioxide	1309-37-1	TWA (Inhalable)	10 mg/m3	GB EH40
			TWA (Respirable fraction)	4 mg/m3	GB EH40
			TWA (inhalable dust)	10 mg/m3	GB EH40
		inhalable dust when samplin MDHS14/4 Ge respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply particles of a particular part response that distinguishes	are those fractions ig is undertaken in a eneral methods for s pracic and inhalable zardous to health ind in air equal to or gra- tor 4 mg.m-3 8-hour be subject to COSHI dusts have been as with the appropriate wide range of sizes. icle after entry into to it elicits, depend on two size fractions for	oses of these limits, respirab of airborne dust which will b accordance with the methods sampling and gravimetric an aerosols., The COSHH def cludes dust of any kind when eater than 10 mg.m-3 8-hou r TWA of respirable dust. The f if people are exposed to a signed specific WELs and e limits., Most industrial dusts The behaviour, deposition he human respiratory syste of the nature and size of the p or limit-setting purposes term oproximates to the fraction of	be collected s described in alysis or inition of a n present at a r TWA of his means that dust above these xposure to these s contain and fate of any m, and the body particle. HSE hed 'inhalable'

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Supernova Gold

Version 6.1	Revision Date: 19.12.2024	SDS Number: 102000022609	Print Date: 21.12.2024 Date of first issue: 10.02.2	015
		lable for deposition in the r ne fraction that penetrates to nitions and explanatory ma tain components that have uld be complied with., Whe gure three times the long-te	nd mouth during breathing espiratory tract. Respirable to the gas exchange region terial are given in MDHS14/ their own assigned WEL, a re no specific short-term ex rm exposure limit should be	dust approximates of the lung. Fuller /4., Where dusts II the relevant limits (posure limit is listed, e used.
		TWA (Respirab dust)	le 4 mg/m3	GB EH40
	inha whe MDI resp sub- con inha any leve mus part part resp dist and mat avai to th defi con sho	lable dust are those fraction in sampling is undertaken in HS14/4 General methods for inable, thoracic and inhalake stance hazardous to health centration in air equal to or lable dust or 4 mg.m-3 8-h dust will be subject to COS ls. Some dusts have been at comply with the appropria icles of a wide range of siz icular particle after entry in bonse that it elicits, depend inguishes two size fractions respirable'., Inhalable dus erial that enters the nose a lable for deposition in the r he fraction that penetrates to nitions and explanatory ma tain components that have uld be complied with., Whe	arposes of these limits, resp ons of airborne dust which we n accordance with the meth or sampling and gravimetric ole aerosols., The COSHH includes dust of any kind we greater than 10 mg.m-3 8-H our TWA of respirable dust SHH if people are exposed assigned specific WELs and ate limits., Most industrial due es. The behaviour, depositi to the human respiratory sy on the nature and size of t is for limit-setting purposes of t approximates to the fraction and mouth during breathing respiratory tract. Respirable to the gas exchange region terial are given in MDHS14/ their own assigned WEL, a re no specific short-term ex- erm exposure limit should be	vill be collected nods described in a analysis or definition of a when present at a hour TWA of . This means that to dust above these d exposure to these usts contain ion and fate of any rstem, and the body he particle. HSE termed 'inhalable' on of airborne and is therefore dust approximates of the lung. Fuller /4., Where dusts II the relevant limits aposure limit is listed,

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health	Value		
			effects			
Fluorphlogopite (Mg3K[AIF2O(SiO3)3])	Workers	Inhalation	Long-term systemic effects	4 mg/m3		
	Workers	Inhalation	Acute systemic effects	4 mg/m3		
	Consumers	Oral	Long-term systemic effects	62.5 mg/kg		

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses
Skin and body protection	:	Work uniform or laboratory coat.
Respiratory protection	:	No personal respiratory protective equipment normally required.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Supernova Gold

Version	Revision Date:	SDS Number:	Print Date: 21.12.2024
6.1	19.12.2024	102000022609	Date of first issue: 10.02.2015

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	:	powder
Colour	:	gold
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	> 700 °C
Boiling point/boiling range	:	No data available
Flammability	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility Solubility in other solvents	:	insoluble No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	2.5 - 4.0 g/cm3
Bulk density Relative vapour density	:	0.44 g/cm3 No data available
Particle characteristics		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Supernova Gold

Version	Revision Date:	SDS Number:	Print Date: 21.12.2024
6.1	19.12.2024	102000022609	Date of first issue: 10.02.2015

Particle Size Distribution : $D50 = 22.5 \ \mu m \pm 2.5 \ \mu m$

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

10.6 Hazardous decomposition products

This information is not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Supernova Gold

Version	Revision Date:	SDS Number:	Print Date: 21.12.2024
6.1	19.12.2024	102000022609	Date of first issue: 10.02.2015

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Further information

Product:

Remarks

: No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available

- **12.2 Persistence and degradability** No data available
- 12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Supernova Gold

Versior 6.1	n Revision Date: 19.12.2024	SDS Number: 102000022609	Print Date: 21.12.2024 Date of first issue: 10.02.2015
inf	ormation		
<u>Cc</u>	omponents:		
Ac	uorphlogopite (Mg3K[AIF dditional ecological ormation	2O(SiO3)3]): : No data availa	ble
SECT	ION 13: Disposal consi	derations	
13.1 W	aste treatment methods		
Co	ontaminated packaging		ers should be taken to an approved waste or recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				

Not regulated as a dangerous good

14.6 Special precautions for user

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Supernova Gold

Version	Revision Date:	SDS Number:	Print Date: 21.12.2024
6.1	19.12.2024	102000022609	Date of first issue: 10.02.2015
Remar	ks	: Not classified regulations.	as dangerous in the meaning of transport

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on	:	Not applicable
the market and use of certain dangerous substances,		
mixtures and articles (Annex XVII)		
Regulation (EC) No 1005/2009 on substances that	:	Not applicable
deplete the ozone layer		
UK REACH List of substances subject to authorisation	:	Not applicable
(Annex XIV)		

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

Full text of other abbreviatio	ns			
2000/39/EC	:	Europe. Commission Directive 2000/39/EC		
		list of indicative occupational exposure limit		
GB EH40		LIK EH40 WEL - Workplace Exposure Limit		

	list of indicative occupational exposure limit values
:	UK. EH40 WEL - Workplace Exposure Limits
:	Limit Value - eight hours
:	Long-term exposure limit (8-hour TWA reference period)
	:

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

establishing a first

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by

Commission Regulation (EC) No. 1907/2006, as amended



SYNCRYSTAL Supernova Gold

Version	Revision Date:	SDS Number:	Print Date: 21.12.2024
6.1	19.12.2024	102000022609	Date of first issue: 10.02.2015

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN