according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STANDART PC 20 Aluminium Powder

Version	Revision Date:	SDS Number:	Print Date: 04.04.2025
4.0	03.04.2025	102000030773	Date of first issue: 19.03.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	STANDART PC 20 Aluminium Powder
Product code	:	049114E30

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colouring agents, pigments
Substance/Mixture		

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable solids, Category 1 H228: Flammable solid.

Information concerning particular hazards for human and environment: Please refer to our website for further important safety instructions for handling aluminium powder: http://www.eckort.pat/fileadmin/cekart/Service/CDA_Alupuker_Sefety_engl.pdf

http://www.eckart.net/fileadmin/eckart/Service/GDA_Alupulver_Safety_engl.pdf

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STANDART PC 20 Aluminium Powder

Version 4.0	Revision Date: 03.04.2025	-	SDS Number: 02000030773	Print Date: 04.04.2025 Date of first issue: 19.03.2019
Haza	rd pictograms	:		
Signa	l word	:	Danger	
Haza	rd statements	:	H228	Flammable solid.
Preca	autionary statements	:	Prevention: P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
			P240	Ground and bond container and receiving equipment.
			P241	Use explosion-proof electrical/ ventilating/ lighting equipment.
			P280	Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing
			Response: P370 + P378	protection. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	ClassificationREGUL ATION (EC) No 1272/2008	Concentration (% w/w)
aluminium powder (stabilised)	7429-90-5 231-072-3 013-002-00-1 01-2119529243-45	Flam. Sol. 1; H228	>= 50 - <= 100

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STANDART PC 20 Aluminium Powder

Version	Revision Date:	SDS Number:	Print Date: 04.04.2025
4.0	03.04.2025	102000030773	Date of first issue: 19.03.2019

SECTION 4: First aid measures

4.1 Description of first aid measures General advice : Move the victim to fresh air. Move out of dangerous area. If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. In case of skin contact Wash off immediately with soap and plenty of water. : If on skin, rinse well with water. If on clothes, remove clothes. In case of eye contact Flush eyes with water as a precaution. : Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Dry sand Special powder against metal fire
Unsuitable extinguishing media	:	ABC powder Carbon dioxide (CO2) Water Foam

5.2 Special hazards arising from the substance or mixture

Specific hazards during	:	Contact with water liberates extremely flammable gas
firefighting		(hydrogen).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STANDART PC 20 Aluminium Powder

Versic 4.0		Revision Date: 03.04.2025		9S Number: 2000030773	Print Date: 04.04.2025 Date of first issue: 19.03.2019
S	Special or firefiç	or firefighters protective equipment ghters information	:	necessary. Standard procedu Use extinguishing	ed breathing apparatus for firefighting if ure for chemical fires. g measures that are appropriate to local d the surrounding environment.

SECTION 6: Accidental release measures

• •	e equipment and emergency procedures Use personal protective equipment. Evacuate personnel to safe areas. Avoid dust formation. Remove all sources of ignition.
6.2 Environmental precautions	
General advice :	The product should not be allowed to enter drains, water courses or the soil. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for contai	nment and cleaning up
Methods for cleaning up :	Use mechanical handling equipment. Do not use a vacuum cleaner.
	Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Avoid creating dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Store away from heat. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national
-------------------------	--

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STANDART PC 20 Aluminium Powder

Versi 4.0	ion	Revision Date: 03.04.2025		OS Number: 2000030773	Print Date: 04.04.2025 Date of first issue: 19.03.2019	
Advice on protection against fire and explosion		:	regulations. Use explosion-proof equipment. During processing, dust n form explosive mixture in air. Take measures to prevent th build up of electrostatic charge. When transferring from on container to another apply earthing measures and use conductive hose material.			
				Keep away from open flames, hot surfaces and sources of ignition.		
I	Hygiene measures		:	Wash hands before breaks and at the end of workday.		
7.2 Conditions for safe storage,		incl	uding any incom	patibilities		
		ements for storage ind containers	:	with water liberate explosion-proof e containers tightly	iners and apparatuses is essential. Reaction es extremely flammable gas (hydrogen) Use quipment. Store in original container. Keep closed in a cool, well-ventilated place. Keep es of ignition - No smoking. Keep container in use.	
				ventilated place.	p container tightly closed in a dry and well- Electrical installations / working materials the technological safety standards.	
		information on conditions	:	Protect from hum	idity and water.	
,	Advice	on common storage	:	Never allow prod storage. Keep away from	ther with oxidizing and self-igniting products. uct to get in contact with water during oxidizing agents, strongly alkaline and erials in order to avoid exothermic reactions.	
5	storage	information on stability	:	Keep in a dry plac No decomposition	ce. n if stored and applied as directed.	
7.3 S	Specific	end use(s)				

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
aluminium powder (stabilised)	7429-90-5	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40
		TWA (inhalable	10 mg/m3	GB EH40

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STANDART PC 20 Aluminium Powder

Version 4.0	Revision Date 03.04.2025	: SDS Number: 102000030773	Print Date: 04.04.2025 Date of first issue: 19.03.2019	
		dust)		
		nhalable dust are those fraction when sampling is undertaken in MDHS14/4 General methods for respirable, thoracic and inhala substance hazardous to health concentration in air equal to or nhalable dust or 4 mg.m-3 8-h any dust will be subject to COS evels. Some dusts have been must comply with the appropria particles of a wide range of siz particular particle after entry in response that it elicits, depend distinguishes two size fractions and 'respirable'., Inhalable dus material that enters the nose a available for deposition in the to the fraction that penetrates definitions and explanatory material components that have	rposes of these limits, respirable ns of airborne dust which will b in accordance with the methods or sampling and gravimetric and ole aerosols., The COSHH defin- includes dust of any kind wher greater than 10 mg.m-3 8-hour our TWA of respirable dust. The SHH if people are exposed to du assigned specific WELs and ex- ate limits., Most industrial dusts es. The behaviour, deposition a to the human respiratory syster on the nature and size of the p is for limit-setting purposes term t approximates to the fraction o ind mouth during breathing and espiratory tract. Respirable dust o the gas exchange region of the terial are given in MDHS14/4., their own assigned WEL, all the re no specific short-term exposed	e collected described in alysis or nition of a n present at a TWA of is means that ust above these contain and fate of any n, and the body article. HSE ed 'inhalable' f airborne is therefore st approximates ne lung. Fuller Where dusts e relevant limits
			rm exposure limit should be use	
		dust)		
		nhalable dust are those fraction when sampling is undertaken in MDHS14/4 General methods for respirable, thoracic and inhala substance hazardous to health concentration in air equal to or nhalable dust or 4 mg.m-3 8-h any dust will be subject to COS evels. Some dusts have been must comply with the approprise particles of a wide range of size particular particle after entry in response that it elicits, depend distinguishes two size fractions and 'respirable'., Inhalable dus material that enters the nose a available for deposition in the to the fraction that penetrates definitions and explanatory material components that have should be complied with., Whe	rposes of these limits, respirable ns of airborne dust which will b n accordance with the methods or sampling and gravimetric and ole aerosols., The COSHH defin includes dust of any kind wher greater than 10 mg.m-3 8-hour our TWA of respirable dust. Th SHH if people are exposed to du assigned specific WELs and ex- ate limits., Most industrial dusts es. The behaviour, deposition a to the human respiratory syster on the nature and size of the p is for limit-setting purposes term t approximates to the fraction o nd mouth during breathing and espiratory tract. Respirable dus o the gas exchange region of th terial are given in MDHS14/4., ' their own assigned WEL, all the re no specific short-term expos <u>rm exposure limit should be use</u>	e collected described in alysis or nition of a n present at a TWA of is means that ust above these contain and fate of any n, and the body article. HSE ed 'inhalable' f airborne is therefore st approximates ne lung. Fuller Where dusts e relevant limits ure limit is listed,

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STANDART PC 20 Aluminium Powder

Vers 4.0						
	Substance name	End Use	Use Exposure r	outes Potential health effects	Value	
	aluminium powde (stabilised)	er Workers	kers Inhalation	Long-term systemic effects	3.72 mg/m3	
		Workers	kers Inhalation	Long-term local effects	3.72 mg/m3	
		Consumers	sumers Oral	Long-term systemic effects	3.95 mg/kg	
	Fatty acids, C16-	18 Workers	kers Dermal	Long-term systemic effects	10 mg/kg	
		Workers	kers Inhalation	Long-term systemic effects	17.632 mg/m3	
		Consumers	sumers Oral	Long-term systemic effects	2.5 mg/kg	
		Consumers	sumers Dermal	Long-term systemic effects	5 mg/kg	
		Consumers	sumers Inhalation	Long-term systemic effects	4.348 mg/m3	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
aluminium powder (stabilised)	Fresh water	0.0749 mg/l
	clarification plant	20 mg/l

8.2 Exposure controls

Personal protective equipm	nent	
Eye/face protection	:	Face-shield Safety glasses
Hand protection		
Material	:	Leather
Glove length	:	Long sleeve gloves
Develo		1
Remarks	:	Leather gloves The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	:	Anti-static and fire resistant protective clothing. DIN EN 11612; EN 533; EN 1149-1. Anti-static safety shoes. Dust impervious protective suit
		Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	:	Use suitable breathing protection if workplace concentration requires. Breathing apparatus with filter.
		P1 filter

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STANDART PC 20 Aluminium Powder

Version	Revision Date:	SDS Number:	Print Date: 04.04.2025
4.0	03.04.2025	102000030773	Date of first issue: 19.03.2019

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	:	powder
Colour	:	silver
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/ range	:	> 600 °C
Dailing point/bailing range		No data available
Boiling point/boiling range	•	No data avallable
Flammability	:	The substance or mixture is a flammable solid with the category 1.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	30 g/m3
Flash point	:	No data available
Auto-ignition temperature	:	340 °C
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	2.5 g/cm3
Relative vapour density	:	No data available
Particle characteristics		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STANDART PC 20 Aluminium Powder

	4.0 03.04.2025 10200030773 Date of first issue: 19.03.2019	Version Revision Date: SDS Number: Print Date: 04.04.2025	Version 4.0	Revision Date: 03.04.2025	SDS Number: 102000030773	Print Date: 04.04.2025 Date of first issue: 19.03.2019	
--	--	---	----------------	------------------------------	-----------------------------	---	--

Particle Size Distribution : 16 - 30 µm

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Contact with acids and alkalis may release hydrogen.
	Stable under recommended storage conditions.
	Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid

: Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid

: Acids Bases Oxidizing agents Water

10.6 Hazardous decomposition products

This information is not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

aluminium powder (stabilised):

Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l
-		Exposure time: 4 h
		Test atmosphere: dust/mist

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STANDART PC 20 Aluminium Powder

Version	Revision Date:	SDS Number:	Print Date: 04.04.2025
4.0	03.04.2025	102000030773	Date of first issue: 19.03.2019

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Further information

Product:

Remarks

: No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by

Commission Regulation (EU) 2020/878



STANDART PC 20 Aluminium Powder

Version	Revision Date:	SDS Number:	Print Date: 04.04.2025
4.0	03.04.2025	102000030773	Date of first issue: 19.03.2019

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological	:	No data available
information		

SECTION 13: Disposal considerations

European Waste Catalogue	:	10 03 21* - Wastes from thermal aluminium metallurgy, other particles and dust (including ball mill dust) containing dangerous substances
13.1 Waste treatment methods		
Product	:	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. In accordance with local and national regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. In accordance with local and national regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1309
IMDG	:	UN 1309
ΙΑΤΑ	:	UN 1309

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STANDART PC 20 Aluminium Powder

Version Revision Date: 4.0 03.04.2025	SDS Number: 102000030773	Print Date: 04.04.2025 Date of first issue: 19.03.2019		
14.2 UN proper shipping name				
ADR	: ALUMINIUM POV	VDER, COATED		
IMDG	: ALUMINIUM POV	VDER, COATED		
ΙΑΤΑ	: Aluminium powde	r, coated		
14.3 Transport hazard class(es))			
	Class	Subsidiary risks		
ADR	: 4.1	·		
IMDG	: 4.1			
ΙΑΤΑ	: 4.1			
14.4 Packing group				
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code IMDG	: II : F3 r : 40 : 4.1 : (E)			
Packing group Labels EmS Code Remarks	: II : 4.1 : F-G, S-G : IMDG Code segre	egation group 15 - Powdered metals		
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	: 448 : Y441 : II : 4.1			
IATA (Passenger) Packing instruction (passenger aircraft) Packing instruction (LQ) Packing group Labels	: 445 : Y441 : II : 4.1			
14.5 Environmental hazards				
ADR Environmentally hazardous IMDG Marine pollutant	: no : no			



STANDART PC 20 Aluminium Powder

Version	Revision Date:	SDS Number:	Print Date: 04.04.2025
4.0	03.04.2025	102000030773	Date of first issue: 19.03.2019

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered:
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great	:	Number on list 40: aluminium powder (stabilised) Not applicable Not applicable
Britain) Regulation (EC) on substances that deplete the ozone	:	Not applicable
layer UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	No	t applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-State	ements	
H228	:	Flammable solid.
Full text of other a	bbreviations	
Flam. Sol. GB EH40		Flammable solids UK. EH40 WEL - Workplace Exposure Limits

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STANDART PC 20 Aluminium Powder

Version	Revision Date:	SDS Number:	Print Date: 04.04.2025
4.0	03.04.2025	102000030773	Date of first issue: 19.03.2019

GB EH40 / TWA

: Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

H228

Classification procedure:

Flam. Sol. 1

Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN