

Globally Harmonized System of Classification and Labelling of
Chemicals (GHS)

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : eConduct Copper 122000
Material number : 010352GK0

1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

1.3 Details of the supplier of the safety data sheet

Company : ECKART GmbH
Guntersthal 4
91235 Hartenstein
Telephone : +499152770
Telefax : +499152777008
E-mail address : msds.eckart@altana.com
Responsible/issuing person

1.4 Emergency telephone number

NCEC:

(contract no.: ECKART29003-NCEC)

+44 1235 239671 (Middle East/Africa, call and response in your language)

+1 215 207 0061 (Americas, call and response in your language)

+65 3158 1074 (Asia-Pacific, call and response in your language)

SECTION 2: Hazards identification

GHS Classification

: Flammable solids, Category 1, H228
Flammable solids, Category 1, H228
Acute toxicity, Category 4, Oral, H302

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

Acute toxicity, Category 4, Oral, H302
 Serious eye damage/eye irritation, Category 2A, H319
 Short-term (acute) aquatic hazard, Category 1, H400
 Short-term (acute) aquatic hazard, Category 1, H400
 Long-term (chronic) aquatic hazard, Category 1, H410
 Long-term (chronic) aquatic hazard, Category 2, H411

GHS-Labelling

Symbol(s)



Signal word

: Danger

Hazard statements

: H228: Flammable solid.
 H302: Harmful if swallowed.
 H319: Causes serious eye irritation.
 H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
 P370 + P378 In case of fire: Use for extinction: Special powder for metal fires.
 P370 + P378 In case of fire: Use for extinction: Dry sand.
Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label

Identification

CAS-No.

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

copper

7440-50-8

SECTION 3: Composition/information on ingredients

Substance No. :

Hazardous components

Chemical name	CAS-No. EINECS-No.	Classification and labelling	Concentration[%]
Copper	7440-50-8 231-159-6	Acute Tox.;4;H302 ;2A;H319 Aquatic Acute;1;H400 Aquatic Chronic;1;H410	50 - 100
silver	7440-22-4 231-131-3	Aquatic Acute;1;H400 Aquatic Chronic;1;H410	20 - 25

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move the victim to fresh air.

Do not leave the victim unattended.

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

If inhaled : If unconscious, place in recovery position and seek medical

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

advice.

If symptoms persist, call a physician.

If unconscious, place in recovery position and seek medical advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water.

If on skin, rinse well with water.

If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution.
 Remove contact lenses.
 Keep eye wide open while rinsing.
 If eye irritation persists, consult a specialist.

Immediately flush eye(s) with plenty of water.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
 Do not give milk or alcoholic beverages.
 Never give anything by mouth to an unconscious person.
 If symptoms persist, call a physician.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

SECTION 5: Firefighting measures
5.1 Extinguishing media

- Suitable extinguishing media : Special powder against metal fire, Dry sand, ABC powder
- Unsuitable extinguishing media : Water, High volume water jet

5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.
- Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Avoid dust formation.
Avoid breathing dust.
Remove all sources of ignition.
Use personal protective equipment.
Evacuate personnel to safe areas.
Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Remove all sources of ignition.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

Use mechanical handling equipment.

Pick up and transfer to properly labelled containers.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

For personal protection see section 8.

SECTION 7: Handling and storage
7.1 Precautions for safe handling

Advice on safe handling : Avoid creating dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Keep away from open flames, hot surfaces and sources of ignition.

Normal measures for preventive fire protection.

Avoid dust formation. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

General industrial hygiene practice. Do not smoke. Wash hands before breaks and at the end of workday. Keep away from food and drink. Keep away from tobacco products.

When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.

Keep away from sources of ignition - No smoking. Do not

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.

No smoking. Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions	:	Protect from humidity and water.
Advice on common storage	:	Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions. Do not store together with oxidizing and self-igniting products.
Dampness	:	Keep in a dry, cool and well-ventilated place.
Other data	:	Keep in a dry place. No decomposition if stored and applied as directed.

7.3 Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection
8.1 Control parameters
Germany:

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
Copper	7440-50-8	AGW (inhalable fraction)	1 mg/m ³		DE TRGS 900
silver	7440-22-4	TWA	0,1 mg/m ³	2000-06-16	2000/39/EC

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

Further information		Indicative			
silver	7440-22-4	AGW (Inhalable fraction)	0,1 mg/m3	2006-01-01	DE TRGS 900
Peak-limit: excursion factor (category)		8;(II)			
Further information		Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).European Union (The EU has established a limit value: deviations in value and peak limit are possible)			
silver	7440-22-4	TWA	0,01 mg/m3	2006-02-09	2006/15/EC
Further information		Indicative			

Germany:

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
Copper	7440-50-8	AGW (inhalable fraction)	1 mg/m3		DE TRGS 900
silver	7440-22-4	TWA	0,1 mg/m3	2000-06-16	2000/39/EC
Further information		Indicative			
silver	7440-22-4	AGW (Inhalable fraction)	0,1 mg/m3	2006-01-01	DE TRGS 900
Peak-limit: excursion factor (category)		8;(II)			
Further information		Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).European Union (The EU has established a limit value: deviations in value and peak limit are possible)			
silver	7440-22-4	TWA	0,01 mg/m3	2006-02-09	2006/15/EC
Further information		Indicative			

United States of America (USA):

Components	CAS-No.	Value type	Control	Update	Basis
------------	---------	------------	---------	--------	-------

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

		(Form of exposure)	parameters		
Copper	7440-50-8	TWA	1 mg/m ³	2008-01-01	
Copper	7440-50-8	TWA (dust and mists)	1 mg/m ³	2005-09-01	
Copper	7440-50-8	TWA	1 mg/m ³	1989-01-19	
Copper	7440-50-8	TWA	0,2 mg/m ³	2008-01-01	
Copper	7440-50-8	TWA	0,1 mg/m ³	1989-01-19	
Copper	7440-50-8	TWA (Dust and mist)	1 mg/m ³	2010-03-01	
Copper	7440-50-8	TWA (Fumes)	0,2 mg/m ³	2010-03-01	
Copper	7440-50-8	TWA (Dust)	1 mg/m ³	2013-10-08	
Copper	7440-50-8	TWA (Mist)	1 mg/m ³	2013-10-08	
Copper	7440-50-8	TWA (dusts and mists)	1 mg/m ³	2011-07-01	
Copper	7440-50-8	TWA (Fumes)	0,1 mg/m ³	2011-07-01	
Copper	7440-50-8	TWA (Fumes)	0,1 mg/m ³	1989-01-19	
Copper	7440-50-8	TWA (Dust and mist)	1 mg/m ³	1989-01-19	
Copper	7440-50-8	PEL (Fumes)	0,1 mg/m ³	2014-11-26	
silver	7440-22-4	TWA	0,1 mg/m ³	2008-01-01	
silver	7440-22-4	TWA (Dust)	0,01 mg/m ³	2005-09-01	
silver	7440-22-4	TWA	0,01 mg/m ³	1989-01-19	
silver	7440-22-4	TWA	0,01 mg/m ³	1989-01-19	
silver	7440-22-4	TWA	0,01 mg/m ³	2011-07-01	

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

silver	7440-22-4	TWA (Dust and fume)	0,1 mg/m3	2013-03-01	
silver	7440-22-4	TWA (Dust)	0,01 mg/m3	2013-10-08	
silver	7440-22-4	PEL	0,01 mg/m3	2014-11-26	

8.2 Exposure controls
Personal protective equipment

Eye protection : Eye wash bottle with pure water

: Safety glasses

: Wear face-shield and protective suit for abnormal processing problems.

Hand protection

Material : Leather

Remarks

: Leather gloves

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

The exact break through time can be obtained from the protective glove producer and this has to be observed.

Recommended preventive skin protection

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection

: Dust impervious protective suit

Choose body protection according to the amount and

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

concentration of the dangerous substance at the work place.

: Long sleeved clothing
 Safety shoes

: Dust impervious protective suit
 Choose body protection according to the amount and
 concentration of the dangerous substance at the work place.

Respiratory protection : Use suitable breathing protection if workplace concentration
 requires.
 Respirator with a dust filter
 P1 filter

Environmental exposure controls

General advice :

: Prevent product from entering drains.
 Prevent further leakage or spillage if safe to do so.
 If the product contaminates rivers and lakes or drains inform
 respective authorities.

Water : The product should not be allowed to enter drains, water
 courses or the soil.

:

SECTION 9: Physical and chemical properties
9.1 Information on basic physical and chemical properties

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

Appearance	: powder
Colour	: No data available
Odour	: odourless
pH	: No data available
Freezing point	: No data available
Boiling point/boiling range	: 2 597 °C
Flash point	: No data available
Bulk density	: No data available
Flammability (solid, gas)	: The substance or mixture is a flammable solid with the category 1.
Auto-flammability	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Density	: ca. 9,2 g/cm ³
Water solubility	: No data available
Miscibility with water	: immiscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available

9.2 Other information

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

No decomposition if stored and applied as directed.

No decomposition if stored and applied as directed.**10.2 Chemical stability**

No decomposition if stored and applied as directed.

No decomposition if stored and applied as directed.**10.3 Possibility of hazardous reactions**

Hazardous reactions : Stable under recommended storage conditions., No hazards to be specially mentioned.

No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : No data available

Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition products : No data available

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

Other information : No data available

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity****Components:****Copper :**

Acute oral toxicity : The component/mixture is moderately toxic after single ingestion.

Skin corrosion/irritation**Product**

May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation**Product**

Eye irritation

Respiratory or skin sensitisation

No data available

Carcinogenicity

No data available

Toxicity to reproduction/fertility

No data available

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

Reprod.Tox./Development/Teratogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information**Product**

No data available

No data available

SECTION 12: Ecological information**12.1 Toxicity****Components:****copper (7440-50-8) :**

M-Factor : 10

Ecotoxicology Assessment

Short-term (acute) aquatic : Very toxic to aquatic life.

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

hazard

Long-term (chronic) aquatic : Very toxic to aquatic life with long lasting effects.

hazard

silver (7440-22-4) :

M-Factor : 10

Ecotoxicology Assessment

Short-term (acute) aquatic : Very toxic to aquatic life.

hazard

Long-term (chronic) aquatic : Very toxic to aquatic life with long lasting effects.

hazard

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Very toxic to aquatic life., Toxic to aquatic life with long lasting effects.
An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Very toxic to aquatic life with long lasting effects.

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

SECTION 13: Disposal considerations
13.1 Waste treatment methods

- Product : The product should not be allowed to enter drains, water courses or the soil.
 Do not contaminate ponds, waterways or ditches with chemical or used container.
 Send to a licensed waste management company.
- The product should not be allowed to enter drains, water courses or the soil.
 Do not contaminate ponds, waterways or ditches with chemical or used container.
 Send to a licensed waste management company.
 In accordance with local and national regulations.
- Contaminated packaging : Empty remaining contents.
 Dispose of as unused product.
 Do not re-use empty containers.
 Do not burn, or use a cutting torch on, the empty drum.
- Empty remaining contents.
 Dispose of as unused product.
 Do not re-use empty containers.
 Do not burn, or use a cutting torch on, the empty drum.
 In accordance with local and national regulations.

SECTION 14: Transport information
14.1 UN number
ADR : 3089

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

TDG : 3089
CFR : 3089
IMDG : 3089
IATA : 3089

14.2 Proper shipping name

ADR : METAL POWDER, FLAMMABLE, N.O.S.
(Copper metal powder)
TDG : METAL POWDER, FLAMMABLE, N.O.S.
(Copper metal powder)
CFR : METAL POWDERS, FLAMMABLE, N.O.S.
(Copper metal powder)
IMDG : METAL POWDER, FLAMMABLE, N.O.S.
(,Copper metal powder)
IATA : METAL POWDER, FLAMMABLE, N.O.S.

14.3 Transport hazard class

ADR : 4.1
TDG : 4.1
CFR : 4.1
IMDG : 4.1
IATA : 4.1

14.4 Packing group

ADR
Packaging group : II
Classification Code : F3
Hazard Identification Number : 40
Labels : 4.1
Tunnel restriction code : (E)

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

TDG

Packaging group : II
Labels : 4.1

CFR

Packaging group : II
Labels : 4.1

IMDG

Packaging group : II
Labels : 4.1
EmS Number : F-G, S-G

IATA

Packing instruction (cargo aircraft) : 448
Packing instruction (passenger aircraft) : 445
Packing instruction (LQ) : Y441
Packaging group : II
Labels : 4.1

14.5 Environmental hazards

ADR : Environmentally hazardous
IMDG : Marine pollutant

14.6 Special precautions for user**IMDG Code- segregation group:**

- : IMDG Code segregation group 7 - Heavy metals and their salts
- : IMDG Code segregation group 15 - Powdered metals

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H228 : Flammable solid.
H302 : Harmful if swallowed.
H319 : Causes serious eye irritation.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

eConduct Copper 122000

Version 3.0

Revision Date 06.12.2019

Print Date 17.02.2022
