

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

## STANDART Zinc flake UFB Zinc Powder

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : STANDART Zinc flake UFB Zinc Powder  
Material number : 024080K50

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

#### 1.3 Details of the supplier of the safety data sheet

Company : ECKART GmbH  
Guentersthal 4  
91235 Hartenstein  
Telephone : +499152770  
Telefax : +499152777008  
E-mail address : msds.eckart@altana.com  
Responsible/issuing person

#### 1.4 Emergency telephone number

**NCEC:**

(contract no.: ECKART29003-NCEC)

+44 1235 239671 (Middle East/Africa, call and response in your language)

+1 215 207 0061 (Americas, call and response in your language)

+65 3158 1074 (Asia-Pacific, call and response in your language)

### SECTION 2: Hazards identification

#### GHS Classification

: Short-term (acute) aquatic hazard, Category 1, H400  
Long-term (chronic) aquatic hazard, Category 1, H410  
Flammable solids, Category 1, H228

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## STANDART Zinc flake UFB Zinc Powder

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

### GHS-Labeling

Symbol(s)



Signal word

: Warning

Hazard statements

: H410: Very toxic to aquatic life with long lasting effects.  
H228: Flammable solid.

Precautionary statements

: **Prevention:**  
 P273 Avoid release to the environment.  
 P210 Keep away from heat.  
 P240 Ground/bond container and receiving equipment.

**Response:**  
 P391 Collect spillage.  
 P370 + P378 In case of fire: Use for extinction: Dry sand.  
 P370 + P378 In case of fire: Use for extinction: Special powder for metal fires.

**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

### Hazardous components which must be listed on the label

### SECTION 3: Composition/information on ingredients

Substance name : zinc powder — zinc dust (stabilised)

Substance No. :

### Hazardous components

**STANDART Zinc flake UFB Zinc Powder**

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

Chemical name	CAS-No. EINECS-No.	Classification and labelling	Concentration[%]
zinc powder — zinc dust (stabilised)	7440-66-6 231-175-3	Aquatic Acute;1;H400 Aquatic Chronic;1;H410	60 - 100

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: First aid measures**
**4.1 Description of first aid measures**

- General advice : Move the victim to fresh air.  
Remove from exposure, lie down.  
  
Move out of dangerous area.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Wash off immediately with soap and plenty of water.  
  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## STANDART Zinc flake UFB Zinc Powder

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

### 4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

### 4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Dry sand, Special powder against metal fire

Unsuitable extinguishing media : Carbon dioxide (CO<sub>2</sub>), Water

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Contact with water liberates extremely flammable gas (hydrogen).

Do not allow run-off from fire fighting to enter drains or water courses.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.

**STANDART Zinc flake UFB Zinc Powder**

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.  
Evacuate personnel to safe areas.  
Avoid dust formation.  
Remove all sources of ignition.

**6.2 Environmental precautions**

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform  
respective authorities.

**6.3 Methods and materials for containment and cleaning up**

Methods for cleaning up : Do not flush with water.  
  
Use mechanical handling equipment.  
  
Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections**

For personal protection see section 8.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Advice on safe handling : Avoid creating dust. Routine housekeeping should be  
instituted to ensure that dusts do not accumulate on surfaces.

For personal protection see section 8. Smoking, eating and  
drinking should be prohibited in the application area. Dispose

**STANDART Zinc flake UFB Zinc Powder**

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Fine dust dispersed in air may ignite. Keep away from heat and sources of ignition. No smoking. Take measures to prevent the build up of electrostatic charge. Earthing of containers and apparatuses is essential. Use explosion-proof equipment.

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures : General industrial hygiene practice. Do not smoke. Wash hands before breaks and at the end of workday. Keep away from food and drink. Keep away from tobacco products.

Wash hands before breaks and at the end of workday.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition - No smoking.

No smoking. Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Protect from humidity and water.

Other data : Keep in a dry place. No decomposition if stored and applied as directed.

**7.3 Specific end use(s)**

This information is not available.

**STANDART Zinc flake UFB Zinc Powder**

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

**SECTION 8: Exposure controls/personal protection**
**8.1 Control parameters**
**Germany:**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
zinc powder — zinc dust (stabilised)	7440-66-6	AGW (Inhalable fraction)	10 mg/m <sup>3</sup>	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substancesSenate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
zinc powder — zinc dust (stabilised)	7440-66-6	AGW (Alveolate fraction)	1,25 mg/m <sup>3</sup>	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substancesSenate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			

**United States of America (USA):**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (total dust)	15 mg/m <sup>3</sup>	2012-07-01	
zinc powder	7440-66-6	TWA (respirable)	5 mg/m <sup>3</sup>	2012-07-01	

**STANDART Zinc flake UFB Zinc Powder**

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

— zinc dust (stabilised)		fraction)			
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (respirable fraction)	15 Million particles per cubic foot	2012-07-01	
zinc powder — zinc dust (stabilised)	7440-66-6	PEL (Total dust)	10 mg/m <sup>3</sup>	2014-11-26	
zinc powder — zinc dust (stabilised)	7440-66-6	PEL (respirable dust fraction)	5 mg/m <sup>3</sup>	2014-11-26	

## 8.2 Exposure controls

### Personal protective equipment

Eye protection : Goggles  
: Safety glasses

Hand protection  
Material : Leather

Remarks : Leather gloves  
The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.  
Recommended preventive skin protection  
The exact break through time can be obtained from the protective glove producer and this has to be observed.  
: The suitability for a specific workplace should be discussed with the producers of the protective gloves.



**STANDART Zinc flake UFB Zinc Powder**

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

- Skin and body protection : Dust impervious protective suit  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : Use suitable breathing protection if workplace concentration requires.  
Respirator with a dust filter  
P1 filter

**Environmental exposure controls**

- General advice : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

- Appearance : powder
- Colour : grey
- Odour : odourless
- pH : No data available
- Freezing point : No data available
- Boiling point/boiling range : No data available
- Flash point : No data available
- Bulk density : No data available
- Flammability (solid, gas) : The substance or mixture is a flammable solid with the category 1.

**STANDART Zinc flake UFB Zinc Powder**

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

Auto-flammability	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Density	: No data available
Water solubility	: No data available
Miscibility with water	: immiscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available

**9.2 Other information**

No data available

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No decomposition if stored and applied as directed.

**10.2 Chemical stability**

No decomposition if stored and applied as directed.

**10.3 Possibility of hazardous reactions**

**STANDART Zinc flake UFB Zinc Powder**

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

Hazardous reactions : Reacts with alkalis, acids, halogenes and oxidizing agents.  
Contact with acids and alkalis may release hydrogen.  
Avoid dust clouds, they may form explosible dust-air-mixture.  
Risk of dust explosion.

No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

**10.4 Conditions to avoid**

Conditions to avoid : Heat, flames and sparks.

**10.5 Incompatible materials**

Materials to avoid : Acids  
Bases  
Oxidizing agents

**10.6 Hazardous decomposition products**

Other information : No data available

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity****Components:****zinc powder — zinc dust (stabilised) :**

Acute oral toxicity : Rat: > 2 000 mg/kg

**Skin corrosion/irritation**

No data available

**STANDART Zinc flake UFB Zinc Powder**

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

---

**Serious eye damage/eye irritation**

No data available

**Respiratory or skin sensitisation**

No data available

**Carcinogenicity**

No data available

**Toxicity to reproduction/fertility**

No data available

**Reprod.Tox./Development/Teratogenicity**

No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Aspiration toxicity**

No data available

**Further information**

**Product**

No data available

**STANDART Zinc flake UFB Zinc Powder**

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

**SECTION 12: Ecological information****12.1 Toxicity****Components:****zinc (7440-66-6) :****Ecotoxicology Assessment**

Short-term (acute) aquatic hazard : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard : Very toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

No data available

**12.6 Other adverse effects****Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Very toxic to aquatic life with long lasting effects.

**STANDART Zinc flake UFB Zinc Powder**

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

- Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.  
In accordance with local and national regulations.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
In accordance with local and national regulations.

**SECTION 14: Transport information****14.1 UN number**

- ADR : 3089  
TDG : 3089  
CFR : 3089  
IMDG : 3089  
IATA : 3089

**14.2 Proper shipping name**

- ADR : METAL POWDER, FLAMMABLE, N.O.S.  
(Zinc flakes )

**STANDART Zinc flake UFB Zinc Powder**

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

<b>TDG</b>	:	METAL POWDER, FLAMMABLE, N.O.S. (Zinc flakes )
<b>CFR</b>	:	METAL POWDERS, FLAMMABLE, N.O.S. (Zinc flakes )
<b>IMDG</b>	:	METAL POWDER, FLAMMABLE, N.O.S. (,Zinc flakes )
<b>IATA</b>	:	METAL POWDER, FLAMMABLE, N.O.S.

**14.3 Transport hazard class**

<b>ADR</b>	:	4.1
<b>TDG</b>	:	4.1
<b>CFR</b>	:	4.1
<b>IMDG</b>	:	4.1
<b>IATA</b>	:	4.1

**14.4 Packing group****ADR**

Packaging group	:	II
Classification Code	:	F3
Hazard Identification Number	:	40
Labels	:	4.1
Tunnel restriction code	:	(E)

**TDG**

Packaging group	:	II
Labels	:	4.1

**CFR**

Packaging group	:	II
Labels	:	4.1

**STANDART Zinc flake UFB Zinc Powder**

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

**IMDG**

Packaging group : II  
Labels : 4.1  
EmS Number : F-G, S-G

**IATA**

Packing instruction (cargo aircraft) : 448  
Packing instruction (passenger aircraft) : 445  
Packing instruction (LQ) : Y441  
Packaging group : II  
Labels : 4.1

**14.5 Environmental hazards**

**ADR** : Environmentally hazardous  
**IMDG** : Marine pollutant

**14.6 Special precautions for user****IMDG Code- segregation group:**

- : IMDG Code segregation group 7 - Heavy metals and their salts
- : IMDG Code segregation group 15 - Powdered metals

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

No data available



Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

## STANDART Zinc flake UFB Zinc Powder

Version 2.2

Revision Date 06.12.2019

Print Date 21.02.2022

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

#### 15.2 Chemical safety assessment

No data available

---

### SECTION 16: Other information

#### Full text of H-Statements

H228 : Flammable solid.  
H400 : Very toxic to aquatic life.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.