

according to Regulation (EC) No. 1907/2006

LITHO PASTE FPG 4171 RG

Version	Revision Date:	SDS Number:	Print Date: 21.02.2022
2.0	10.12.2019	102000031487	Date of first issue: 13.05.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : LITHO PASTE FPG 4171 RG

Product code : 024697QG0

1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

1.3 Details of the supplier of the safety data sheet

Company	: ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	: +499152770
Telefax	: +499152777008
E-mail address of person responsible for the SDS	: msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



according to Regulation (EC) No. 1907/2006

LITHO PASTE FPG 4171 RG

Version 2.0	Revision Date: 10.12.2019	-	SDS Number: 02000031487	Print Date: 21.02.2022 Date of first issue: 13.05.2019
Haza	rd pictograms	:		
Signa	al word	:	Warning	
Haza	rd statements	:	H302 H319 H410	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Preca	autionary statements	:	Prevention: P264 P273 P280 Response: P337 + P313 P391 Disposal: P501	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection. If eye irritation persists: Get medical advice/ attention. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label: Copper

2.3 Other hazards

Combustible Solids

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	REGULATION (EC)	(% w/w)
	Index-No.	No 1272/2008	
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302	>= 50 - <= 100
	231-159-6	Eye Irrit. 2; H319	
		Aquatic Acute 1;	
	01-2119480154-42	H400	
		Aquatic Chronic 1;	
		H410	
zinc powder — zinc dust	7440-66-6	Aquatic Acute 1;	>= 20 - < 25
(stabilised)	231-175-3	H400	
		Aquatic Chronic 1;	



according to Regulation (EC) No. 1907/2006

LITHO PASTE FPG 4171 RG

Version 2.0	Revision Date: 10.12.2019	SDS Number: 102000031487	Print Date: 21.02.20 Date of first issue: 13	
For e	xplanation of abbrevia	01-2119467174 tions see section 16.	I-37 H410]

SECTION 4: First aid measures

4.1 Description of first aid measures						
General advice :		Move the victim to fresh air.				
		Move out of dangerous area. Show this safety data sheet to the doctor in attendance.				
If inhaled	:	If unconscious, place in recovery position and seek medical advice.				
		If symptoms persist, call a physician.				
In case of skin contact	:	Wash off immediately with soap and plenty of water.				
		If skin irritation persists, call a physician. If on skin, rinse well with water.				
		If on clothes, remove clothes.				
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses.				
		Keep eye wide open while rinsing.				
		If eye irritation persists, consult a specialist.				
If swallowed	:	Do not give milk or alcoholic beverages.				
		Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.				

4.2 Most important symptoms and effects, both acute and delayed

Risks	:	Harmful if swallowed.
		Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Special powder against metal fire Dry sand ABC powder
Unsuitable extinguishing	:	Water



according to Regulation (EC) No. 1907/2006

LITHO PASTE FPG 4171 RG

Versi 2.0	ion	Revision Date: 10.12.2019		9S Number: 2000031487	Print Date: 21.02.2022 Date of first issue: 13.05.2019
r	media			High volume wate	er jet
5.2 S	special	hazards arising from	the	substance or mix	kture
	Specific hazards during : firefighting		Do not allow run-off from fire fighting to enter drains or water courses.		
5.3 A	dvice f	or firefighters			
	Special protective equipment : for firefighters		Wear self-contain necessary.	ed breathing apparatus for firefighting if	
I	Further information :			measures that are appropriate to local d the surrounding environment.	
				Use extinguishing	re for chemical fires. measures that are appropriate to local d the surrounding environment.
				must not be disch Fire residues and	ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Devenuel average tions	 Evenuete nerecentel te cofe erece
Personal precautions	: Evacuate personnel to safe areas. Ensure adequate ventilation.
	Use personal protective equipment.
	Avoid dust formation.
6.2 Environmental precautions	
Environmental precautions	: Prevent product from entering drains.
	Prevent further leakage or spillage if safe to do so.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.
6.3 Methods and material for cont	ainment and cleaning up
Methods for cleaning up	: Use mechanical handling equipment.
	Pick up and transfer to properly labelled containers.
	Do not flush with water.
	Contain spillage, and then collect with non-combustible
	absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to
	local / national regulations (see section 13).
	Keep in suitable, closed containers for disposal.



according to Regulation (EC) No. 1907/2006

LITHO PASTE FPG 4171 RG

Version	Revision Date: 10.12.2019	SDS Number:	Print Date: 21.02.2022
2.0		102000031487	Date of first issue: 13.05.2019

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1	Precautions for safe handling		
	Advice on safe handling	:	Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
	Advice on protection against fire and explosion	:	Keep away from heat and sources of ignition. No smoking.
			Avoid dust formation.
	Hygiene measures	:	General industrial hygiene practice.
			When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in Requirements for storage areas and containers	nclu :	uding any incompatibilities Keep away from sources of ignition - No smoking. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.
			Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
	Further information on storage conditions	:	Protect from humidity and water.
	Advice on common storage	:	Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions. Do not store together with oxidizing and self-igniting products.
	Dampness	:	Keep in a dry, cool and well-ventilated place.
	Further information on	:	No decomposition if stored and applied as directed.



according to Regulation (EC) No. 1907/2006

LITHO PASTE FPG 4171 RG

Version	Revision Date:	SDS
2.0	10.12.2019	1020

S Number: 000031487 Print Date: 21.02.2022 Date of first issue: 13.05.2019

storage stability

7.3 Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis	
Components	070-110.	of exposure)	Control parameters	Dasis	
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3	GB EH40	
		· · · · ·	(Copper)		
		TWA (Dusts and	1 mg/m3	GB EH40	
		mists)	(Copper)		
		STEL (Dusts and	2 mg/m3	GB EH40	
		mists)	(Copper)		
zinc powder — zinc	7440-66-6	TWA (Inhalable)	10 mg/m3	GB EH40	
dust (stabilised)					
Further information	The COSH	I definition of a subs	tance hazardous to health in	cludes dust of	
	any kind wh	en present at a cond	entration in air equal to or gr	eater than 10	
	mg.m-3 8-h	our TWA of inhalable	e dust or 4 mg.m-3 8-hour TV	VA of respirable	
			vill be subject to COSHH if p		
	exposed to	exposed to dust above these levels. Some dusts have been assigned			
	specific WELs and exposure to these must comply with the appropriate				
	limits., Where no specific short-term exposure limit is listed, a figure three				
	times the lo	times the long-term exposure limit should be used.			
		TWA	4 mg/m3	GB EH40	
		(Respirable)			
Further information	The COSH	I definition of a subs	tance hazardous to health in	cludes dust of	
			entration in air equal to or gr		
			e dust or 4 mg.m-3 8-hour TV		
			vill be subject to COSHH if p		
			els. Some dusts have been a		
			hese must comply with the a		
			erm exposure limit is listed, a	a figure three	
	times the lo	ng-term exposure lin	nit should be used.		

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Copper	Workers	Skin contact	Acute systemic effects	273 mg/kg
	Workers	Inhalation	Acute systemic effects	20 mg/m3
	Workers	Skin contact	Long-term systemic effects	137 mg/kg
	Consumers	Skin contact	Acute systemic effects	273 mg/kg
	Consumers	Inhalation	Acute systemic	20 mg/m3



according to Regulation (EC) No. 1907/2006

LITHO PASTE FPG 4171 RG

Version 2.0	Revision Date: 10.12.2019	SDS Number: 102000031487	Print Date: 21.02.2022 Date of first issue: 13.05.2019	
----------------	---------------------------	-----------------------------	---	--

			effects	
zinc powder — zinc dust (stabilised)	Workers	Inhalation	Long-term systemic effects	5 mg/m3
	Workers	Skin contact	Long-term systemic effects	83 mg/kg
	Consumers	Ingestion	Long-term systemic effects	0.83 mg/kg
	Consumers	Skin contact	Long-term systemic effects	83 mg/kg
	Consumers	Inhalation	Long-term systemic effects	2.5 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Copper	Soil	65.5 mg/kg
	Fresh water	0.0078 mg/l
	Fresh water sediment	87 mg/kg
	Marine water	0.0052 mg/l
	Marine sediment	676 mg/kg
	STP	0.230 mg/l
zinc powder — zinc dust (stabilised)	Fresh water	0.0206 mg/l
	Fresh water sediment	117.8 mg/kg
	Marine water	0.0061 mg/l
	Soil	35.6 mg/kg
	Marine sediment	56.5 mg/kg

8.2 Exposure controls

Personal protective equipm	ent	
Eye protection	:	Safety glasses
		Wear face-shield and protective suit for abnormal processing problems.
Hand protection		
Material	:	Solvent-resistant gloves (butyl-rubber)
Remarks	:	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.



according to Regulation (EC) No. 1907/2006


LITHO PASTE FPG 4171 RG

Version 2.0	Revision Date: 10.12.2019	SDS Number: 102000031487	Print Date: 21.02.2022 Date of first issue: 13.05.2019
Skir	and body protection		protection according to the amount and of the dangerous substance at the work place.
Res	piratory protection	requires.	breathing protection if workplace concentration hould conform to EN 14387
Env	ironmental exposure c	ontrols	
Wat	er	: The product s courses or the	should not be allowed to enter drains, water e soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: Pasty solid
Colour	: gold
Odour	: characteristic
Odour Threshold	: No data available
рН	: No data available
Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Combustible Solids
Self-ignition	: No data available
Auto-ignition temperature	: No data available
Smoldering temperature	: No data available
Decomposition temperature	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Upper explosion limit / Upper	: No data available





LITHO PASTE FPG 4171 RG

Version 2.0	Revision Date: 10.12.2019	SDS Number: 102000031487	Print Date: 21.02.2022 Date of first issue: 13.05.2019	
flamm	nability limit			
	r explosion limit / Lower nability limit	: No data availabl	e	
Vapor	ur pressure	: No data availabl	e	
Relati	ve vapour density	: No data availabl	e	
Relati	ve density	: No data availabl	e	
Densi	ity	: No data availabl	e	
Bulk c	density	: No data availabl	e	
	ility(ies) ater solubility	: immiscible		
Solub	ility in other solvents	: No data availabl	e	
	ion coefficient: n- ol/water	: No data availabl	e	
Decor	mposition temperature	: No data availabl	e	
Visco	sity, dynamic	: No data availabl	e	
Visco	sity, kinematic	: No data availabl	e	
Flow	time	: No data availabl	e	
9.2 Other	information			
No da	ata available			
SECTION	140. Stability and to			
	I 10: Stability and rea	activity		
10.1 Reac No de	tivity ecomposition if stored ar	nd applied as directed.		
	nical stability ecomposition if stored ar	nd applied as directed.		
	10.3 Possibility of hazardous reactions Hazardous reactions : Stable under recommended storage conditions.			

No decomposition if stored and applied as directed.

10.4 Conditions to avoid


Conditions to avoid :



according to Regulation (EC) No. 1907/2006

LITHO PASTE FPG 4171 RG

Version 2.0	Revision Date: 10.12.2019	SDS Number: 102000031487	Print Date: 21.02.2022 Date of first issue: 13.05.2019
		No data availa	ble
10.5 Incor	npatible materials		
10.6 Haza	rdous decompositio	n products	
Thern	nal decomposition	: Carbon mono hydrocarbons	kide, carbon dioxide and unburned (smoke).
SECTION	N 11: Toxicological	information	
11.1 Infor	mation on toxicolog	ical effects	
	e toxicity ful if swallowed.		
Produ	uct:		
Acute	e oral toxicity	: Acute toxicity e Method: Calcul	stimate: 866.75 mg/kg ation method
<u>Com</u>	ponents:		
Сорр	er:		
Acute	e oral toxicity	: Assessment: T single ingestior	he component/mixture is moderately toxic after n.
zinc į	powder — zinc dust	(stabilised):	
Acute	e oral toxicity	: (Rat): > 2,000	mg/kg
Acute	inhalation toxicity	: LC50 (Rat): 5.4 Exposure time: Test atmosphe	4 h
-	corrosion/irritation lassified based on ava	ailable information	
Produ	uct:	rritation and/or dermati	tis.
<u>Com</u>	ponents:		
Сорр	er:		
Rema	arks: May cause skin i	rritation in susceptible	persons.
Serio	ous eye damage/eye	irritation	
Cause	es serious eye irritatio	on.	
<u>Produ</u> Rema	uct: arks: Eye irritation		
		10/16	A member of C ALTANA





LITHO PASTE FPG 4171 RG

Version Re 2.0 10

Revision Date: 10.12.2019

SDS Number: 102000031487 Print Date: 21.02.2022 Date of first issue: 13.05.2019

Components:

Copper: Result: Eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks: Causes sensitisation. May cause sensitisation of susceptible persons by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product: Remarks: No data available

Components:

Copper: Remarks: No data available

zinc powder — zinc dust (stabilised):

Remarks: No data available



according to Regulation (EC) No. 1907/2006

LITHO PASTE FPG 4171 RG

Version 2.0	Revision Date: 10.12.2019	SDS Number: 102000031487	Print Date: 21.02.2022 Date of first issue: 13.05.2019	
SECTION	I 12: Ecological infor	mation		
12.1 Toxic	ity			
<u>Comp</u>	oonents:			
Сорр	er:			
	ctor (Short-term (acute) ic hazard)	: 10		
Ecoto	oxicology Assessment			
Short- hazar	-term (acute) aquatic d	: Very toxic to	aquatic life.	
Long- hazar		onic) aquatic : Very toxic to aquatic life with long lasting effects.		
zinc p	oowder — zinc dust (st	abilised):		
Ecoto	oxicology Assessment			
Short- hazar	term (acute) aquatic d	: Very toxic to	aquatic life.	
Long- hazar		: Very toxic to	: Very toxic to aquatic life with long lasting effects.	
	stence and degradabil ta available	ity		
	ccumulative potential ta available			
12.4 Mobi No da	l ity in soil Ita available			
12.5 Resu	Its of PBT and vPvB as	ssessment		
<u>Produ</u>	<u>uct:</u>			
Asses	sment	to be either p	ce/mixture contains no components considered ersistent, bioaccumulative and toxic (PBT), or nt and very bioaccumulative (vPvB) at levels of er	
12.6 Other	r adverse effects			
<u>Produ</u>	uct:			
	onal ecological	unprofession	ental hazard cannot be excluded in the event of al handling or disposal. aquatic life with long lasting effects.	



according to Regulation (EC) No. 1907/2006

LITHO PASTE FPG 4171 RG

Version 2.0	Revision Date: 10.12.2019	•-	DS Number:)2000031487	Print Date: 21.02.2022 Date of first issue: 13.05.2019	
Cop Addi	p onents: per: tional ecological mation	:	unprofessional ha	l hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.	
zinc powder — zinc dust (stabilised):					
	tional ecological nation	:	unprofessional ha	l hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.	

SECTION 13: Disposal considerations

European Waste Catalogue European Waste Catalogue	 12 01 04 - non-ferrous metal dust and particles 10 03 21 - other particulates and dust (including ball-mill dust) containing hazardous substances
13.1 Waste treatment methods	
Product	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. In accordance with local and national regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. In accordance with local and national regulations.

SECTION 14: Transport information

14.1 UN number ADR : UN 3077 IMDG : UN 3077 ΙΑΤΑ : UN 3077 14.2 UN proper shipping name ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper metal powder) IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper metal powder)



according to Regulation (EC) No. 1907/2006

LITHO PASTE FPG 4171 RG

Versior 2.0	n Revision Date: 10.12.2019		OS Number: 2000031487	Print Date: 21.02.2022 Date of first issue: 13.05.2019	
IA	ΙΑΤΑ		Environmentally hazardous substance, solid, n.o.s. (Copper metal powder)		
14.3 Tı	ransport hazard class(es)				
A	DR	:	9		
IN	IMDG		9		
IA	ΙΑΤΑ		9		
14.4 Pa	acking group				
Pa Cl Ha La	DR acking group assification Code azard Identification Number abels IDG		III M7 90 9		
Pa La Er	acking group abels nS Code emarks	: :	III 9 F-A, S-F IMDG Code seg salts	gregation group 7 - Heavy metals and their	
Pa aii Pa Pa	TA (Cargo) acking instruction (cargo rcraft) acking instruction (LQ) acking group abels	: : : :	956 Y956 III Class 9 - Misce	llaneous dangerous substances and articles	
Pa (p Pa Pa	TA (Passenger) acking instruction assenger aircraft) acking instruction (LQ) acking group abels	:	956 Y956 III	llaneous dangerous substances and articles	
14.5 E	nvironmental hazards				
	DR nvironmentally hazardous	:	yes		
	IDG arine pollutant	:	yes		
IA	TA (Passenger) nvironmentally hazardous	:	yes		
	TA (Cargo) nvironmentally hazardous	:	yes		
14.6 S _l	pecial precautions for use	er			
Re	emarks	:		agings <=5L / 5 kg, or combination taining inner packagings <= 5L / 5 kg net per	



according to Regulation (EC) No. 1907/2006

LITHO PASTE FPG 4171 RG

Version	Revision Date:	SDS Number:	Print Date: 21.02.2022
2.0	10.12.2019	102000031487	Date of first issue: 13.05.2019

inner packaging, SV375 ADR, 2.10.2.7 IMDG-Code, A197 IATA-DGR may be applied.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EC) No 850/2004 on persistent organic pollutants	: Not applicable

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements H302 Harmful if swallowed. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H410 Full text of other abbreviations Acute Tox. : Acute toxicity Short-term (acute) aquatic hazard Aquatic Acute : Long-term (chronic) aquatic hazard Aquatic Chronic : Eve Irrit. Eve irritation • : UK. EH40 WEL - Workplace Exposure Limits GB EH40 GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period) GB EH40 / STEL

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances



according to Regulation (EC) No. 1907/2006

LITHO PASTE FPG 4171 RG

Version	Revision Date:	SDS Number:	Print Date: 21.02.2022
2.0	10.12.2019	102000031487	Date of first issue: 13.05.2019

(Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN