

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



STAPA ALLUMINATE 5171 Aluminum Paste

Version 1.0 Revision Date: 2021/09/22 SDS Number: 102000026603 Print Date: 2022/01/13
Date of first issue: 2021/09/22

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : STAPA ALLUMINATE 5171 Aluminum Paste
Product code : 0266678J0
Chemical nature : Aluminium pigment paste

Manufacturer or supplier's details

Company : 爱卡特殊效果颜料（珠海）有限公司 Eckart GmbH
Address : 珠海市金湾区南水镇浪屿路 3 号 Guentersthal 4
91235 Hartenstein
Germany
Telephone : +8607567228600 +499152770
Emergency telephone number : National Emergency Response Hotline for Chemical Incident (China):0532-83889090 NCEC:(contract no. ECKART29003-NCEC): 400 120 6011
国家化学事故应急咨询电话 (中国) : 0532-83889090 (China, toll free) +886 2 8793 3212
(Taiwan, call and answer in English or Mandarin)
E-mail address : msds.eckart.asia@altana.com msds.eckart@altana.com

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : Pasty solid
Colour : silver
Odour : characteristic

Causes skin irritation. May cause drowsiness or dizziness.

GHS Classification

Skin corrosion/irritation : Category 2
Specific target organ toxicity - single exposure : Category 3 (Narcotic effects)

GHS label elements

Hazard pictograms :

Signal word : Warning

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



STAPA ALLUMINATE 5171 Aluminum Paste

Version 1.0 Revision Date: 2021/09/22 SDS Number: 102000026603 Print Date: 2022/01/13
Date of first issue: 2021/09/22

Hazard statements : H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.

Precautionary statements : **Prevention:**
P261 Avoid breathing dust.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
Storage:
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Causes skin irritation. May cause drowsiness or dizziness.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

Combustible Solids

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
Substance name :

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Aluminium powder	7429-90-5	>= 50 -<= 100
Distillates, petroleum, hydrotreated light	64742-47-8	>= 20 -< 25

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



STAPA ALLUMINATE 5171 Aluminum Paste

Version 1.0 Revision Date: 2021/09/22 SDS Number: 102000026603 Print Date: 2022/01/13
Date of first issue: 2021/09/22

4. FIRST AID MEASURES

- General advice : Move the victim to fresh air.
Do not leave the victim unattended.
Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
- If inhaled : Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Wash off immediately with soap and plenty of water.

If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.

Flush eyes with water as a precaution.
Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.
May cause drowsiness or dizziness.
-

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Dry sand
Special powder against metal fire
- Unsuitable extinguishing media : Water
Foam
ABC powder
Carbon dioxide (CO₂)
- Specific extinguishing methods : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for firefighters : Use personal protective equipment.
-

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



STAPA ALLUMINATE 5171 Aluminum Paste

Version 1.0 Revision Date: 2021/09/22 SDS Number: 102000026603 Print Date: 2022/01/13
Date of first issue: 2021/09/22

Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
Remove all sources of ignition.
Use personal protective equipment.
Avoid dust formation.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Use mechanical handling equipment.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
- Do not flush with water.
Keep in suitable, closed containers for disposal.
-

7. HANDLING AND STORAGE

Handling

- Advice on protection against fire and explosion : Keep away from open flames, hot surfaces and sources of ignition.
Earthing of containers and apparatuses is essential.
- Avoid dust formation.
- Advice on safe handling : Keep away from heat and sources of ignition.
Avoid dust formation.
Ensure adequate ventilation.
- Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
- Avoidance of contact : Acids
Bases
-

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



STAPA ALLUMINATE 5171 Aluminum Paste

Version 1.0 Revision Date: 2021/09/22 SDS Number: 102000026603 Print Date: 2022/01/13
Date of first issue: 2021/09/22

Oxidizing agents
Highly halogenated compounds

Storage

Conditions for safe storage : Store in original container.
Keep containers tightly closed in a cool, well-ventilated place.
Keep container closed when not in use.
Keep away from sources of ignition - No smoking.

Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Technical measures/Precautions : Protect from humidity and water.
Do not allow to dry.

Materials to avoid : Do not store together with oxidizing and self-igniting products.
Never allow product to get in contact with water during storage.
Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Aluminium powder	7429-90-5	PC-TWA (Total dust)	3 mg/m ³ (Aluminium)	CN OEL

Personal protective equipment

Respiratory protection : Use suitable breathing protection if workplace concentration requires.

In the case of dust or aerosol formation use respirator with an approved filter.

Eye/face protection : Safety glasses

Skin and body protection : Long sleeved clothing
Safety shoes
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



STAPA ALLUMINATE 5171 Aluminum Paste

Version 1.0 Revision Date: 2021/09/22 SDS Number: 102000026603 Print Date: 2022/01/13
Date of first issue: 2021/09/22

Hand protection

Material : Solvent-resistant gloves

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and break-through time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Pasty solid
Propellant : No data available
Colour : silver
Odour : characteristic
Odour Threshold : No data available
pH : substance/mixture is non-soluble (in water)
Melting point/freezing point : No data available
Initial boiling point and boiling range : No data available
Flash point : No data available
Evaporation rate : No data available
Flammability (solid, gas) : Combustible Solids

Flammability (liquids) : No data available
Burning rate : No data available
Auto-flammability : not auto-flammable
Burning number : No data available
Upper explosion limit / Upper flammability limit : No data available
Lower explosion limit / Lower flammability limit : No data available
Vapour pressure : No data available
Relative vapour density : No data available
Relative density : No data available
Density : 1.5 - 1.7 g/cm³

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



STAPA ALLUMINATE 5171 Aluminum Paste

Version 1.0 Revision Date: 2021/09/22 SDS Number: 102000026603 Print Date: 2022/01/13
Date of first issue: 2021/09/22

Bulk density : No data available
Solubility(ies) : No data available
Partition coefficient: n-octanol/water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Self-Accelerating decomposition temperature (SADT) : No data available
Temperature of Polymerisation (SAPT) : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Flow time : No data available
Solvent separation : No data available
Explosive properties : Not explosive
Oxidizing properties : No data available
Self-heating substances : No data available
Heat of combustion : No data available
Impact sensitivity : No data available
Surface tension : No data available
Conductivity : No data available
Sublimation point : No data available
Molecular weight : No data available
Minimum explosible dust concentration : No data available
Dust deflagration index (Kst) : No data available
Dust explosion class : No data available
Radioactivity : No data available
Volatile organic compounds (VOC) content : No data available
Volatile organic compounds (VOC) content : No data available
Particle size : No data available
Particle Size Distribution : No data available

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.
Chemical stability : No decomposition if stored and applied as directed.
Possibility of hazardous reactions : Reacts with alkalis, acids, halogenes and oxidizing agents.
Contact with acids and alkalis may release hydrogen.
Mixture reacts slowly with water resulting in evolution of hydrogen.
Vapour/air-mixtures are explosive at intense warming.
Stable under recommended storage conditions.

Conditions to avoid : Do not allow to dry.
No data available

Incompatible materials : AcidsBasesOxidizing agentsHighly halogenated compounds

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



STAPA ALLUMINATE 5171 Aluminum Paste

Version 1.0 Revision Date: 2021/09/22 SDS Number: 102000026603 Print Date: 2022/01/13
Date of first issue: 2021/09/22

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks: May cause skin irritation in susceptible persons.

Components:

Distillates, petroleum, hydrotreated light:

Result: Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Product dust may be irritating to eyes, skin and respiratory system.

Components:

Distillates, petroleum, hydrotreated light:

Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause drowsiness or dizziness.

Components:

Distillates, petroleum, hydrotreated light:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:

Distillates, petroleum, hydrotreated light:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Concentrations substantially above the TLV value may cause narcotic effects.

Solvents may degrease the skin.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



STAPA ALLUMINATE 5171 Aluminum Paste

Version 1.0 Revision Date: 2021/09/22 SDS Number: 102000026603 Print Date: 2022/01/13
Date of first issue: 2021/09/22

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Distillates, petroleum, hydrotreated light:

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
In accordance with local and national regulations.

14. TRANSPORT INFORMATION

International Regulations

Remarks : Not classified as dangerous in the meaning of transport regulations.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



STAPA ALLUMINATE 5171 Aluminum Paste

Version 1.0 Revision Date: 2021/09/22 SDS Number: 102000026603 Print Date: 2022/01/13
Date of first issue: 2021/09/22

ADR : Not classified as dangerous in the meaning of transport regulations.

IATA-DGR : Not classified as dangerous in the meaning of transport regulations.

IMDG-Code : Not classified as dangerous in the meaning of transport regulations.

Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Remarks : Not classified as dangerous good under GB 6944/12268

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases: Applicable

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Listed

16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



STAPA ALLUMINATE 5171 Aluminum Paste

Version	Revision Date:	SDS Number:	Print Date: 2022/01/13
1.0	2021/09/22	102000026603	Date of first issue: 2021/09/22

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Date format : yyyy/mm/dd

CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

CN OEL / PC-TWA : Permissible concentration - time weighted average

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN