according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000/47 Super Silver

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
5.0	30.04.2024	102000030637	Date of first issue: 19.03.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	STAPA Offset 3000/47 Super Silver
Product code	:	056214G60
1.2 Relevant identified uses of Use of the Substance/Mixture	the s	ubstance or mixture and uses advised against Colouring agents, pigments

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Not a dangerous substance according to GHS.

Additional Labelling

EUH210 Safety data sheet available on request.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000/47 Super Silver

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
5.0	30.04.2024	102000030637	Date of first issue: 19.03.2019

2.3 Other hazards

Combustible Solids

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

|--|

oomponenta			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
aluminium powder (stabilised)	7429-90-5	Flam. Sol. 1; H228	>= 50 - <= 100
	231-072-3		
	013-002-00-1		
	01-2119529243-45		
Distillates (petroleum),	64742-46-7	Asp. Tox. 1; H304	>= 25 - < 50
hydrotreated middle; Gasoil —	927-632-8	-	
unspecified	649-221-00-X		
	01-2119457736-27-		
	000201-2119457736-		
	27		
For explanation of approviations of	an anotion 10		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move the victim to fresh air.
		Do not leave the victim unattended.
lf inhaled	:	Remove to fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off immediately with soap and plenty of water.
In case of eye contact	:	Immediately flush eye(s) with plenty of water.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000/47 Super Silver

Version 5.0	Revision Date: 30.04.2024	SDS Number: 102000030637	Print Date: 03.05.2024 Date of first issue: 19.03.2019		
		Remove contact If eye irritation pe	lenses. ersists, consult a specialist.		
If swallowed		Do not give milk Never give anyth	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.		

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Dry sand Special powder against metal fire
Unsuitable extinguishing media	:	Water Foam ABC powder Carbon dioxide (CO2)

5.2 Special hazards arising from the substance or mixture

This information is not available.

5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Use personal protective equipment.
		Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions,	protective	equipment and emergency procedures
Personal precautions		Evacuate personnel to safe areas. Use personal protective equipment. Remove all sources of ignition. Avoid dust formation.

6.2 Environmental precautions

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000/47 Super Silver

Version 5.0	Revision Date: 30.04.2024	SDS Number: 102000030637	Print Date: 03.05.2024 Date of first issue: 19.03.2019		
General advice :			The product should not be allowed to enter drains, water courses or the soil.		
6.3 Method	Is and material for co	ontainment and clear	ning up		
Methods for cleaning up :		Soak up with in	Use mechanical handling equipment. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).		
		Sweep up and	Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.		

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Keep away from heat and sources of ignition. Avoid dust formation. Ensure adequate ventilation. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the
	Advice on protection against fire and explosion	:	application area. Keep away from open flames, hot surfaces and sources of ignition. Earthing of containers and apparatuses is essential.
			Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	General industrial hygiene practice.
7.2	Conditions for safe storage,	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep container closed when not in use. Keep away from sources of ignition - No smoking.
			Electrical installations / working materials must comply with the technological safety standards.
	Further information on storage conditions	:	Protect from humidity and water. Do not allow to dry.
	Advice on common storage	:	Do not store together with oxidizing and self-igniting products. Never allow product to get in contact with water during storage. Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000/47 Super Silver

Version 5.0	Revision Date: 30.04.2024	SDS Number: 102000030637	Print Date: 03.05.2024 Date of first issue: 19.03.2019
	er information on ge stability		to be especially mentioned.
7.0 0	General weeks)		

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
aluminium powder (stabilised)	7429-90-5	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40
		TWA (inhalable dust)	10 mg/m3	GB EH40
	inhalable dust when samplin MDHS14/4 Ge respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply particles of a particular part response that distinguishes and 'respirable material that e available for c to the fraction definitions and contain comp should be cor	are those fractions g is undertaken in a eneral methods for s pracic and inhalable ardous to health ind in air equal to or greater or 4 mg.m-3 8-hour be subject to COSHH dusts have been asses with the appropriate wide range of sizes. icle after entry into the it elicits, depend on two size fractions for e'., Inhalable dust appendent that penetrates to the dexplanatory material onents that have the nplied with., Where r	ses of these limits, respirable of airborne dust which will be coordance with the methods ampling and gravimetric ana aerosols., The COSHH defin dudes dust of any kind when atter than 10 mg.m-3 8-hour TWA of respirable dust. This if people are exposed to du signed specific WELs and exp imits., Most industrial dusts The behaviour, deposition at the human respiratory system the nature and size of the part init-setting purposes terme proximates to the fraction of mouth during breathing and i iratory tract. Respirable dust and are given in MDHS14/4., V ir own assigned WEL, all the to specific short-term expose exposure limit should be use 4 mg/m3	e collected described in lysis or ition of a present at a TWA of a means that ast above these contain and fate of any a, and the body article. HSE ed 'inhalable' airborne s therefore t approximates e lung. Fuller Vhere dusts relevant limits ure limit is listed,
		dust)		
	inhalable dust when samplin MDHS14/4 Ge	are those fractions g is undertaken in a eneral methods for s	ses of these limits, respirable of airborne dust which will be ccordance with the methods ampling and gravimetric ana aerosols., The COSHH defin	e collected described in lysis or

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000/47 Super Silver

Version	Revision Date: 30.04.2024	SDS Number:	Print Date: 03.05.2024
5.0		102000030637	Date of first issue: 19.03.2019
	conc inhala any c levels must partic partic respondistin and ' mate availa to the defin conta shou	entration in air equal to able dust or 4 mg.m-3 dust will be subject to 0 s. Some dusts have be comply with the appro- cles of a wide range of cular particle after entry onse that it elicits, dep nguishes two size fract respirable'., Inhalable rial that enters the nos able for deposition in the fraction that penetrato itions and explanatory ain components that ha ld be complied with., V	alth includes dust of any kind when present at a o or greater than 10 mg.m-3 8-hour TWA of 8-hour TWA of respirable dust. This means that COSHH if people are exposed to dust above these een assigned specific WELs and exposure to these opriate limits., Most industrial dusts contain sizes. The behaviour, deposition and fate of any y into the human respiratory system, and the body end on the nature and size of the particle. HSE ions for limit-setting purposes termed 'inhalable' dust approximates to the fraction of airborne are and mouth during breathing and is therefore he respiratory tract. Respirable dust approximates es to the gas exchange region of the lung. Fuller material are given in MDHS14/4., Where dusts ave their own assigned WEL, all the relevant limits Where no specific short-term exposure limit is listed, g-term exposure limit should be used.

Derived No Effect Level ((DNEL) according to	o Regulation (E	C) No. 1907/2006:
---------------------------	---------------------	-----------------	-------------------

Substance name	End Use	Exposure routes	Potential health effects	Value
aluminium powder (stabilised)	Workers	Inhalation	Long-term systemic effects	3.72 mg/m3
	Workers	Inhalation	Long-term local effects	3.72 mg/m3
	Consumers	Oral	Long-term systemic effects	3.95 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
aluminium powder (stabilised)	Fresh water	0.0749 mg/l
	clarification plant	20 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection Hand protection Material	:		Safety glasses Solvent-resistant gloves
Remarks		:	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000/47 Super Silver

Version 5.0	Revision Date: 30.04.2024	SDS Number: 102000030637	Print Date: 03.05.2024 Date of first issue: 19.03.2019		
Skin and body protection Respiratory protection		washed after co	preventive skin protection Skin should be ontact. The suitability for a specific workplace ussed with the producers of the protective lothing		
		 Choose body protection according to the amount and concentration of the dangerous substance at the work place. Protective suit Use suitable breathing protection if workplace concentration requires. 			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	:	Pasty solid
Colour	:	silver
Odour	:	characteristic
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	140 - 200 °C
Flammability	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility Solubility in other solvents	:	insoluble No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000/47 Super Silver

Ver 5.0	sion	Revision Date: 30.04.2024		S Number: 2000030637	Print Date: 03.05.2024 Date of first issue: 19.03.2019
	Partition coefficient: n- octanol/water Vapour pressure Relative density Density Relative vapour density Particle characteristics Particle Size Distribution 9.2 Other information		:	No data available No data available	
			:	No data available	9
			:	1.3 - 2.0 g/cm3	
			:	No data available	9
			:	No data available	9
9.2					
	Explos	ives	:	Not explosive	
	Self-igr	nition	:	not auto-flammal	ble
	Miscibi	lity with water	:	immiscible	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Reacts with alkalis, acids, halogenes and oxidizing agents. Contact with acids and alkalis may release hydrogen. Mixture reacts slowly with water resulting in evolution of hydrogen. Vapour/air-mixtures are explosive at intense warming. Stable under recommended storage conditions.
10.4 Conditions to avoid		
Conditions to avoid	:	Do not allow to dry.
		No data available
10.5 Incompatible materials		
Materials to avoid	:	Acids Bases Oxidizing agents Highly halogenated compounds

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000/47 Super Silver

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
5.0	30.04.2024	102000030637	Date of first issue: 19.03.2019

10.6 Hazardous decomposition products

This information is not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

aluminium powder (stabilised):

Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l
		Exposure time: 4 h
		Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Components:

Distillates (petroleum), hydrotreated middle; Gasoil - unspecified:

Carcinogenicity - : Classified based on the conditions cited in Nota N (Regulation Assessment (EC) 1272/2008, Annex VI, Part 3, Note N)

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000/47 Super Silver

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
5.0	30.04.2024	102000030637	Date of first issue: 19.03.2019

Aspiration toxicity

Not classified based on available information.

Components:

Distillates (petroleum), hydrotreated middle; Gasoil — unspecified: May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Further information

Product: Remarks

: No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological : No data available information

SECTION 13: Disposal considerations

European Waste Catalogue : 12 01 04 - non-ferrous metal dust and particles

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000/47 Super Silver

Version 5.0	Revision Date: 30.04.2024	SDS Number: 102000030637	
Europ	bean Waste Catalogue	particles a	- Aluminum thermal metallurgy wastes, other nd dust (including ball mill dust) containing s substances
13.1 Waste treatment methods Contaminated packaging			ntainers should be taken to an approved waste ite for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards Not regulated as a dangerous good				
14.6 Special precautions for use Remarks	er :	Not classified as dangerous in the meaning of regulations.		
447 Maritima transmert in bulls		anding to IMO instruments		

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

transport

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000/47 Super Silver

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
5.0	30.04.2024	102000030637	Date of first issue: 19.03.2019

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: aluminium powder (stabilised) (Number on list 40) Distillates (petroleum), hydrotreated middle; Gasoil — unspecified (Number on list 3, 28)
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements				
H228	:	Flammable solid.		
H304	:	May be fatal if swallowed and enters airways.		
Full text of other abbreviations				
Asp. Tox.	:	Aspiration hazard		
Flam. Sol.	:	Flammable solids		
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits		
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response;

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000/47 Super Silver

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
5.0	30.04.2024	102000030637	Date of first issue: 19.03.2019

EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response: GHS - Globally Harmonized System: GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN