

METALSTAR PANTONE 876 Supergloss 07 4876

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
10.0	30.04.2024	102000027907	Date of first issue: 03.07.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	METALSTAR PANTONE 876 Supergloss 07 4876
Product code	:	070354RN0
1.2 Relevant identified uses o Use of the Substance/Mixture		ubstance or mixture and uses advised against Colorant; Printing ink related material; Printing ink, Colouring agents, dyes

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 Eye irritation, Category 2	H302: Harmful if swallowed. H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard,	H400: Very toxic to aquatic life.
Category 1	
Long-term (chronic) aquatic hazard,	H410: Very toxic to aquatic life with long lasting
Category 1	effects.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 876 Supergloss 07 4876

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
10.0	30.04.2024	102000027907	Date of first issue: 03.07.2017

2.2 Label elements

Labelling (REGULATION (E Hazard pictograms	C) No 1272/2008)	¥2
Signal word	: Warning	•
Hazard statements	: H302 H319 H410	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Precautionary statements	Prevention: P264 P273 P280 Response:	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/face protection.
	P337 + P313	If eye irritation persists: Get medical advice/ attention.
	P391 Disposal:	Collect spillage.
	P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Copper

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302	>= 25 - < 50
	231-159-6	Eye Irrit. 2; H319	
		Aquatic Acute 1;	
	01-2119480154-42	H400	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 876 Supergloss 07 4876

rsion 0			nt Date: 03.05.2024 te of first issue: 03.07.2017	
			Aquatic Chronic 1; H410	
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
refine	lates (petroleum), solvent- d middle; Gasoil — ecified	64741-91-9 919-029-3	Asp. Tox. 1; H304	>= 10 - <2
Petro	leum resins	64742-16-1 265-116-8	Aquatic Chronic 4; H413	>= 2.5 - <
	oowder — zinc dust llised)	7440-66-6 231-175-3 030-001-01-9 01-2119467174-37	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1	>= 2.5 - <
	propyl-2,2- hyltrimethylene diisobutyrate	6846-50-0 229-934-9	M-Factor (Chronic aquatic toxicity): 1 Repr. 2; H361d Aquatic Chronic 3;	>= 1 - < 2
		01-2119451093-47	H412	
octad	lecylamine	124-30-1 204-695-3 612-282-00-8 01-2119473804-32	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT RE 2; H373 (Liver, Gastrointestinal tract, Immune system) Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.25 - <
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 876 Supergloss 07 4876

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
10.0	30.04.2024	102000027907	Date of first issue: 03.07.2017

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice :	Move the victim to fresh air.			
	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.			
If inhaled :	Remove to fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.			
In case of skin contact :	Wash off immediately with soap and plenty of water.			
In case of eye contact :	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.			
If swallowed :	Induce vomiting immediately and call a physician. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.			

4.2 Most important symptoms and effects, both acute and delayed

Risks	:	Harmful if swallowed.
		Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Special powder against metal fire Dry sand ABC powder
Unsuitable extinguishing media	:	Water High volume water jet Carbon dioxide (CO2)



METALSTAR PANTONE 876 Supergloss 07 4876

Vers 10.0		Revision Date: 30.04.2024		9S Number: 2000027907	Print Date: 03.05.2024 Date of first issue: 03.07.2017	
5.2 Special hazards arising from Specific hazards during firefighting		the :				
5.3 /	5.3 Advice for firefighters Special protective equipment for firefighters Further information		:	Wear self-contained breathing apparatus for firefighting if necessary. Standard procedure for chemical fires.		
			-	Collect contamina must not be disch Fire residues and be disposed of in Use extinguishing	ted fire extinguishing water separately. This	

SECTION 6: Accidental release measures

equipment and emergency procedures Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment.
The product should not be allowed to enter drains, water courses or the soil. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
nment and cleaning up
Use mechanical handling equipment.
Pick up and transfer to properly labelled containers. Do not flush with water. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 876 Supergloss 07 4876

Version Revis 10.0 30.04

Revision Date: 30.04.2024

SDS Number: 102000027907 Print Date: 03.05.2024 Date of first issue: 03.07.2017

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1	Precautions for safe handling		
	Advice on safe handling :	:	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
	Advice on protection against : fire and explosion		Keep away from heat and sources of ignition. No smoking.
			Normal measures for preventive fire protection.
	Hygiene measures :		General industrial hygiene practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	cl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep away from sources of ignition - No smoking. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.
			Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
	Further information on storage conditions		Protect from humidity and water.
	Advice on common storage	:	Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions. Do not store together with oxidizing and self-igniting products.
	Dampness :		Keep in a dry, cool and well-ventilated place.
	Further information on : storage stability		No decomposition if stored and applied as directed.



METALSTAR PANTONE 876 Supergloss 07 4876

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
10.0	30.04.2024	102000027907	Date of first issue: 03.07.2017

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3 (Copper)	GB EH40
		TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40
		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Copper	Workers	Dermal	Long-term systemic effects	137 mg/kg
	Workers	Dermal	Acute systemic effects	273 mg/kg
	Workers	Inhalation	Long-term systemic effects	20 mg/m3
	Consumers	Inhalation	Long-term local effects	1 mg/m3
	Consumers	Inhalation	Acute local effects	1 mg/m3
	Consumers	Dermal	Long-term systemic effects	137 mg/kg
	Consumers	Dermal	Acute systemic effects	273 mg/kg
	Consumers	Oral	Long-term systemic effects	0.041 mg/kg
zinc powder — zinc dust (stabilised)	Workers	Inhalation	Long-term systemic effects	5 mg/m3
	Workers	Dermal	Long-term systemic effects	83 mg/kg
	Consumers	Inhalation	Long-term systemic effects	2.5 mg/m3
	Consumers	Dermal	Long-term systemic effects	83 mg/kg
	Consumers	Oral	Long-term systemic	0.83 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 876 Supergloss 07 4876

Ver 10.	rsion Revision Da 0 30.04.2024	ate: SDS Nun 10200002		Print Date: 03.05.2024 Date of first issue: 03.07.2017	
	L			effects	
	1-isopropyl-2,2- dimethyltrimethylene diisobutyrate	Workers	Dermal	Long-term systemic effects	5.00 mg/kg
		Workers	Inhalation	Long-term systemic effects	17.62 mg/m3
		Consumers	Oral	Long-term systemic effects	5.00 mg/kg
		Consumers	Dermal	Long-term systemic effects	5.00 mg/kg
		Consumers	Inhalation	Long-term systemic effects	4.35 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Copper	Fresh water	0.0078 mg/l
	Marine water	0.0052 mg/l
	STP	0.230 mg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Soil	65 mg/kg
zinc powder — zinc dust (stabilised)	Fresh water	0.0206 mg/l
	Marine water	0.0061 mg/l
	STP	0.100 mg/l
	Fresh water sediment	235.6 mg/kg
	Marine sediment	121 mg/kg
	Soil	35.6 mg/kg
1-isopropyl-2,2- dimethyltrimethylene diisobutyrate	Fresh water	0.014 mg/l
	Marine water	0.0014 mg/l
	Fresh water sediment	5.29 mg/kg
	Soil	1.05 mg/kg
	STP	3 mg/l
	Marine sediment	0.529 mg/kg
	oral (secondary poisoning)	83.3 mg/kg

8.2 Exposure controls

Personal protective equipment							
Eye/face protection	 Safety glasses Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems. 						
Hand protection Material	: Solvent-resistant gloves (butyl-rubber)						

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 876 Supergloss 07 4876

Version 10.0	Revision Date: 30.04.2024	SDS Number: 102000027907	Print Date: 03.05.2024 Date of first issue: 03.07.2017			
F	Remarks	concerning pe special workpl contact). The the protective Please observ breakthrough gloves. Also ta conditions und danger of cuts Recommende washed after of	he information given by the producer rmeability and break through times, and of ace conditions (mechanical strain, duration of exact break through time can be obtained from glove producer and this has to be observed. e the instructions regarding permeability and time which are provided by the supplier of the ake into consideration the specific local ler which the product is used, such as the s, abrasion, and the contact time. d preventive skin protection Skin should be contact. The suitability for a specific workplace cussed with the producers of the protective			
Skin	and body protection		protection according to the amount and			
Respiratory protection		 concentration of the dangerous substance at the work place Use suitable breathing protection if workplace concentration requires. Equipment should conform to EN 14387 				

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	:	liquid
Colour	:	gold
Odour	:	characteristic
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	> 100 °C
Flammability	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 100 °C
Auto-ignition temperature	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 876 Supergloss 07 4876

Versi 10.0	ion	Revision Date: 30.04.2024		S Number: 2000027907	Print Date: 03.05.2024 Date of first issue: 03.07.2017
	Decom	position temperature	:	No data available	9
	рН		:	substance/mixtu	re is non-soluble (in water)
	Viscosi				
	Viscosi	ty, kinematic	:	> 21 mm2/s (40	°C)
	Solubili Water s	ity(ies) solubility		insoluble	
		ity in other solvents	:	No data available	9
	Partitio octanol	n coefficient: n-	:	No data available	2
		pressure	:	No data available	9
	Distil hydro	Pressure for Compone llates (petroleum), otreated middle;	ents: :	4 hPa (40 °C)	
	1-iso dime	bil — unspecified propyl-2,2- thyltrimethylene butyrate	:	1.5 Pa (25 °C)	
		e density	:	No data available	9
	Density	,	:	1.4 g/cm3	
	Relative	e vapour density	:	No data available	<u>)</u>
		characteristics icle Size Distribution	:	No data available	9
9.2 Other information No data available					

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 10.0	Revision Date: 30.04.2024		lumber: 0027907	Print Date: 03.05.2024 Date of first issue: 03.07.2017
	litions to avoid itions to avoid		o not allow o data avail	evaporation to dryness. able
10.5 Incor	npatible materials			
	rdous decomposition nal decomposition	: C		oxide, carbon dioxide and unburned s (smoke).
SECTION	N 11: Toxicological	informa	tion	
11.1 Infori	mation on hazard cla	sses as (defined in I	Regulation (EC) No 1272/2008
	e toxicity ful if swallowed.			
<u>Produ</u> Acute	<u>uct:</u> oral toxicity			estimate: 1,432 mg/kg Jation method
<u>Comp</u>	oonents:			
Сорр	er:			
Acute	oral toxicity		sessment: igle ingestic	The component/mixture is moderately toxic after on.
				e; Gasoil — unspecified:
Acute	oral toxicity	: LD	50 (Rat): >	5,000 mg/kg
Acute	dermal toxicity	: LD	50 (Rabbit)	: > 2,000 mg/kg
zinc p	oowder — zinc dust (stabilised	d):	
-	oral toxicity		Rat): > 2,000) mg/kg
Acute	inhalation toxicity	Ex	50 (Rat): 5 posure time st atmosph	
1-isor	oropyl-2,2-dimethyltri	methyler	e diisobu	tyrate:
-	dermal toxicity	: LD	50 Dermal	(Rabbit): > 2,000 mg/kg D Test Guideline 402



sion)	Revision Date: 30.04.2024	SDS Number: 102000027907	Print Date: 03.05.2024 Date of first issue: 03.07.2017
Skin	corrosion/irritation		
Not cl	assified based on ava	ailable information.	
Produ	ict.		
Rema		: May cause sk	in irritation in suscentible persons
Rema	165	. May cause sk	in irritation in susceptible persons.
<u>Comp</u>	oonents:		
Сорр	er:		
Rema	rks	: May cause sk	in irritation in susceptible persons.
1-isop	oropyl-2,2-dimethyltr	imethylene diisobu	tyrate:
Speci	es	: Rabbit	
Expo	sure time	: 4 h	
Metho		: OECD Test G	
Resul	t	: No skin irritation	on
octad	ecylamine:		
Asses	ssment	: Irritating to sk	in.
<u>Produ</u> Rema			eversible eye damage.
<u>Comp</u>	oonents:		
Сорр	er:		
Resul	t	: Eye irritation	
1-isop	oropyl-2,2-dimethyltr	imethylene diisobu	tyrate:
Speci		: Rabbit	
	sure time	: 72 h	
Metho		: OECD Test G	
Resul	t	: No eye irritatio	on
octad	ecylamine:		
Asses	ssment	: Corrosive	
Deen			
Respi	ratory or skin sensi	tisation	
-	ratory or skin sensi sensitisation	tisation	



METALSTAR PANTONE 876 Supergloss 07 4876

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
10.0	30.04.2024	102000027907	Date of first issue: 03.07.2017

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Components:

Distillates (petroleum), solvent-refined middle; Gasoil - unspecified:

Carcinogenicity -	:	Classified based on the conditions cited in Nota N (Regulation
Assessment		(EC) 1272/2008, Annex VI, Part 3, Note N)

Reproductive toxicity

Not classified based on available information.

Components:

1-isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Reproductive toxicity -:Some evidence of adverse effects on development, based on
animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

octadecylamine:

Exposure routes	:	Ingestion
Target Organs	:	Liver, digestive system, Immune system
Assessment	:	May cause damage to organs through prolonged or repeated
		exposure.

Aspiration toxicity

Not classified based on available information.

Components:

Distillates (petroleum), solvent-refined middle; Gasoil — unspecified: May be fatal if swallowed and enters airways.

octadecylamine:

May be fatal if swallowed and enters airways.



METALSTAR PANTONE 876 Supergloss 07 4876

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
10.0	30.04.2024	102000027907	Date of first issue: 03.07.2017

11.2 Information on other hazards

<u>Product:</u> Remarks	: No data available	
Components:		
Copper:		
Remarks	: No data available	

SECTION 12: Ecological information

12.1 Toxicity

Components:				
Copper:				
M-Factor (Short-term (acute) aquatic hazard)	:	10		
M-Factor (Long-term (chronic) aquatic hazard)	:	10		
Ecotoxicology Assessment				
Acute aquatic toxicity	:	Very toxic to aquatic life.		
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.		
Petroleum resins:				
Ecotoxicology Assessment				
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.		
zinc powder — zinc dust (stabilised):				
M-Factor (Short-term (acute) aquatic hazard)	:	1		
M-Factor (Long-term (chronic) aquatic hazard)	:	1		
Ecotoxicology Assessment				

Acute aquatic toxicity : Very toxic to aquatic life.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 10.0	Revision Date: 30.04.2024	SDS Number: 102000027907	Print Date: 03.05.2024 Date of first issue: 03.07.2017		
Chro	nic aquatic toxicity	: Very toxic to a	quatic life with long lasting effects.		
Toxic	propyl-2,2-dimethyltrim city to daphnia and other tic invertebrates	-	-		
	oxicology Assessment nic aquatic toxicity	: Harmful to aqu	atic life with long lasting effects.		
M-Fa aqua M-Fa	decylamine: actor (Short-term (acute) tic hazard) actor (Long-term nic) aquatic hazard)	: 10 : 10			
Ecotoxicology Assessment Acute aquatic toxicity		: Very toxic to a	quatic life.		
Chro	nic aquatic toxicity	: Very toxic to a	Very toxic to aquatic life with long lasting effects.		
	istence and degradabil ata available	ity			
	ata available				
	ility in soil ata available				
12.5 Res	ults of PBT and vPvB as	ssessment			
<u>Prod</u> Asse	luct: essment	to be either pe	e/mixture contains no components considered rsistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of		
	ocrine disrupting prope ata available	rties			
12.7 Othe	er adverse effects				
	l <u>uct:</u> tional ecological mation	unprofessiona	ital hazard cannot be excluded in the event of I handling or disposal. quatic life with long lasting effects.		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 876 Supergloss 07 4876

Version 10.0	Revision Date: 30.04.2024	SDS Number: 102000027907	Print Date: 03.05.2024 Date of first issue: 03.07.2017
<u>Comp</u>	onents:		
Coppe Addition inform	onal ecological	unprofessiona	ntal hazard cannot be excluded in the event of I handling or disposal. Iquatic life with long lasting effects.
zinc p	owder — zinc dust (s	tabilised):	
Additi inform	onal ecological ation	unprofessiona	ntal hazard cannot be excluded in the event of al handling or disposal. aquatic life with long lasting effects.
SECTION	l 13: Disposal consi	derations	
Furon	ean Waste Catalogue	· 08 03 12* - wa	aste ink containing dangerous substances

European Waste Catalogue	:	08 03 12* - waste ink containing dangerous substances
13.1 Waste treatment methods		
Product	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR IMDG IATA	:	UN 3082 UN 3082 UN 3082
14.2 UN proper shipping name	•	UN 3082
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Copper metal powder)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Copper metal powder)



Version 10.0	Revision Date: 30.04.2024		DS Number: 2000027907	Print Date: 03.05.2024 Date of first issue: 03.07.2017
ΙΑΤ	A	:	Environmentally I (Copper metal po	nazardous substance, liquid, n.o.s. wder)
14.3 Tra	nsport hazard class(es)			
			Class	Subsidiary risks
AD	र	:	9	
IMC)G	:	9	
IAT	Α	:	9	
14.4 Pac	cking group			
AD	र			
Pac Clas Haz Lab	king group ssification Code ard Identification Number		III M6 90 9 (-)	
Lab	king group	:	III 9 F-A, S-F	
Pac airc Pac	A (Cargo) king instruction (cargo raft) king instruction (LQ) king group els	:	964 Y964 III 9	
Pac (pas Pac	A (Passenger) king instruction ssenger aircraft) king instruction (LQ) king group els	:	964 Y964 III 9	
14.5 En	vironmental hazards			
ADI Env IMC	ironmentally hazardous	:	yes	
	ine pollutant	:	yes	
14.6 Special precautions for use Remarks		r :	packagings conta	gings <=5L / 5 kg, or combination aining inner packagings <= 5L / 5 kg net per SV375 ADR, 2.10.2.7 IMDG-Code, A197 be applied.



METALSTAR PANTONE 876 Supergloss 07 4876

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
10.0	30.04.2024	102000027907	Date of first issue: 03.07.2017

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3 Distillates (petroleum), hydrotreated middle; Gasoil — unspecified (Number on list 3) 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate (Number on list 3) Distillates (petroleum), solvent- refined middle; Gasoil — unspecified (Number on list 3)
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements	
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



METALSTAR PANTONE 876 Supergloss 07 4876

Version 10.0	Revision Date: 30.04.2024		DS Number: 2000027907	Print Date: 03.05.2024 Date of first issue: 03.07.2017	
10.0	30.04.2024		2000027907		
			. .		
H318		:	Causes serious e		
H319		:	Causes serious e		
H361	ld	:	•	maging the unborn child.	
H373	3	:	May cause dama exposure.	ge to organs through prolonged or repeated	
H400)	:	Very toxic to aqu	atic life.	
H410)	:	Very toxic to aquatic life with long lasting effects.		
H412		:	Harmful to aquatic life with long lasting effects.		
H413		:	May cause long lasting harmful effects to aquatic life.		
Full	text of other abbreviat	ions			
Acut	e Tox.	:	Acute toxicity		
Aquatic Acute		:	Short-term (acute) aquatic hazard		
Aquatic Chronic		:	Long-term (chronic) aquatic hazard		
Asp. Tox.		:	Aspiration hazard		
Eye Dam.		:	Serious eye damage		
Eye Irrit.		:	Eye irritation		
Repr.		:	Reproductive toxicity		
Skin Irrit.		:	Skin irritation		
STOT RE		:	Specific target organ toxicity - repeated exposure		
GB EH40		:	UK. EH40 WEL - Workplace Exposure Limits		
GB EH40 / TWA		:	Long-term exposure limit (8-hour TWA reference period)		
GB EH40 / STEL		:	• ·	sure limit (15-minute reference period)	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship;



METALSTAR PANTONE 876 Supergloss 07 4876

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
10.0	30.04.2024	102000027907	Date of first issue: 03.07.2017

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further informationClassification procedure:Classification of the mixture:Classification procedure:					
Acute Tox. 4	H302	Calculation method			
Eye Irrit. 2	H319	Calculation method			
Aquatic Acute 1	H400	Calculation method			
Aquatic Chronic 1	H410	Calculation method			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN