

### SYNCRYSTAL Soft Autumn Gold

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2020 102000024383 Date of first issue: 10/02/2020

#### **SECTION 1. IDENTIFICATION**

Product name : SYNCRYSTAL Soft Autumn Gold

Product code : 023534MJ0

Manufacturer or supplier's details

Company name of supplier : ECKART America Corporation

Address : 830 East Erie Street

Painesville OH 44077

Telephone : 866-458-7837 Telefax : (440) 354-6224

Emergency telephone : CHEMTREC: 800-424-9300

number CHEMTREC: 1-703-527-3387 (International)

NCEC:

(contract no. ECKART29003-NCEC) US: +1 866 928 0789 (Toll free) Canada: +1 800 579 7421 (Toll Free)

Mexico: +52 55 5004 8763

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Hazardous components

| • •                                  |            |                       |
|--------------------------------------|------------|-----------------------|
| Chemical name                        | CAS-No.    | Concentration (% w/w) |
| Titanium oxide (TiO2)                | 13463-67-7 | >= 50 - < 70          |
| Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) | 12003-38-2 | >= 20 - < 30          |
| Iron oxide (Fe2O3)                   | 1309-37-1  | >= 10 - < 20          |

Actual concentration is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice : No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical



### SYNCRYSTAL Soft Autumn Gold

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2020 102000024383 Date of first issue: 10/02/2020

advice.

If symptoms persist, call a physician.

In case of skin contact Wash off with soap and water.

In case of eye contact Remove contact lenses.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

#### **SECTION 5. FIREFIGHTING MEASURES**

Further information Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Avoid dust formation.

Methods and materials for

containment and cleaning up

Pick up and arrange disposal without creating dust.

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

Advice on safe handling For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Conditions for safe storage Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid No materials to be especially mentioned.

Further information on

storage stability

Keep in a dry place.



# **SYNCRYSTAL Soft Autumn Gold**

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2020 102000024383 Date of first issue: 10/02/2020

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

| Components                              | CAS-No.    | Value type<br>(Form of<br>exposure)          | Control parameters / Permissible concentration | Basis    |
|---|------------|--|--|----------|
| Titanium oxide (TiO2)                   | 13463-67-7 | TWA (total dust)                             | 50 Million<br>particles per cubic<br>foot      | OSHA Z-3 |
|   |            | TWA (total dust)                             | 15 mg/m3                                       | OSHA Z-3 |
|   |            | TWA<br>(respirable<br>fraction)              | 5 mg/m3  | OSHA Z-3 |
|   |            | TWA<br>(respirable<br>fraction)              | 15 Million<br>particles per cubic<br>foot      | OSHA Z-3 |
|   |            | TWA (total dust)                             | 15 mg/m3                                       | OSHA Z-1 |
|   |            | TWA (Total dust)                             | 10 mg/m3                                       | OSHA P0  |
|   |            | TWA  | 10 mg/m3<br>(Titanium dioxide)                 | ACGIH    |
| Fluorphlogopite<br>(Mg3K[AIF2O(SiO3)3]) | 12003-38-2 | TWA  | 2.5 mg/m3<br>(Fluorine)                        | OSHA Z-1 |
|   |            | TWA  | 2.5 mg/m3<br>(Fluorine)                        | OSHA Z-1 |
|   |            | TWA  | 2.5 mg/m3<br>(Fluorine)                        | ACGIH    |
|   |            | TWA  | 2.5 mg/m3<br>(Fluorine)                        | ACGIH    |
|   |            | TWA<br>(Respirable<br>particulate<br>matter) | 1 mg/m3<br>(Aluminium)                         | ACGIH    |
|   |            | TWA  | 2.5 mg/m3<br>(Fluorine)                        | OSHA P0  |
|   |            | TWA  | 2.5 mg/m3<br>(Fluorine)                        | OSHA P0  |
| Iron oxide (Fe2O3)                      | 1309-37-1  | TWA (total dust)                             | 50 Million<br>particles per cubic<br>foot      | OSHA Z-3 |
|   |            | TWA (total dust)                             | 15 mg/m3                                       | OSHA Z-3 |



# **SYNCRYSTAL Soft Autumn Gold**

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2020 102000024383 Date of first issue: 10/02/2020

| TWA         | 5 mg/m3             | OSHA Z-3  |
|-------------|---------------------|-----------|
| (respirable |                     |           |
| fraction)   |                     |           |
| TWA         | 15 Million          | OSHA Z-3  |
| (respirable | particles per cubic |           |
| fraction)   | foot                |           |
| TWA         | 5 mg/m3             | ACGIH     |
| (Respirable |                     |           |
| particulate |                     |           |
| matter)     |                     |           |
| TWA         | 10 mg/m3            | OSHA Z-1  |
| (Fumes)     |                     |           |
| TWA (total  | 15 mg/m3            | OSHA Z-1  |
| dust)       |                     |           |
| TWA         | 5 mg/m3             | OSHA Z-1  |
| (respirable |                     |           |
| fraction)   |                     |           |
| TWA (dust   | 5 mg/m3             | NIOSH REL |
| and fume)   | (Iron)              |           |
| TWA         | 10 mg/m3            | OSHA P0   |
| (Fumes)     |                     |           |

### Biological occupational exposure limits

| Components           | CAS-No.   | Control parameters | Biological specimen | Samplin g time | Permissible concentratio | Basis |
|----------------------|-----------|--------------------|---------------------|----------------|--------------------------|-------|
|                      |           |                    |                     |                | n                        |       |
| Fluorphlogopite      | 12003-38- | Fluoride           | Urine               | Prior to       | 3 mg/g                   | ACGIH |
| (Mg3K[AIF2O(SiO3)3]) | 2         |                    |                     | shift (16      |                          | BEI   |
|                      |           |                    |                     | hours          |                          |       |
|                      |           |                    |                     | after          |                          |       |
|                      |           |                    |                     | exposure       |                          |       |
|                      |           |                    |                     | ceases)        |                          |       |
|                      |           | Fluoride           | Urine               | End of         | 10 mg/g                  | ACGIH |
|                      |           |                    |                     | shift (As      |                          | BEI   |
|                      |           |                    |                     | soon as        |                          |       |
|                      |           |                    |                     | possible       |                          |       |
|                      |           |                    |                     | after          |                          |       |
|                      |           |                    |                     | exposure       |                          |       |
|                      |           |                    |                     | ceases)        |                          |       |
|                      |           | Fluoride           | Urine               | Prior to       | 2 mg/l                   | ACGIH |
|                      |           | (Fluorine)         |                     | shift (16      | · ·                      | BEI   |
|                      |           |                    |                     | hours          |                          |       |
|                      |           |                    |                     | after          |                          |       |
|                      |           |                    |                     | exposure       |                          |       |
|                      |           |                    |                     | ceases)        |                          |       |
|                      |           | Fluoride           | Urine               | End of         | 3 mg/l                   | ACGIH |



### SYNCRYSTAL Soft Autumn Gold

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2020 102000024383 Date of first issue: 10/02/2020

| (Fluorine) | shift (As | BEI |
|------------|-----------|-----|
|            | soon as   |     |
|            | possible  |     |
|            | after     |     |
|            | exposure  |     |
|            | ceases)   |     |

#### Personal protective equipment

Eye protection : Safety glasses

Hygiene measures : General industrial hygiene practice.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Colour : No data available

Odour : odourless

Odour Threshold : No data available pH : No data available Melting point/freezing point : No data available Initial boiling point and boiling : No data available

range

Flash point : No data available
Evaporation rate : No data available
Flammability (solid, gas) : Will not burn

Not expected to form explosive dust-air mixtures.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available
Relative density : No data available
Solubility(ies) : No data available
Partition coefficient: n- : No data available

octanol/water

Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed. Chemical stability : No decomposition if stored and applied as directed. Possibility of hazardous : Stable under recommended storage conditions.

reactions Dust may form explosive mixture in air.



### SYNCRYSTAL Soft Autumn Gold

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2020 102000024383 Date of first issue: 10/02/2020

Conditions to avoid : No data available

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

Not classified based on available information.

#### **Components:**

Titanium oxide (TiO2):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 6.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

IARC Group 2B: Possibly carcinogenic to humans

Titanium oxide (TiO2) 13463-67-7

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or



### SYNCRYSTAL Soft Autumn Gold

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2020 102000024383 Date of first issue: 10/02/2020

equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

#### **Further information**

#### **Components:**

### Fluorphlogopite (Mg3K[AIF2O(SiO3)3]):

Remarks: No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

No data available

#### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Other adverse effects

No data available

### Components:

### Fluorphlogopite (Mg3K[AIF2O(SiO3)3]):

Additional ecological : No data available

information

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

### Disposal methods

Waste from residues : In accordance with local and national regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.



### SYNCRYSTAL Soft Autumn Gold

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2020 102000024383 Date of first issue: 10/02/2020

In accordance with local and national regulations.

#### **SECTION 14. TRANSPORT INFORMATION**

**National Regulations** 

**49 CFR** : Not classified as dangerous in the meaning of transport

regulations.

**International Regulations** 

Remarks : Not classified as dangerous in the meaning of transport

regulations.

ADR : Not classified as dangerous in the meaning of transport

regulations.

IATA-DGR : Not classified as dangerous in the meaning of transport

regulations.

IMDG-Code : Not classified as dangerous in the meaning of transport

regulations.

Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **SECTION 15. REGULATORY INFORMATION**

EPCRA - Emergency Planning and Community Right-to-Know Act

**CERCLA Reportable Quantity** 

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.



### SYNCRYSTAL Soft Autumn Gold

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2020 102000024383 Date of first issue: 10/02/2020

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### **US State Regulations**

### Massachusetts Right To Know

| Titanium oxide (TiO2)                | 13463-67-7 |
|--------------------------------------|------------|
| Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) | 12003-38-2 |
| Iron oxide (Fe2O3)                   | 1309-37-1  |

### Pennsylvania Right To Know

| Titanium oxide (TiO2)                | 13463-67-7 |
|--------------------------------------|------------|
| Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) | 12003-38-2 |
| Iron oxide (Fe2O3)                   | 1309-37-1  |

#### California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



WARNING: This product can expose you to chemicals including Titanium oxide (TiO2), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### California List of Hazardous Substances

Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) 12003-38-2



### SYNCRYSTAL Soft Autumn Gold

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2020 102000024383 Date of first issue: 10/02/2020

Iron oxide (Fe2O3) 1309-37-1

California Permissible Exposure Limits for Chemical Contaminants

Titanium oxide (TiO2) 13463-67-7

Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) 12003-38-2

Iron oxide (Fe2O3) 1309-37-1

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA PO : USA. OSHA - TABLE Z-1 Limits for Air Contaminants -

1910.1000

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1

Limits for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3

Mineral Dusts

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average OSHA Z-3 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International



### SYNCRYSTAL Soft Autumn Gold

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2020 102000024383 Date of first issue: 10/02/2020

Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA -Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 10/02/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN