according to Regulation (EC) No. 1907/2006



STAPA WM CHROMAL V/80 Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
2.1	02.04.2024	102000036107	Date of first issue: 12.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: STAPA WM CHROMAL V/80 Aluminium Paste
Product code	: 051874VV0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colouring agents, pigments
Substance/Mixture		

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.3 Other hazards

Combustible Solids

according to Regulation (EC) No. 1907/2006



STAPA WM CHROMAL V/80 Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
2.1	02.04.2024	102000036107	Date of first issue: 12.12.2022

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No. EC-No. Index-No. Registration number	ClassificationREGUL ATION (EC) No 1272/2008	Concentration (% w/w)
aluminium powder (stabilised)	7429-90-5 231-072-3 013-002-00-1 01-2119529243-45	Flam. Sol. 1; H228	>= 50 - <= 100

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move the victim to fresh air.
		Do not leave the victim unattended.
lf inhaled	:	Remove to fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off immediately with soap and plenty of water.
In case of eye contact	:	Immediately flush eye(s) with plenty of water.
		Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed None known.

according to Regulation (EC) No. 1907/2006



STAPA WM CHROMAL V/80 Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
2.1	02.04.2024	102000036107	Date of first issue: 12.12.2022

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	Dry sand Special powder against metal fire
Unsuitable extinguishing media	:	Water Foam ABC powder Carbon dioxide (CO2)

5.2 Special hazards arising from the substance or mixture

This information is not available.

5.3 Advice for firefighters			
Special protective equipment for firefighters	:	Use personal protective equipment.	
		Wear self-contained breathing apparatus for firefighting if necessary.	
Further information	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	

SECTION 6: Accidental release measures

• •	e equipment and emergency procedures Evacuate personnel to safe areas. Use personal protective equipment. Remove all sources of ignition. Avoid dust formation.
6.2 Environmental precautions	
General advice :	The product should not be allowed to enter drains, water courses or the soil. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for contain	nment and cleaning up
Methods for cleaning up :	Use mechanical handling equipment. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
	Pick up and arrange disposal without creating dust. Sweep up and shovel.

according to Regulation (EC) No. 1907/2006



STAPA WM CHROMAL V/80 Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
2.1	02.04.2024	102000036107	Date of first issue: 12.12.2022

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	 Keep away from heat and sources of ignition. Avoid dust formation. Ensure adequate ventilation. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Advice on protection against : fire and explosion	: Keep away from open flames, hot surfaces and sources of ignition. Earthing of containers and apparatuses is essential.
	Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures :	: General industrial hygiene practice.
7.2 Conditions for safe storage, in	cluding any incompatibilities
Requirements for storage areas and containers	: Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep container closed when not in use. Keep away from sources of ignition - No smoking.
	Electrical installations / working materials must comply with the technological safety standards.
Further information on storage conditions	: Protect from humidity and water. Do not allow to dry.
Advice on common storage	 Do not store together with oxidizing and self-igniting products. Never allow product to get in contact with water during storage. Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.
	No materials to be especially mentioned.
Further information on : storage stability	: No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006



STAPA WM CHROMAL V/80 Aluminium Paste

Version	Revision Date:
2.1	02.04.2024

SDS Number: 102000036107

Print Date: 16.04.2024 Date of first issue: 12.12.2022

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
aluminium powder (stabilised)	7429-90-5	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40
		TWA (inhalable dust)	10 mg/m3	GB EH40
	inhalable dust when samplin MDHS14/4 Ge respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply particles of a particular part response that distinguishes and 'respirabl material that e available for o to the fraction definitions and contain comp should be cor a figure three	t are those fractions of is undertaken in a eneral methods for s pracic and inhalable zardous to health ind in air equal to or great tor 4 mg.m-3 8-hour be subject to COSHH dusts have been ass with the appropriate wide range of sizes. ticle after entry into the it elicits, depend on two size fractions for e'., Inhalable dust appendent that penetrates to the deposition in the response that penetrates to the decipal antory material onents that have the mplied with., Where re times the long-term TWA (Respirable dust)	ses of these limits, respirable of airborne dust which will be ccordance with the methods sampling and gravimetric ana aerosols., The COSHH defir cludes dust of any kind when eater than 10 mg.m-3 8-hour TWA of respirable dust. This if people are exposed to du signed specific WELs and ex limits., Most industrial dusts The behaviour, deposition a he human respiratory system the nature and size of the part r limit-setting purposes termo oproximates to the fraction of mouth during breathing and diratory tract. Respirable dus he gas exchange region of the al are given in MDHS14/4., V ir own assigned WEL, all the ho specific short-term expos exposure limit should be use 4 mg/m3	e collected described in lysis or nition of a present at a TWA of s means that ust above these posure to these contain nd fate of any n, and the body article. HSE ed 'inhalable' airborne is therefore t approximates he lung. Fuller Where dusts a relevant limits ure limit is listed, ed. GB EH40
	inhalable dust when samplin MDHS14/4 G respirable, the substance has concentration inhalable dust any dust will b levels. Some	t are those fractions of is undertaken in a eneral methods for s pracic and inhalable zardous to health ind in air equal to or great t or 4 mg.m-3 8-hour be subject to COSHH dusts have been as	ses of these limits, respirable of airborne dust which will be ccordance with the methods ampling and gravimetric and aerosols., The COSHH defir cludes dust of any kind when eater than 10 mg.m-3 8-hour TWA of respirable dust. This I if people are exposed to du signed specific WELs and ex limits., Most industrial dusts	e collected described in lysis or nition of a present at a TWA of s means that ust above these posure to these

according to Regulation (EC) No. 1907/2006



STAPA WM CHROMAL V/80 Aluminium Paste

Version	Revision Date: 02.04.2024	SDS Number:	Print Date: 16.04.2024
2.1		102000036107	Date of first issue: 12.12.2022
	partic respond distin and 'i mate availa to the	cular particle after entry onse that it elicits, dependent of the second guishes two size fractions respirable'., Inhalable of rial that enters the nose able for deposition in the fraction that penetrate	sizes. The behaviour, deposition and fate of any into the human respiratory system, and the body end on the nature and size of the particle. HSE ons for limit-setting purposes termed 'inhalable' lust approximates to the fraction of airborne e and mouth during breathing and is therefore he respiratory tract. Respirable dust approximates is to the gas exchange region of the lung. Fuller material are given in MDHS14/4., Where dusts

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
aluminium powder (stabilised)	Workers	Inhalation	Long-term systemic effects	3.72 mg/m3
	Workers	Inhalation	Long-term local effects	3.72 mg/m3
	Consumers	Oral	Long-term systemic effects	3.95 mg/kg
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	160 mg/m3
	Workers	Dermal	Long-term systemic effects	217 mg/kg
	Consumers	Inhalation	Long-term systemic effects	34.78 mg/m3
	Consumers	Dermal	Long-term systemic effects	93.02 mg/kg
	Consumers	Oral	Long-term systemic effects	25 mg/kg

contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed,

a figure three times the long-term exposure limit should be used.

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
aluminium powder (stabilised)	Fresh water	0.0749 mg/l
	clarification plant	20 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection Hand protection Material	:	Safety glasses Solvent-resistant gloves			
Remarks	:	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the			

according to Regulation (EC) No. 1907/2006



STAPA WM CHROMAL V/80 Aluminium Paste

Version 2.1	Revision Date: 02.04.2024	SDS Number: 102000036107	Print Date: 16.04.2024 Date of first issue: 12.12.2022
Skin and body protection		conditions unde danger of cuts, Recommended washed after co should be discu gloves. : Long sleeved cl	te into consideration the specific local or which the product is used, such as the abrasion, and the contact time. preventive skin protection Skin should be ontact. The suitability for a specific workplace issed with the producers of the protective othing
Respiratory protection		concentration of Protective suit	rotection according to the amount and f the dangerous substance at the work place. eathing protection if workplace concentration

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	:	Pasty solid
Colour	:	silver
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	Not applicable
Boiling point/boiling range	:	> 200 °C
Flammability	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity, kinematic	:	No data available
Solubility(ies)		

according to Regulation (EC) No. 1907/2006



STAPA WM CHROMAL V/80 Aluminium Paste

Ver 2.1	sion	Revision Date: 02.04.2024		S Number: 2000036107	Print Date: 16.04.2024 Date of first issue: 12.12.2022
	Water solubility Solubility in other solvents		:	insoluble No data available	9
	Partition coefficient: n- octanol/water		:	No data available	9
		r pressure	:	No data available	9
	Relative density		:	No data available	9
	Density		:	1.3 - 2.0 g/cm3	
	Relativ	e vapour density	:	No data available	9
		e characteristics ticle Size Distribution	:	D50 = 15 µm ± 3	μm
9.2	Other in	nformation			
	Explos	lives	:	Not explosive	
				Not explosive	
	Self-ig	nition	:	not auto-flamma	ble
	Miscib	ility with water	:	immiscible	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	 Reacts with alkalis, acids, halogenes and oxidizing agents. Contact with acids and alkalis may release hydrogen. Mixture reacts slowly with water resulting in evolution of hydrogen.
	Vapour/air-mixtures are explosive at intense warming. Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : D

: Do not allow to dry.

No data available

10.5 Incompatible materials

according to Regulation (EC) No. 1907/2006



STAPA WM CHROMAL V/80 Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
2.1	02.04.2024	102000036107	Date of first issue: 12.12.2022
Materia	ls to avoid	: Acids Bases Oxidizing agents Highly halogenat	

10.6 Hazardous decomposition products

This information is not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

aluminium powder (stabilised):

Acute inhalation toxicity

: LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



STAPA WM CHROMAL V/80 Aluminium Paste

Version 2.1	Revision Date: 02.04.2024		DS Number: 2000036107	Print Date: 16.04.2024 Date of first issue: 12.12.2022	
-	ration toxicity lassified based on avail	able	information.		
11.2 Infor	mation on other hazar	ds			
Furth	er information				
	Product: Remarks : No data available				
SECTIO	N 12: Ecological info	rma	ation		
12.1 Toxic No da	city ata available				
	istence and degradabi ata available	lity			
	ccumulative potential ata available				
	i lity in soil ata available				
12.5 Resu	llts of PBT and vPvB a	isse	ssment		
Produ Asse	<u>uct:</u> ssment	:	to be either pe	e/mixture contains no components considered rsistent, bioaccumulative and toxic (PBT), or t and very bioaccumulative (vPvB) at levels of r.	
	ocrine disrupting prop ata available	ertie	es		
12.7 Othe	r adverse effects				
		:	No data availa	ble	
SECTIO	N 13: Disposal consi	der	ations		
Europ	pean Waste Catalogue	:		er particulates and dust (including ball-mill dust ardous substances	
13.1 Wast	e treatment methods				
	mineted peeksging		F	are abauld be taken to an annrouad waata	

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

according to Regulation (EC) No. 1907/2006



STAPA WM CHROMAL V/80 Aluminium Paste

Version 02.04.2024 2.1

Revision Date:

SDS Number: 102000036107 Print Date: 16.04.2024 Date of first issue: 12.12.2022

SECTION 14: Transport information

14.1 UN number or ID number					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards					

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

:

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on	: Conditions of restriction for the	
the market and use of certain dangerous substances,	following entries should be	

according to Regulation (EC) No. 1907/2006



STAPA WM CHROMAL V/80 Aluminium Paste

Version 2.1	Revision Date: 02.04.2024	SDS Number: 102000036107		 ate: 16.04.2024 first issue: 12.12.2022
mixture	es and articles (Annex)	XVII)		considered: aluminium powder (stabilised) (Number on list 40)
	ACH Candidate list of		h :	Not applicable
The Pe	m (SVHC) for Authorisa ersistent Organic Pollut ation (EU) 2019/1021 at	ants Regulations (retai	ned :	Not applicable
Regula	, ation (EC) No 1005/200 e the ozone layer	9 on substances that	:	Not applicable
Regula	ation (EU) 2019/1148 o sives precursors	n the marketing and us	e of :	aluminium powder (stabilised)
•	ACH List of substance	s subject to authorisati	on :	Not applicable
Regula	ation (EU) 2019/1148 o vives precursors	n the marketing and us	e of	
suspic	roduct is regulated by F ious transactions, and s be reported to the rele	significant disappearan	nces and	aluminium powder (stabilised) thefts (ANNEX II)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements H228	:	Flammable solid.				
Full text of other abbreviations						
Flam. Sol.	:	Flammable solids				
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits				
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)				

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing



STAPA WM CHROMAL V/80 Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
2.1	02.04.2024	102000036107	Date of first issue: 12.12.2022

Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN