according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 28105 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
2.0	14.02.2023	102000034315	Date of first issue: 09.06.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	MASTERSAFE Gold 28105 Rich Gold
Product code	:	026752LG0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colouring agents, pigments
Substance/Mixture		

#### 1.3 Details of the supplier of the safety data sheet

Company	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	: +499152770
Telefax	: +499152777008
E-mail address of person responsible for the SDS	: msds.eckart@altana.com

#### 1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard,	H400: Very toxic to aquatic life.
Category 1	
Long-term (chronic) aquatic hazard,	H410: Very toxic to aquatic life with long lasting
Category 1	effects.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 28105 Rich Gold

Version 2.0	Revision Date: 14.02.2023	-	DS Number: 02000034315	Print Date: 16.04.2024 Date of first issue: 09.06.2021
Hazard	pictograms	:		
Signal	word	:	Warning	
Hazard	statements	:	H302 H319 H410	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Precau	tionary statements	:	<b>Prevention:</b> P264 P273 P280 <b>Response:</b> P337 + P313 P391 <b>Disposal:</b> P501	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection. If eye irritation persists: Get medical advice/ attention. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.

### Hazardous components which must be listed on the label: Copper

### 2.3 Other hazards

Combustible Solids

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### Components

components			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302	>= 50 - <= 100
		Eye Irrit. 2; H319	
	231-159-6	Aquatic Acute 1;	
	01-2119480154-42	H400	
		Aquatic Chronic 1;	
		H410	
		M-Factor (Acute	

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 28105 Rich Gold

Version 2.0	Revision Date: 14.02.2023	SDS Number: 102000034315	Print Date: 16.04.2024 Date of first issue: 09.06.2021	
			aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
zinc po (stabil	owder — zinc dust ised)	7440-66-6 231-175-3 030-001-01-9 01-2119467174-	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 37	0

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice			Move the victim to fresh air.
			Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhale	ed	:	If unconscious, place in recovery position and seek medical advice.
			lf symptoms persist, call a physician.
In case	of skin contact	:	Wash off immediately with soap and plenty of water.
In case	of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
lf swalld	owed	:	Induce vomiting immediately and call a physician. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
4.2 Most im	portant symptoms a	nd e	ffects, both acute and delayed
Risks	. , .	:	Harmful if swallowed.

: Harmful if swallowed. Causes serious eye irritation.

**4.3 Indication of any immediate medical attention and special treatment needed** This information is not available.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media : Special powder against metal fire

according to Regulation (EC) No. 1907/2006

# MASTERSAFE Gold 28105 Rich Gold



Version 2.0	Revision Date: 14.02.2023		DS Number: 2000034315	Print Date: 16.04.2024 Date of first issue: 09.06.2021
			Dry sand ABC powder	
Unsu media	itable extinguishing a	:	Water High volume wate Carbon dioxide (0	•
5.2 Specia	al hazards arising from	the	e substance or mi	xture
•	ific hazards during Ihting	:	Do not allow run-o courses.	off from fire fighting to enter drains or water
5.3 Advic	e for firefighters			
	ial protective equipment efighters	:	Wear self-contair necessary.	ed breathing apparatus for firefighting if
Furth	er information	:	Standard procedu	ure for chemical fires.
			must not be disch Fire residues and	ated fire extinguishing water separately. This harged into drains. contaminated fire extinguishing water must accordance with local regulations.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective	e equipment and emergency procedures
Personal precautions :	Use personal protective equipment. Evacuate personnel to safe areas. Use personal protective equipment. Avoid dust formation. Avoid breathing dust.
6.2 Environmental precautions	
Environmental precautions :	The product should not be allowed to enter drains, water courses or the soil.
	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for contai	nment and cleaning up
Methods for cleaning up :	
	Pick up and transfer to properly labelled containers.

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 28105 Rich Gold

	ate: 16.04.2024 first issue: 09.06.2021
--	--

Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid creating dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
			Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	General industrial hygiene practice. Do not smoke. Wash hands before breaks and at the end of workday. Keep away from food and drink. Keep away from tobacco products. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	inclu	uding any incompatibilities
	Requirements for storage areas and containers	:	Electrical installations / working materials must comply with the technological safety standards.
			Keep away from sources of ignition - No smoking. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.
			Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
	Further information on storage conditions	:	Protect from humidity and water.
	Advice on common storage	:	Keep away from oxidizing agents, strongly alkaline and

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 28105 Rich Gold

Version 2.0	Revision Date: 14.02.2023	SDS Number: 102000034315	Print Date: 16.04.2024 Date of first issue: 09.06.2021
			materials in order to avoid exothermic reactions. together with oxidizing and self-igniting products.
Damp	oness	: Keep in a dry	v, cool and well-ventilated place.
	er information on ge stability	: No decompo	sition if stored and applied as directed.
7.3 Specif	ic end use(s)		

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3 (Copper)	GB EH40		
		TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40		
		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40		
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (Inhalable)	10 mg/m3	GB EH40		
		TWA (Respirable fraction)	4 mg/m3	GB EH40		
silicon dioxide	7631-86-9	TWA (inhalable dust)	6 mg/m3 (Silica)	GB EH40		
	MDHS14/4 G respirable, th substance ha concentration inhalable dus any dust will levels. Some must comply particles of a particular par response tha distinguishes and 'respirab material that available for to the fraction definitions an	ormation: For the purposes of these limits, respirable dust and lust are those fractions of airborne dust which will be collected pling is undertaken in accordance with the methods described in 4 General methods for sampling and gravimetric analysis or thoracic and inhalable aerosols., The COSHH definition of a hazardous to health includes dust of any kind when present at a ion in air equal to or greater than 10 mg.m-3 8-hour TWA of lust or 4 mg.m-3 8-hour TWA of respirable dust. This means that ill be subject to COSHH if people are exposed to dust above these ne dusts have been assigned specific WELs and exposure to these one dusts have been assigned specific WELs and exposure to these one dusts have been assigned specific WELs and exposure to these ply with the appropriate limits., Most industrial dusts contain if a wide range of sizes. The behaviour, deposition and fate of any particle after entry into the human respiratory system, and the body hat it elicits, depend on the nature and size of the particle. HSE ues two size fractions for limit-setting purposes termed 'inhalable' able'., Inhalable dust approximates to the fraction of airborne at enters the nose and mouth during breathing and is therefore or deposition in the respiratory tract. Respirable dust approximates ion that penetrates to the gas exchange region of the lung. Fuller and explanatory material are given in MDHS14/4., Where dusts mponents that have their own assigned WEL, all the relevant limits				

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 28105 Rich Gold

Version	Revision Date: 14.02.2023	SDS Number:	Print Date: 16.04.2024
2.0		102000034315	Date of first issue: 09.06.2021
		-	Vhere no specific short-term exposure limit is

should be complied with., Where no specific short-term exposure limit is listed,					
a figure three times the long-term exposure limit should be used. TWA (Respirable 2.4 mg/m3 GB EH40 dust) (Silica)					
inhalable dust when samplin MDHS14/4 Ge respirable, tho substance haz concentration inhalable dust any dust will b levels. Some of must comply v particles of a v particular part response that distinguishes that distinguishes that and 'respirable material that e available for d to the fraction definitions and contain compo-	are those fractions g is undertaken in ac eneral methods for s pracic and inhalable ardous to health ind in air equal to or gree or 4 mg.m-3 8-hour e subject to COSHH dusts have been ass with the appropriate vide range of sizes. icle after entry into th it elicits, depend on two size fractions fo e'., Inhalable dust ap inters the nose and n eposition in the resp that penetrates to th d explanatory materia onents that have the nplied with., Where r	(Silica) ses of these limits, respirable of airborne dust which will be cordance with the methods ampling and gravimetric ana aerosols., The COSHH defin ludes dust of any kind when ater than 10 mg.m-3 8-hour TWA of respirable dust. This if people are exposed to du- igned specific WELs and exp imits., Most industrial dusts The behaviour, deposition and he human respiratory system the nature and size of the part imit-setting purposes termed proximates to the fraction of mouth during breathing and if iratory tract. Respirable dust and are given in MDHS14/4., V ir own assigned WEL, all the posure limit should be use	e collected described in lysis or ition of a present at a TWA of a means that ist above these contain nd fate of any n, and the body article. HSE ed 'inhalable' airborne is therefore t approximates ie lung. Fuller Where dusts relevant limits ure limit is listed,		

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Copper	Workers	Skin contact	Long-term systemic effects	137 mg/kg
	Workers	Skin contact	Acute systemic effects	273 mg/kg
	Workers	Inhalation	Long-term systemic effects	20 mg/m3
	Consumers	Inhalation	Long-term local effects	1 mg/m3
	Consumers	Inhalation	Acute local effects	1 mg/m3
	Consumers	Skin contact	Long-term systemic effects	137 mg/kg
	Consumers	Skin contact	Acute systemic effects	273 mg/kg
	Consumers	Ingestion	Long-term systemic effects	0.041 mg/kg
zinc powder — zinc dust (stabilised)	Workers	Inhalation	Long-term systemic effects	5 mg/m3
	Workers	Skin contact	Long-term systemic effects	83 mg/kg
	Consumers	Inhalation	Long-term systemic	2.5 mg/m3

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 28105 Rich Gold

Version 2.0	Revision Date: 14.02.2023	SDS Number: 102000034315	Print Date: 16.04.2024 Date of first issue: 09.06.2021	
			effects	

			effects	
	Consumers	Skin contact	Long-term systemic	83 mg/kg
			effects	
	Consumers	Ingestion	Long-term systemic	0.83 mg/kg
		-	effects	

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Copper	Fresh water	0.0078 mg/l
	Marine water	0.0052 mg/l
	STP	0.230 mg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Soil	65 mg/kg
zinc powder — zinc dust (stabilised)	Fresh water	0.0206 mg/l
	Marine water	0.0061 mg/l
	STP	0.100 mg/l
	Fresh water sediment	235.6 mg/kg
	Marine sediment	121 mg/kg
	Soil	35.6 mg/kg

#### 8.2 Exposure controls

#### Personal protective equipment

i cisonai proteotive equipi	nont	
Eye/face protection	:	Safety glasses Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Hand protection Material	:	Leather
Remarks	:	Leather gloves The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed. Recommended preventive skin protection The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	:	Long sleeved clothing Safety shoes Dust impervious protective suit Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	:	Use suitable breathing protection if workplace concentration requires. Respirator with a dust filter P1 filter

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 28105 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
2.0	14.02.2023	102000034315	Date of first issue: 09.06.2021

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	:	pellets
Colour	:	gold
Odour	:	odourless
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	Not relevant
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility Solubility in other solvents		insoluble No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	No data available
Particle Size Distribution	:	

according to Regulation (EC) No. 1907/2006



# **MASTERSAFE Gold 28105 Rich Gold**

Version	Revision Date:	SDS Num
2.0	14.02.2023	10200003

nber: 34315 Print Date: 16.04.2024 Date of first issue: 09.06.2021

### 9.2 Other information

No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	<ul> <li>Stable under recommended storage conditions.</li> <li>No hazards to be specially mentioned.</li> <li>No decomposition if stored and applied as directed.</li> </ul>
	Dust may form explosive mixture in air.
10.4 Conditions to avoid	

Conditions to avoid

: No data available

No data available

### 10.5 Incompatible materials

# 10.6 Hazardous decomposition products

This information is not available.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.	
Product:	
Acute oral toxicity	: Acute toxicity estimate: 820.74 mg/kg Method: Calculation method
Components:	
Copper:	
Acute oral toxicity	: Assessment: The component/mixture is moderately toxic after single ingestion.
zinc powder — zinc dust	(stabilised):

Acute oral toxicity	: (Rat): > 2,000 mg/kg
---------------------	------------------------

according to Regulation (EC) No. 1907/2006

# MASTERSAFE Gold 28105 Rich Gold



Version 2.0	Revision Date: 14.02.2023	SDS Number: 102000034315	Print Date: 16.04.2024 Date of first issue: 09.06.2021		
Acute	e inhalation toxicity	: LC50 (Rat): 5 Exposure tim Test atmospl			
•	corrosion/irritation lassified based on ava	ilable information.			
<u>Prod</u> Rema		: May cause sl	kin irritation in susceptible persons.		
Com	ponents:				
<b>Copp</b> Rema		: May cause sl	kin irritation in susceptible persons.		
	ous eye damage/eye i es serious eye irritation				
<u>Prod</u> Rema	uct:		reversible eye damage.		
<u>Com</u>	ponents:				
<b>Copp</b> Resu		: Eye irritation			
Resp	iratory or skin sensit	sation			
	sensitisation lassified based on ava	ilable information.			
Resp	iratory sensitisation lassified based on ava				
	Germ cell mutagenicity Not classified based on available information.				
	<b>Carcinogenicity</b> Not classified based on available information.				
-	<b>Reproductive toxicity</b> Not classified based on available information.				
	<b>F - single exposure</b> lassified based on ava	ilable information.			
	<b>F - repeated exposure</b> lassified based on ava				

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 28105 Rich Gold

Version 2.0	Revision Date: 14.02.2023	SDS Number: 102000034315				
-	ration toxicity lassified based on ava	ailable information				
11.2 Infor	mation on other haz	ards				
Furth	er information					
<u>Prod</u> Rema		: No data av	railable			
<u>Com</u>	ponents:					
Сорр	er:					
Rema	arks	: No data av	ailable			
zinc	zinc powder — zinc dust (stabilised):					
Dama	arks	: No data av	ailable			

### 12.1 Toxicity

### Components:

<b>Copper:</b> M-Factor (Short-term (acute) aquatic hazard) M-Factor (Long-term (chronic) aquatic hazard)		10 10
Ecotoxicology Assessment Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.
zinc powder — zinc dust (st	abil	lised):
Ecotoxicology Assessment Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

No data available

**12.3 Bioaccumulative potential** No data available

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 28105 Rich Gold

Versio 2.0	on Revisio 14.02.2	n Date: 023	-	DS Number: 2000034315	Print Date: 16.04.2024 Date of first issue: 09.06.2021
	<b>Mobility in soi</b> l No data availab				
12.5 I	Results of PB	Г and vPvB a	sse	ssment	
	Product: Assessment		:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.	
	<b>Endocrine dis</b> No data availab		ertie	S	
12.7	Other adverse	effects			
A	Product: Additional ecolo nformation	ogical	:	unprofessional ha	hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.
<u>(</u>	Components:				
ŀ	<b>Copper:</b> Additional ecolo nformation	ogical	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.	
7	zinc powder —	- zinc dust (st	tahil	lised).	
A	Additional ecolo nformation	•	:	An environmental unprofessional ha	hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.
SEC	TION 13: Dis	posal consi	dera	ations	
	European Wast European Wast	-	:	<ul> <li>12 01 04 - non-ferrous metal dust and particles</li> <li>10 03 21 - other particulates and dust (including ball-mill dust containing hazardous substances</li> </ul>	
13.1	Waste treatme	nt methods			
F	Product		:	courses or the so Do not contamina chemical or used	te ponds, waterways or ditches with

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 28105 Rich Gold

Version 2.0	Revision Date: 14.02.2023	SDS Number: 102000034315	Print Date: 16.04.2024 Date of first issue: 09.06.2021
			unused product. empty containers.
SECTIO	N 14: Transport infor	mation	
14.1 UN n	number or ID number		
ADR		: UN 3077	
IMDG	3	: UN 3077	
ΙΑΤΑ		: UN 3077	
14.2 UN p	proper shipping name		
ADR		: ENVIRONMEN N.O.S. (Copper metal	TALLY HAZARDOUS SUBSTANCE, SOLID,
IMDG	3	: ENVIRONMEN N.O.S. (Copper metal	TALLY HAZARDOUS SUBSTANCE, SOLID,
ΙΑΤΑ		: Environmentally (Copper metal)	y hazardous substance, solid, n.o.s. powder)
14.3 Tran	sport hazard class(es)		
		Class	Subsidiary risks
ADR		: 9	
IMDG	3	: 9	
ΙΑΤΑ		: 9	
14.4 Pack	ing group		
Class Hazaı Label	ing group sification Code rd Identification Number Is el restriction code	: III : M7 : 90 : 9 : (-)	
<b>IMDG</b> Packi Label	<b>)</b> ing group Is Code	: III : 9 : F-A, S-F	gregation group 7 - Heavy metals and their
	(Cargo) ing instruction (cargo	: 956	
	ing instruction (LQ)	: Y956	

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 28105 Rich Gold

Version 2.0	Revision Date: 14.02.2023	•	DS Number: 02000034315	Print Date: 16.04.2024 Date of first issue: 09.06.2021
Pac Lab	king group els	:	III 9	
Pac	A (Passenger) king instruction ssenger aircraft)	:	956	
	king instruction (LQ) king group els		Y956 III 9	
14.5 En	vironmental hazards			
<b>AD</b> I Env	R rironmentally hazardous	:	yes	
<b>IME</b> Mai	<b>)G</b> ine pollutant	:	yes	
14.6 Sp	ecial precautions for us	er		
Rer	narks	:	packagings conta	gings <=5L / 5 kg, or combination aining inner packagings <= 5L / 5 kg net per SV375 ADR, 2.10.2.7 IMDG-Code, A197 be applied.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that	:	Not applicable
deplete the ozone layer		
UK REACH List of substances subject to authorisation	:	Not applicable
(Annex XIV)		

#### 15.2 Chemical safety assessment

No data available

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 28105 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
2.0	14.02.2023	102000034315	Date of first issue: 09.06.2021

### **SECTION 16: Other information**

Full text of H-Statements				
H302	:	Harmful if swallowed.		
H319	:	Causes serious eye irritation.		
H400	:	Very toxic to aquatic life.		
H410	:	Very toxic to aquatic life with long lasting effects.		
Full text of other abbreviations				
Acute Tox.	:	Acute toxicity		
Aquatic Acute	:	Short-term (acute) aquatic hazard		
Aquatic Chronic	:	Long-term (chronic) aquatic hazard		
Eye Irrit.	:	Eye irritation		
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits		
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)		
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 28105 Rich Gold

Version 2.0	Revision Date: 14.02.2023	SDS Number: 102000034315	Print Date: 16.04.2024 Date of first issue: 09.06.2021
Classification of the mixture:			Classification procedure:
Acute	Tox. 4	H302	Calculation method
Eye Irr	it. 2	H319	Calculation method
Aquati	c Acute 1	H400	Calculation method
Aquati	c Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN