

Version	Revision Date:
3.1	17.04.2024

SDS Number: 102000028916 Print Date: 18.04.2024 Date of first issue: 08.02.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: STANDART Super Ink Lining ROTOFLEX Rich Pale Gold
	Bronze Powder

Product code : 065247C20

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the Substance/Mixture
- : Colouring agents, pigments

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable solids, Category 1 Acute toxicity, Category 4	H228: Flammable solid. H302: Harmful if swallowed.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.



Version 3.1	Revision Date: 17.04.2024		DS Number: 02000028916	Print Date: 18.04.2024 Date of first issue: 08.02.2018
2.2 Label of	elements			
Label	ing (REGULATION (EC)	No 1272/2008)	
Hazaro	d pictograms	:		!
Signal	word	:	Danger	• •
Hazaro	d statements	:	H228 H302 H319 H410	Flammable solid. Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Preca	utionary statements	:	Prevention: P210 P264 P273	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash skin thoroughly after handling. Avoid release to the environment.
			Response: P391 P370 + P378	Collect spillage. In case of fire: Use for extinction: Special powder for metal fires.
			P370 + P378	In case of fire: Use for extinction: Dry sand.

Hazardous components which must be listed on the label:

Copper

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	EC-No. ATION (EC) No (% w/w)	
	Index-No. 1272/2008		
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302	>= 50 - <= 100
	231-159-6 Eye Irrit. 2; H319		
		Aquatic Acute 1;	
	01-2119480154-42	H400	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



STANDART Super Ink Lining ROTOFLEX Rich Pale Gold Bronze Powder

Version 3.1	Revision Date: 17.04.2024	SDS Number: 102000028916	Print Date: 18.04.2024 Date of first issue: 08.02.2018	
			Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
	powder — zinc dust bilised)	7440-66-6 231-175-3 030-001-01-9 01-2119467174	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move the victim to fresh air.
		Move out of dangerous area. Show this safety data sheet to the doctor in attendance.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off immediately with soap and plenty of water.
		If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.



Version	Revision Date:	SDS Number:	Print Date: 18.04.2024
3.1	17.04.2024	102000028916	Date of first issue: 08.02.2018

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

	Suitable extinguishing media	:	Special powder against metal fire Dry sand ABC powder
	Unsuitable extinguishing media	:	Water High volume water jet Carbon dioxide (CO2)
5.2	Special hazards arising from	the	e substance or mixture
	Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
5.3	Advice for firefighters		

Further information	:	Standard procedure for chemical fires.	
		Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.	

SECTION 6: Accidental release measures

6.1 Personal precautions,	protective	equipment and emergency procedures
Personal precautions		Use personal protective equipment. Evacuate personnel to safe areas. Avoid dust formation. Avoid breathing dust. Remove all sources of ignition.

6.2 Environmental precautions

General advice	:	The product should not be allowed to enter drains, water
		courses or the soil.



Version 3.1	Revision Date: 17.04.2024	 S Number: 000028916	Print Date: 18.04.2024 Date of first issue: 08.02.2018
		Prevent further le	rom entering drains. akage or spillage if safe to do so. taminates rivers and lakes or drains inform ities.
	s and material for co ds for cleaning up		ng up nandling equipment.
		Pick up and trans	fer to properly labelled containers.
		Keep in suitable,	closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid creating dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
		Avoid dust formation. Keep away from open flames, hot surfaces and sources of ignition.
Hygiene measures	:	General industrial hygiene practice. Do not smoke. Wash hands before breaks and at the end of workday. Keep away from food and drink. Keep away from tobacco products. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, i	incl	uding any incompatibilities
Requirements for storage areas and containers	:	Electrical installations / working materials must comply with the technological safety standards.
		Keep away from sources of ignition - No smoking. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. To maintain product



Vers 3.1	sion	Revision Date: 17.04.2024		DS Number: 2000028916	Print Date: 18.04.2024 Date of first issue: 08.02.2018	
				quality, do not sto	pre in heat or direct sunlight.	
			No smoking. Keep container tightly closed in a dry and ventilated place. Electrical installations / working materi must comply with the technological safety standards.			
Further information on storage conditions		:	Protect from hum	idity and water.		
	Advice on common storage		:	Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactio Do not store together with oxidizing and self-igniting produ		
	Dampr	ness	:	: Keep in a dry, cool and well-ventilated place.		
		information on e stability	:	Keep in a dry place. No decomposition if stored and applied as directed.		
7.3	Specific	c end use(s)				

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3 (Copper)	GB EH40
		TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40
		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	· · ·	• •		
Substance name	End Use	Exposure routes	Potential health effects	Value
Copper	Workers	Dermal	Long-term systemic effects	137 mg/kg
	Workers	Dermal	Acute systemic effects	273 mg/kg
	Workers	Inhalation	Long-term systemic effects	20 mg/m3
	Consumers	Inhalation	Long-term local effects	1 mg/m3



Version Revision Date: 3.1 17.04.2024		SDS Nur 1020000		Print Date: 18.04.2024 Date of first issue: 08.02.2018		
		Consumers	Inhalation	Acute local effects	1 mg/m3	
		Consumers	Dermal	Long-term systemic effects	137 mg/kg	
		Consumers	Dermal	Acute systemic effects	273 mg/kg	
		Consumers	Oral	Long-term systemic effects	0.041 mg/kg	
	powder — zinc (stabilised)	Workers	Inhalation	Long-term systemic effects	5 mg/m3	
		Workers	Dermal	Long-term systemic effects	83 mg/kg	
		Consumers	Inhalation	Long-term systemic effects	2.5 mg/m3	
		Consumers	Dermal	Long-term systemic effects	83 mg/kg	
		Consumers	Oral	Long-term systemic effects	0.83 mg/kg	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value		
Copper	Fresh water	0.0078 mg/l		
	Marine water	0.0052 mg/l		
	STP	0.230 mg/l		
	Fresh water sediment	87 mg/kg		
	Marine sediment	676 mg/kg		
	Soil 65 mg/kg			
zinc powder — zinc dust (stabilised)	Fresh water	0.0206 mg/l		
	Marine water	0.0061 mg/l		
	STP	0.100 mg/l		
	Fresh water sediment	235.6 mg/kg		
	Marine sediment	121 mg/kg		
	Soil	35.6 mg/kg		

8.2 Exposure controls

Personal protective equipm	ent	
Eye/face protection	:	Safety glasses Wear face-shield and protective suit for abnormal processing problems.
Hand protection		
Material	:	Leather
Remarks	:	Leather gloves The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed. Recommended preventive skin protection



Version 3.1	Revision Date: 17.04.2024	SDS Number: 102000028916	Print Date: 18.04.2024 Date of first issue: 08.02.2018
Skin	and body protection	with the produce : Long sleeved clo Safety shoes	C
Resp	iratory protection	concentration of	tection according to the amount and the dangerous substance at the work place. athing protection if workplace concentration

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	:	powder
Colour	:	gold
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	> 900 °C
Boiling point/boiling range	:	No data available
Flammability	:	The substance or mixture is a flammable solid with the category 1.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility Solubility in other solvents	:	insoluble No data available



Version 3.1	Revision Date: 17.04.2024		S Number: 2000028916	Print Date: 18.04.2024 Date of first issue: 08.02.2018
	on coefficient: n- ol/water	:	No data available	9
Vapour pressure		:	No data available	e
Relative density		:	No data available	e
Density		:	7 g/cm3	
	lensity ve vapour density	:	0.63 g/m3 No data available	e
	le characteristics rticle Size Distribution	:	No data available	9
•	information			

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions

: Stable under recommended storage conditions. No hazards to be specially mentioned. No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

10.6 Hazardous decomposition products

This information is not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.



ersion 1	Revision Date: 17.04.2024		S Number: 2000028916	Print Date: 18.04.2024 Date of first issue: 08.02.2018
<u>Produ</u> Acute	u <u>ct:</u> e oral toxicity	:	Acute toxicity e Method: Calcul	estimate: 600.83 mg/kg ation method
<u>Com</u>	oonents:			
Copp Acute	er: e oral toxicity	:	Assessment: T single ingestio	he component/mixture is moderately toxic aft n.
zinc	powder — zinc dust ((stabil	ised):	
Acute	oral toxicity	:	(Rat): > 2,000	mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 5.4 Exposure time: Test atmosphe	: 4 h
-	corrosion/irritation lassified based on ava	ilable	information.	
<u>Prod</u> Rema		:	May cause ski	n irritation in susceptible persons.
<u>Com</u>	oonents:			
Copp Rema		:	May cause ski	n irritation in susceptible persons.
	us eye damage/eye i es serious eye irritatio		on	
<u>Prod</u> Rema		:	Eye irritation	
<u>Com</u>	oonents:			
Copp Resul		:	Eye irritation	
Resp	iratory or skin sensit	isatio	n	
-	sensitisation lassified based on ava	ilable	information.	
-	iratory sensitisation lassified based on ava	ailable	information.	



Version 3.1	Revision Date: 17.04.2024	SDS Number: 102000028916	Print Date: 18.04.2024 Date of first issue: 08.02.2018					
	cell mutagenicity lassified based on av	ailable information.						
	Carcinogenicity Not classified based on available information.							
-	oductive toxicity lassified based on av	ailable information.						
	r - single exposure lassified based on av	ailable information.						
	STOT - repeated exposure Not classified based on available information.							
•	ration toxicity lassified based on av	ailable information.						
1.2 Infor	mation on other haz	ards						
Furth	er information							
<u>Prod</u> Rema		: No data availa	ble					
<u>Com</u>	ponents:							
Сорр	er:							
Rema	arks	: No data availal	ble					
zinc	powder — zinc dust	(stabilised):						
Rema		: No data availal						

SECTION 12: Ecological information

12.1 Toxicity		
Components:		
Copper: M-Factor (Short-term (acute) aquatic hazard) M-Factor (Long-term (chronic) aquatic hazard)		10 10
Ecotoxicology Assessment Acute aquatic toxicity Chronic aquatic toxicity	:	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



STANDART Super Ink Lining ROTOFLEX Rich Pale Gold Bronze Powder

3.1 17.04.2024 102000028916 Date of first issue: 08.02.2018		Revision Date: 17.04.2024	SDS Number: 102000028916	Print Date: 18.04.2024 Date of first issue: 08.02.2018
---	--	------------------------------	-----------------------------	---

zinc powder - zinc dust (stabilised).

zinc powder — zinc dust (st	tabilised):
M-Factor (Short-term (acute) aquatic hazard)	: 1
M-Factor (Long-term (chronic) aquatic hazard)	: 1
Ecotoxicology Assessment	
Acute aquatic toxicity	: Very toxic to aquatic life.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.
12.2 Persistence and degradabil No data available	lity
12.3 Bioaccumulative potential No data available	
12.4 Mobility in soil No data available	
12.5 Results of PBT and vPvB a	ssessment
Product:	
Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
12.6 Endocrine disrupting prope	erties
12.7 Other adverse effects	
Product:	
Additional ecological information	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.
Components:	
Copper:	
Additional ecological information	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.
zinc powder — zinc dust (s	tabilised):
Additional ecological	: An environmental hazard cannot be excluded in the event of



Version 3.1	Revision Date: 17.04.2024		DS Number: 2000028916	Print Date: 18.04.2024 Date of first issue: 08.02.2018		
information			unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.			
SECTIO	N 13: Disposal consi	der	ations			
Euro	pean Waste Catalogue	:	10 06 03* - Wast	e from thermal copper metallurgy (filter dust)		
13.1 Was	te treatment methods					
Product		:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. In accordance with local and national regulations.			
Contaminated packaging		:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. In accordance with local and national regulations.			

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	UN 3089	
IMDG	:	UN 3089	
ΙΑΤΑ	:	UN 3089	
14.2 UN proper shipping name			
ADR	:	METAL POWDER, FLAMMABLE, N.O.S. (Gold bronze powder)	
IMDG	:	METAL POWDER, FLAMMABLE, N.O.S. (Gold bronze powder, Copper metal powder)	
ΙΑΤΑ	:	Metal powder, flammable, n.o.s.	
14.3 Transport hazard class(es)			
		Class Subsidiary risks	
ADR	:	4.1	
IMDG	:	4.1	
ΙΑΤΑ	:	4.1	
14.4 Packing group			



Versi 3.1	ion	Revision Date: 17.04.2024		DS Number: 2000028916	Print Date: 18.04.2024 Date of first issue: 08.02.2018
	Classif Hazard Labels	g group ication Code Identification Number restriction code	: : :	II F3 40 4.1 (E)	
	IMDG Packing Labels EmS C Remark		: :		egation group 7 - Heavy metals and their e segregation group 15 - Powdered metals
;	aircraft Packin	g instruction (cargo	:	448 Y441 II 4.1	
	Packin (passe Packin	Passenger) g instruction nger aircraft) g instruction (LQ) g group	:	445 Y441 II 4.1	
14.5	Enviro	nmental hazards			
	ADR Enviror	nmentally hazardous	:	yes	
	IMDG Marine	pollutant	:	yes	
14.6	Specia	al precautions for use	r		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law



Version 3.1	Revision Date: 17.04.2024	SDS Number: 102000028916		Date: 18.04.2024 of first issue: 08.02.2018
the m mixtu Regul deple UK RI	arket and use of certa res and articles (Anne lation (EC) No 1005/20 te the ozone layer	e manufacture, placing in dangerous substand x XVII) 009 on substances tha ces subject to authoris	ces, t :	Not applicable Not applicable Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H302 :	Harmful if swallowed.
H319 :	Causes serious eye irritation.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. Aquatic Acute		Acute toxicity Short-term (acute) aquatic hazard
Aquatic Chronic		Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect



Version	Revision Date:	SDS Number:	Print Date: 18.04.2024
3.1	17.04.2024	102000028916	Date of first issue: 08.02.2018

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Flam. Sol. 1	H228	Based on product data or assessment
Acute Tox. 4	H302	Calculation method
Eye Irrit. 2	H319	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN