according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000 Super AF Pale Gold

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
7.0	30.04.2024	102000000506	Date of first issue: 13.09.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	STAPA Offset 3000 Super AF Pale Gold
Product code	:	076301QG0
1.2 Relevant identified uses Use of the Substance/Mixture	of the s :	ubstance or mixture and uses advised against Colouring agents, pigments

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART Suisse SA Route de la Brasserie 2 1963 Vétroz
Telephone	:	+410273454800
Telefax	:	+410273454859
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard,	H400: Very toxic to aquatic life.
Category 1	
Long-term (chronic) aquatic hazard,	H410: Very toxic to aquatic life with long lasting
Category 1	effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000 Super AF Pale Gold

Version 7.0	Revision Date: 30.04.2024		DS Number: 02000000506	Print Date: 03.05.2024 Date of first issue: 13.09.2016
Hazard	l pictograms	:		
Signal	word	:	Warning	
Hazard	statements	:	H302 H319 H410	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Precau	utionary statements	:	Prevention: P264 P273 P280 Response: P337 + P313 P391	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection. If eye irritation persists: Get medical advice/ attention. Collect spillage.
			P591 Disposal: P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label: Copper

2.3 Other hazards

Combustible Solids

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

eempenence			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302	>= 50 - <= 100
	231-159-6	Eye Irrit. 2; H319	
		Aquatic Acute 1;	
	01-2119480154-42	H400	
		Aquatic Chronic 1;	
		H410	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000 Super AF Pale Gold

/ersion 7.0	Revision Date: 30.04.2024	SDS Number: 102000000506	Print Date: 03.05.2024 Date of first issue: 13.09.2016	
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
hydro	ates (petroleum), treated middle; Gasoil — ecified	64742-46-7 927-632-8 649-221-00-X 01-211945773 000201-21194 27	6-27-	- < 20
zinc p (stabi	owder — zinc dust lised)	7440-66-6 231-175-3 030-001-01-9 01-211946717	H400 Aquatic Chronic 1; H410	5 - < 10
amine	s, hydrogenated tallow a	Ikyl 61788-45-2(90 32-7) 262-976-6 612-284-00-9	,)25 - < .1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

: Move the victim to fresh air.

Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000 Super AF Pale Gold

Version 7.0	Revision Date: 30.04.2024	SDS Number: 10200000506	Print Date: 03.05.2024 Date of first issue: 13.09.2016
lf inha	led	advice.	h air. place in recovery position and seek medical rsist, call a physician.
In case of skin contact		: Wash off imme	diately with soap and plenty of water.
In case of eye contact		Remove contac Keep eye wide	sh eye(s) with plenty of water. et lenses. open while rinsing. persists, consult a specialist.
lf swa	llowed	Keep respirator Do not give mill Never give anyt	g immediately and call a physician. y tract clear. c or alcoholic beverages. hing by mouth to an unconscious person. rsist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

	•	-	•		-	-
Risks				:	Harmful if swallowed.	
					Causes serious eye irritation	on.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	Special powder against metal fire Dry sand ABC powder
Unsuitable extinguishing media	:	Water High volume water jet Carbon dioxide (CO2)
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000 Super AF Pale Gold

Version	Revision Date: 30.04.2024	SDS Number:	Print Date: 03.05.2024
7.0		102000000506	Date of first issue: 13.09.2016
		must not be di Fire residues a be disposed o Use extinguish	ninated fire extinguishing water separately. This scharged into drains. and contaminated fire extinguishing water must if in accordance with local regulations. ning measures that are appropriate to local and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective	equipment and emergency procedures
Personal precautions :	Evacuate personnel to safe areas. Ensure adequate ventilation.
	Use personal protective equipment.
	Avoid dust formation.
	Avoid breathing dust.
6.2 Environmental precautions	
General advice :	The product should not be allowed to enter drains, water courses or the soil.
	Prevent product from entering drains.
	Prevent further leakage or spillage if safe to do so.
	If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for contai	nment and cleaning up
Methods for cleaning up :	Use mechanical handling equipment.
	Pick up and transfer to properly labelled containers. Do not flush with water.
	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,
	vermiculite) and place in container for disposal according to
	local / national regulations (see section 13).
	Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handlin	g	
Advice on safe handling	:	Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid contact with skin and eyes.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000 Super AF Pale Gold

Ver 7.0	sion	Revision Date: 30.04.2024		0S Number: 2000000506	Print Date: 03.05.2024 Date of first issue: 13.09.2016
		e on protection against d explosion	:	Smoking, eating a application area. Dispose of rinse regulations.	ection see section 8. and drinking should be prohibited in the water in accordance with local and national heat and sources of ignition. No smoking.
				Avoid dust forma at places where of	tion. Provide appropriate exhaust ventilation lust is formed.
	Hygier	ne measures	:	When using do no	hygiene practice. ot eat or drink. When using do not smoke. ore breaks and at the end of workday.
7.2	Conditi	ons for safe storage,	inc	luding any incom	patibilities
	Requir	ements for storage and containers	:	Keep away from store near combu closed in a cool,	sources of ignition - No smoking. Do not ustible materials. Keep containers tightly well-ventilated place. To maintain product ore in heat or direct sunlight.
				place. Containers resealed and kep	ghtly closed in a dry and well-ventilated which are opened must be carefully t upright to prevent leakage. Electrical king materials must comply with the ety standards.
		r information on e conditions	:	Protect from hum	idity and water.
	Advice	e on common storage	:	strongly acid mat	oxidizing agents, strongly alkaline and erials in order to avoid exothermic reactions. ther with oxidizing and self-igniting products.
	Dampi	ness	:	Keep in a dry, co	ol and well-ventilated place.
		r information on e stability	:	No decompositio	n if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

С	Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
С	Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3 (Copper)	GB EH40

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



	evision Date: 0.04.2024		Numb 00000			ate: 03.05.2024 f first issue: 13.09.2016	
			TWA mist	A (Dusts and s)		ng/m3 opper)	GB EH40
			STE mist	L (Dusts and s)		ng/m3 opper)	GB EH40
zinc powde zinc dust (stabilised)		7440-66-6		(Inhalable)		mg/m3	GB EH40
(0100000)	/		TWA frac	A (Respirable tion)	4 n	ng/m3	GB EH40
Derived N	o Effect Lev	/el (DNEL) a	ccord	ling to Regula	tion	(EC) No. 1907/2006:	
Substance	name	End Use		Exposure rou	ites	Potential health effects	Value
Copper		Workers		Dermal		Long-term systemic effects	137 mg/kg
		Workers		Dermal		Acute systemic effects	273 mg/kg
		Workers		Inhalation		Long-term systemic effects	20 mg/m3
		Consumers	5	Inhalation		Long-term local effects	1 mg/m3
		Consumers	S	Inhalation		Acute local effects	1 mg/m3
		Consumers	S	Dermal		Long-term systemic effects	137 mg/kg
		Consumers	5	Dermal		Acute systemic effects	273 mg/kg
		Consumers	S	Oral		Long-term systemic effects	0.041 mg/kg
zinc powde dust (stabi		Workers		Inhalation		Long-term systemic effects	5 mg/m3
		Workers		Dermal		Long-term systemic effects	83 mg/kg
		Consumers	-	Inhalation		Long-term systemic effects	2.5 mg/m3
		Consumers		Dermal		Long-term systemic effects	83 mg/kg
		Consumers	S	Oral		Long-term systemic effects	0.83 mg/kg
Fatty acids	s, C16-18	Workers		Dermal		Long-term systemic effects	10 mg/kg
		Workers		Inhalation		Long-term systemic effects	17.632 mg/r
		Consumers		Oral		Long-term systemic effects	2.5 mg/kg
		Consumers	5	Dermal		Long-term systemic effects	5 mg/kg
		Consumers	S	Inhalation		Long-term systemic effects	4.348 mg/m
amines, hy tallow alky	drogenated	Workers		Inhalation		Long-term systemic effects	0.38 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000 Super AF Pale Gold

Vers 7.0	ion Revision Date: 30.04.2024	SDS Numb 102000000		–	ate: 03.05.2024 f first issue: 13.09.2016	
		Workers	Inhalation		Long-term local effects	1 mg/m3
		Workers	Inhalation		Acute local effects	1 mg/m3
		Consumers	Inhalation		Long-term systemic effects	0.035 mg/m3
		Consumers	Oral		Long-term systemic effects	0.04 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
	Fresh water	
Copper		0.0078 mg/l
	Marine water	0.0052 mg/l
	STP	0.230 mg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Soil	65 mg/kg
zinc powder — zinc dust (stabilised)	Fresh water	0.0206 mg/l
	Marine water	0.0061 mg/l
	STP	0.100 mg/l
	Fresh water sediment	235.6 mg/kg
	Marine sediment	121 mg/kg
	Soil	35.6 mg/kg
amines, hydrogenated tallow alkyl	Fresh water	0.00026 mg/l
	Marine water	0.000026 mg/l
	Sewage treatment plant	0.55 mg/kg
	Fresh water sediment	3.76 mg/kg
	Marine sediment	376 mg/kg
	Soil	10 mg/kg
	Intermittent Release	0.0016 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Hand protection Material	:	Solvent-resistant gloves (butyl-rubber)
Remarks	:	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000 Super AF Pale Gold

Version 7.0	Revision Date: 30.04.2024	SDS Number: 10200000506	Print Date: 03.05.2024 Date of first issue: 13.09.2016
		conditions under danger of cuts, Recommended washed after co	ke into consideration the specific local er which the product is used, such as the abrasion, and the contact time. preventive skin protection Skin should be ontact. The suitability for a specific workplace ussed with the producers of the protective
Skin	and body protection		protection according to the amount and of the dangerous substance at the work place.
Resp	piratory protection	: Use suitable br requires.	eathing protection if workplace concentration uld conform to EN 14387

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	:	Pasty solid
Colour	:	gold
Odour	:	characteristic
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	240 °C
Flammability	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	101 °C
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	insoluble

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000 Super AF Pale Gold

Version 7.0	Revision Date: 30.04.2024	SDS Number: 102000000506	Print Date: 03.05.2024 Date of first issue: 13.09.2016	
Solu	pility in other solvents	: No data availab	e	
	ion coefficient: n- nol/water	: No data availab	e	
	our pressure	: No data availab	e	
Relat	ive density	: No data availab	e	
Dens	ity	: 7.5 - 8.0 g/cm3		
Relat	ive vapour density	: No data availab	e	
	cle characteristics article Size Distribution	: No data availab	e	
	information ata available			

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous re	eactio	ns
Hazardous reactions	:	Stable under recommended storage conditions.
		No decomposition if stored and applied as directed.
10.4 Conditions to avoid		
Conditions to avoid	:	Do not allow evaporation to dryness.
		No data available

10.5 Incompatible materials

10.6 Hazardous decomposition products					
Thermal decomposition	:	Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000 Super AF Pale Gold

VersionRevision Date:SDS Number:Print Date: 037.030.04.202410200000506Date of first is	3.05.2024 ssue: 13.09.2016
--	-------------------------------

SECTION 11: Toxicological information

Acute toxicity Harmful if swallowed.		
Product:		
Acute oral toxicity	:	Acute toxicity estimate: 654.19 mg/kg Method: Calculation method
Components:		
Copper:		
Acute oral toxicity	:	Assessment: The component/mixture is moderately toxic after single ingestion.
zinc powder — zinc dust ((stabil	ised):
Acute oral toxicity	:	(Rat): > 2,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 5.41 mg/l Exposure time: 4 h
		Test atmosphere: dust/mist
amines, hydrogenated tall	low al	kyl:
Acute oral toxicity	:	LD50 (Rat): > 2,000 - 5,000 mg/kg Method: OECD Test Guideline 401

Not classified based on available information.

Product:

Remarks	:	May cause skin irritation in susceptible persons.

Components:

Copper:		
Remarks	:	May cause skin irritation in susceptible persons.

amines, hydrogenated tallow alkyl:

Result	:	Skin irritation
Remarks	:	May cause skin irritation in susceptible persons.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 7.0	Revision Date: 30.04.2024	SDS Number: 102000000506	Print Date: 03.05.2024 Date of first issue: 13.09.2016			
	rious eye damage/eye irri uses serious eye irritation.	tation				
	<u>oduct:</u> marks	: May cause irrever	sible eye damage.			
<u>Co</u>	mponents:					
	pper: sult	: Eye irritation				
am	ines, hydrogenated tallov	v alkyl:				
Re	sult	: Irreversible effect	s on the eye			
Re	marks	: May cause irrever	sible eye damage.			
Re	spiratory or skin sensitisa	isation				
-	in sensitisation t classified based on availa	ble information.				
	spiratory sensitisation t classified based on availa	ble information.				
	rm cell mutagenicity t classified based on availa	ble information.				
	rcinogenicity t classified based on availa	ble information.				
<u>Co</u>	mponents:					
Dis	stillates (petroleum), hydr	otreated middle; Gas	oil — unspecified:			
	rcinogenicity - sessment		on the conditions cited in Nota N (Regulation Annex VI, Part 3, Note N)			
	productive toxicity t classified based on availa	ble information.				
	OT - single exposure t classified based on availa	ble information.				
	OT - repeated exposure t classified based on availa	ble information.				
<u>Co</u>	mponents:					
am	ines, hydrogenated tallov	v alkyl:				
	rget Organs sessment		tinal tract, Immune system mixture is classified as specific target organ			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000 Super AF Pale Gold

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
7.0	30.04.2024	10200000506	Date of first issue: 13.09.2016

toxicant, repeated exposure, category 2.

Aspiration toxicity

Not classified based on available information.

Components:

Distillates (petroleum), hydrotreated middle; Gasoil — unspecified: May be fatal if swallowed and enters airways.

amines, hydrogenated tallow alkyl:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Further information

Product:

Remarks	:	No data available
---------	---	-------------------

Components:

Copper:

Remarks : No data available

zinc powder — zinc dust	(stabil	ised):
Remarks	:	No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Copper:		
M-Factor (Short-term (acute) aquatic hazard)	:	10
M-Factor (Long-term (chronic) aquatic hazard)	:	10
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.

zinc powder — zinc dust (stabilised):

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Versio 7.0	on	Revision Date: 30.04.2024	-	DS Number: 2000000506	Print Date: 03.05.2024 Date of first issue: 13.09.2016	
a M	M-Factor (Short-term (acute) aquatic hazard) M-Factor (Long-term (chronic) aquatic hazard)		:	1 1		
	Ecotoxicology Assessment Acute aquatic toxicity		:	Very toxic to aqua	atic life.	
С	Chronic	aquatic toxicity	:	Very toxic to aqua	atic life with long lasting effects.	
		s, hydrogenated tallov		•		
a M	quatic /I-Fact	or (Short-term (acute) hazard) or (Long-term c) aquatic hazard)	:			
		icology Assessment aquatic toxicity	:	Very toxic to aqua	atic life.	
С	Chronic	aquatic toxicity	:	: Very toxic to aquatic life with long lasting effects.		
		tence and degradabil	ity			
		umulative potential a available				
		ty in soil a available				
12.5 R	Result	s of PBT and vPvB as	sses	ssment		
	Produc Assess		:	to be either persis	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or ind very bioaccumulative (vPvB) at levels of	
		rine disrupting prope a available	rtie	S		
12.7 C	Other a	adverse effects				
A	Produc Additio Aforma	nal ecological	:	unprofessional ha	hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000 Super AF Pale Gold

Versior 7.0	n Revision Date: 30.04.2024	-	DS Number: 2000000506	Print Date: 03.05.2024 Date of first issue: 13.09.2016	
<u>Cc</u>	omponents:				
Co	opper:				
	lditional ecological ormation	:	: An environmental hazard cannot be excluded in the ever unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.		
ziı	nc powder — zinc dust (s	tabi	lised):		
	lditional ecological ormation	:	: An environmental hazard cannot be excluded in the event unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.		
an	nines, hydrogenated tallo	w a	lkyl:		
Ac	Iditional ecological ormation	:	An environmental unprofessional ha	hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.	
SECT	ION 13: Disposal consid	der	ations		
	iropean Waste Catalogue iropean Waste Catalogue	:	10 03 21* - Alumi	rrous metal dust and particles num thermal metallurgy wastes, other t (including ball mill dust) containing ances	
13.1 W	aste treatment methods				
Pr	oduct	:	courses or the so Do not contamina chemical or used	te ponds, waterways or ditches with	
Co	ontaminated packaging	:	Empty remaining Dispose of as un Do not re-use em	used product.	

SECTION 14: Transport information

:	UN 3077
:	UN 3077
:	UN 3077
	:

14.2 UN proper shipping name

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 7.0	Revision Date: 30.04.2024	SDS Number: Print Date: 03.05.2024 102000000506 Date of first issue: 13.09.2016		
ADR		: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, S N.O.S. (Copper metal powder)	SOLID,	
IMDO	3	 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, \$ N.O.S. (Copper metal powder) 	SOLID,	
ΙΑΤΑ	۱.	Environmentally hazardous substance, solid, n.o.s. (Copper metal powder)		
14.3 Tran	sport hazard class(es)			
		Class Subsidiary risks		
ADR		: 9		
IMDO		. 9		
IATA		. 9 . 9		
		. 5		
	king group			
Class Haza Labe Tunn IMDC Pack Labe	ting group sification Code and Identification Number el restriction code G ting group els Code	 III M7 90 9 (-) III 9 F-A, S-F IMDG Code segregation group 7 - Heavy metals and salts 	their	
ΙΑΤΑ	(Cargo)			
Pack aircra	king instruction (cargo	956		
	ting instruction (LQ)	: Y956		
Pack Labe	king group	: III : 9		
		. 9		
	(Passenger)	: 956		
(pass	senger aircraft)	Vara		
	ting instruction (LQ)	: Y956 : III		
Labe		9		
14.5 Envi	ironmental hazards			
ADR				
	ronmentally hazardous	: yes		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000 Super AF Pale Gold

Version 7.0	Revision Date: 30.04.2024	SDS Number: 102000000506	Print Date: 03.05.2024 Date of first issue: 13.09.2016		
IMDG Marine pollutant		: yes			
14.6 Spec	ial precautions for us	ser			
• •		packagings inner packa	For single packagings <=5L / 5 kg, or combination packagings containing inner packagings <= 5L / 5 kg net per inner packaging, SV375 ADR, 2.10.2.7 IMDG-Code, A197 IATA-DGR may be applied.		
_		, , , , , , , ,			

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Distillates (petroleum), hydrotreated middle; Gasoil — unspecified (Number on list 3, 28)
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000 Super AF Pale Gold

Version 7.0	Revision Date: 30.04.2024	-	9S Number: 2000000506	Print Date: 03.05.2024 Date of first issue: 13.09.2016
H304 H315 H318 H319 H373 H400 H410		: : : : : : : : : : : : : : : : : : : :	May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye damage. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.	
-	t of other abbreviation	ons		
Asp. To Eye Da Eye Irri Skin Irr STOT I GB EH GB EH	c Acute c Chronic bx. am. t. it. RE		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aspiration hazard Serious eye damage Eye irritation Skin irritation Specific target organ toxicity - repeated exposure UK. EH40 WEL - Workplace Exposure Limits Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period)	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STAPA Offset 3000 Super AF Pale Gold

Version	Revision Date:	SDS Number:	Print Date: 03.05.2024
7.0	30.04.2024	10200000506	Date of first issue: 13.09.2016

High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the m	Classification procedure:	
Acute Tox. 4	H302	Calculation method
Eye Irrit. 2	H319	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN