according to Regulation (EC) No. 1907/2006



# ROTOVARIO 580 352 Rich Pale Gold

Version	Revision Date:	SDS Number:	Print Date: 13.04.2024
4.0	12.04.2024	102000029324	Date of first issue: 09.03.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: ROTOVARIO 580 352 Rich Pale Gold
Product code	: 071909B60

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colouring agents, pigments
Substance/Mixture		

### 1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

### 1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard,	H400: Very toxic to aquatic life.
Category 1	
Long-term (chronic) aquatic hazard,	H410: Very toxic to aquatic life with long lasting
Category 1	effects.

### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

A member of **C ALTANA** 

according to Regulation (EC) No. 1907/2006



# ROTOVARIO 580 352 Rich Pale Gold

Version 4.0	Revision Date: 12.04.2024	-	DS Number: 02000029324	Print Date: 13.04.2024 Date of first issue: 09.03.2018
Hazard	pictograms	:		
Signal	word	:	Warning	
Hazard	statements	:	H302 H319 H410	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Precau	tionary statements	:	<b>Prevention:</b> P264 P273 P280 <b>Response:</b> P337 + P313 P391 <b>Disposal:</b> P501	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection. If eye irritation persists: Get medical advice/ attention. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.

## Hazardous components which must be listed on the label: Copper

### 2.3 Other hazards

Combustible Solids

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### Components

Components			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302	>= 50 - <= 100
	231-159-6	Eye Irrit. 2; H319	
		Aquatic Acute 1;	
	01-2119480154-42	H400	
		Aquatic Chronic 1;	
		H410	
		M-Factor (Acute	

according to Regulation (EC) No. 1907/2006



# ROTOVARIO 580 352 Rich Pale Gold

ersion 0	Revision Date: 12.04.2024	SDS Number: 102000029324	Print Date: 13.04.2024 Date of first issue: 09.03.2018	
			aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
	oowder — zinc dust ilised)	7440-66-6 231-175-3 030-001-01-9 01-2119467174	H400 Aquatic Chronic 1; H410	- < 2
			M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
1-met	thoxy-2-propanol	107-98-2 203-539-1 603-064-00-3 01-2119457435	STOT SE 3; H336 (Central nervous system)	- < 20
octad	Jecylamine	124-30-1 204-695-3 612-282-00-8 01-2119473804	Skin Irrit. 2; H315 >= 0.1 Eye Dam. 1; H318 STOT RE 2; H373 (Liver,	- < 0.2

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

4.1 Description of first aid me	asures
General advice	: Move the victim to fresh air.
	Move out of dangerous area. Show this safety data sheet to the doctor in attendance.
If inhaled	<ul> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>

according to Regulation (EC) No. 1907/2006



# ROTOVARIO 580 352 Rich Pale Gold

Version 4.0	Revision Date: 12.04.2024	•	DS Number: )2000029324	Print Date: 13.04.2024 Date of first issue: 09.03.2018
In case	e of skin contact	:	Wash off immedi	ately with soap and plenty of water.
In case	e of eye contact	:	Immediately flush Remove contact Keep eye wide op	
If swallowed		:	Never give anythi	tract clear. or alcoholic beverages. ing by mouth to an unconscious person. ist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks	 :	Harmful if swallowed.
		Causes serious eye irritation.

# 4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media	:	Special powder against metal fire Dry sand ABC powder
Unsuitable extinguishing media	:	Water High volume water jet Carbon dioxide (CO2)
5.2 Special hazards arising from	the	substance or mixture
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires.
		Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

according to Regulation (EC) No. 1907/2006



# ROTOVARIO 580 352 Rich Pale Gold

Version	Revision Date:	SDS Number:	Print Date: 13.04.2024
4.0	12.04.2024	102000029324	Date of first issue: 09.03.2018

### **SECTION 6: Accidental release measures**

	equipment and emergency procedures Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment. Avoid dust formation.
6.2 Environmental precautions	
General advice :	The product should not be allowed to enter drains, water courses or the soil. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for contain	nment and cleaning up
Methods for cleaning up :	Use mechanical handling equipment.
	Pick up and transfer to properly labelled containers. Do not flush with water. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling Advice on protection against fire and explosion	:	Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Keep away from heat and sources of ignition. No smoking.	
		Avoid dust formation.	
Hygiene measures	:	General industrial hygiene practice.	

according to Regulation (EC) No. 1907/2006





Version 4.0	Revision Date: 12.04.2024		DS Number: 2000029324	Print Date: 13.04.2024 Date of first issue: 09.03.2018		
				ot eat or drink. When using do not smoke. Fre breaks and at the end of workday.		
7.2 Cor	ditions for safe storage,	inc	luding any incom	patibilities		
Re	quirements for storage as and containers	:	Keep away from store near combu closed in a cool,	sources of ignition - No smoking. Do not ustible materials. Keep containers tightly well-ventilated place. To maintain product ore in heat or direct sunlight.		
			place. Electrical in	ghtly closed in a dry and well-ventilated nstallations / working materials must comply gical safety standards.		
	rther information on prage conditions	:	Protect from hum	idity and water.		
Ad	vice on common storage	:	strongly acid mate	oxidizing agents, strongly alkaline and erials in order to avoid exothermic reactions. ther with oxidizing and self-igniting products.		
Da	mpness	:	Keep in a dry, coo	ol and well-ventilated place.		
	rther information on prage stability	:	No decomposition if stored and applied as directed.			
7 3 Sno	cific and usa(s)					

## 7.3 Specific end use(s)

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## Occupational Exposure Limits

·					
Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3	GB EH40	
			(Copper)		
		TWA (Dusts and	1 mg/m3	GB EH40	
		mists)	(Copper)		
		STEL (Dusts and	2 mg/m3	GB EH40	
		mists)	(Copper)		
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (Inhalable)	10 mg/m3	GB EH40	
		TWA (Respirable fraction)	4 mg/m3	GB EH40	
1-methoxy-2-	107-98-2	STEL	150 ppm	2000/39/EC	
propanol			568 mg/m3		
	possibility of significant upt	ake through the			
	skin, Indicative				
		TWA	100 ppm	2000/39/EC	
			375 mg/m3		

according to Regulation (EC) No. 1907/2006



# ROTOVARIO 580 352 Rich Pale Gold

	vision Date 04.2024		Number: )0029324		ate: 13.04.2024 f first issue: 09.03.2018	6
		Further inform		heposs	sibility of significant upt	ake through th
			TWA		) ppm	GB EH40
	r	-	ation. Con ha ah		5 mg/m3	
	5		e those for which		through the skin. The a are concerns that derma	
		<b>,</b>	STEL	150	) ppm	GB EH40
					) mg/m3	
	s I	substances an ead to system	e those for which hic toxicity.	there a	through the skin. The a are concerns that derma	
Derived No	Effect Lev				(EC) No. 1907/2006:	
Substance	name	End Use	Exposure	outes	Potential health effects	Value
Copper		Workers	Dermal		Long-term systemic effects	137 mg/kg
		Workers	Dermal		Acute systemic effects	273 mg/kg
		Workers	Inhalation		Long-term systemic effects	20 mg/m3
		Consumers	Inhalation		Long-term local effects	1 mg/m3
		Consumers			Acute local effects	1 mg/m3
		Consumers	Dermal		Long-term systemic effects	137 mg/kg
		Consumers			Acute systemic effects	273 mg/kg
		Consumers			Long-term systemic effects	0.041 mg/l
zinc powde dust (stabil		Workers	Inhalation		Long-term systemic effects	5 mg/m3
		Workers	Dermal		Long-term systemic effects	83 mg/kg
		Consumers			Long-term systemic effects	2.5 mg/m3
		Consumers			Long-term systemic effects	83 mg/kg
		Consumers	Oral		Long-term systemic effects	0.83 mg/kg
1-methoxy-	2-propanol	Workers	Inhalation		Long-term systemic effects	369 mg/m3
		Workers	Inhalation		Acute local effects	553.5 mg/r
		Workers	Dermal		Long-term systemic effects	50.6 mg/kg
		Consumers	Inhalation		Long-term systemic effects	43.9 mg/m
		Consumers	Dermal		Long-term systemic effects	18.1 mg/k
		Consumers	Oral		Long-term systemic	3.3 mg/kg

according to Regulation (EC) No. 1907/2006



# ROTOVARIO 580 352 Rich Pale Gold

Ver 4.0	sion Revision Date: 12.04.2024	SDS Num 10200002		Print Date: 13.04.2024 Date of first issue: 09.03.2018	
				effects	
	Fatty acids, C16-18	Workers	Dermal	Long-term systemic effects	10 mg/kg
		Workers	Inhalation	Long-term systemic effects	17.632 mg/m3
		Consumers	Oral	Long-term systemic effects	2.5 mg/kg
		Consumers	Dermal	Long-term systemic effects	5 mg/kg
		Consumers	Inhalation	Long-term systemic effects	4.348 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Copper	Fresh water	0.0078 mg/l
	Marine water	0.0052 mg/l
	STP	0.230 mg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Soil	65 mg/kg
zinc powder — zinc dust (stabilised)	Fresh water	0.0206 mg/l
	Marine water	0.0061 mg/l
	STP	0.100 mg/l
	Fresh water sediment	235.6 mg/kg
	Marine sediment	121 mg/kg
	Soil	35.6 mg/kg
1-methoxy-2-propanol	Fresh water	10 mg/l
	Marine water	1 mg/l
	STP	100 mg/l
	Fresh water sediment	41.6 mg/kg
	Marine sediment	4.17 mg/kg
	Soil	2.47 mg/kg
	periodical release	100 mg/l

### 8.2 Exposure controls

Personal protective equipmen	t
Eye/face protection :	Safety glasses Wear face-shield and protective suit for abnormal processing problems.
Hand protection	
Material :	Solvent-resistant gloves (butyl-rubber)
Remarks :	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and

according to Regulation (EC) No. 1907/2006



# **ROTOVARIO 580 352 Rich Pale Gold**

Versior 4.0	n Revision Date: 12.04.2024	SDS Number: 102000029324	Print Date: 13.04.2024 Date of first issue: 09.03.2018
		gloves. Also tak conditions unde danger of cuts, a Recommended washed after co	ne which are provided by the supplier of the e into consideration the specific local r which the product is used, such as the abrasion, and the contact time. preventive skin protection Skin should be ntact. The suitability for a specific workplace ssed with the producers of the protective
Skin and body protection			otection according to the amount and the dangerous substance at the work place.
Re	espiratory protection	: Use suitable bre requires.	athing protection if workplace concentration

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties Form : Pasty solid Colour gold : Odour characteristic • Odour Threshold No data available ÷ Freezing point No data available : Boiling point/boiling range 120 °C : **Combustible Solids** Flammability : Upper explosion limit / Upper : No data available flammability limit Lower explosion limit / Lower : No data available flammability limit Flash point 35 °C : Auto-ignition temperature No data available : Decomposition temperature : No data available pН substance/mixture is non-soluble (in water) : Viscosity, kinematic : No data available Solubility(ies) Water solubility : insoluble

according to Regulation (EC) No. 1907/2006

# ROTOVARIO 580 352 Rich Pale Gold



Vers 4.0	sion	Revision Date: 12.04.2024		S Number: 2000029324	Print Date: 13.04.2024 Date of first issue: 09.03.2018
	Solubil	ity in other solvents	:	No data available	9
	Partitio octano	n coefficient: n-	:	No data available	
		r pressure	:	No data available	)
		Pressure for Compone athoxy-2-propanol	ents: :	11.3 hPa (20 °C	)
		les, hydrogenated w alkyl	:	< 1 hPa (20 °C)	
		e density	:	No data available	
	Density	/	:	7.5 - 8.0 g/cm3	
	Relativ	e vapour density	:	No data available	)
		e characteristics ticle Size Distribution	:	No data available	9
9.2	Other in	nformation			

No data available

# **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
		No decomposition if stored and applied as directed.
10.4 Conditions to avoid		
Conditions to avoid	:	Do not allow evaporation to dryness.
		No data available

## 10.5 Incompatible materials

## 10.6 Hazardous decomposition products

 Thermal decomposition
 : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

according to Regulation (EC) No. 1907/2006



# ROTOVARIO 580 352 Rich Pale Gold

Version	Revision Date:	SDS Number:	Print Date: 13.04.2024
4.0	12.04.2024	102000029324	Date of first issue: 09.03.2018

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.		
Product: Acute oral toxicity	:	Acute toxicity estimate: 763.93 mg/kg Method: Calculation method
Components:		
Copper:		
Acute oral toxicity	:	Assessment: The component/mixture is moderately toxic after single ingestion.
zinc powder — zinc dust (s	tabi	lised):
Acute oral toxicity	:	(Rat): > 2,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 5.41 mg/l Exposure time: 4 h Test atmosphere: dust/mist
1-methoxy-2-propanol:		
Acute oral toxicity	:	LD50 (Rat): 4,016 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 25.8 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg
Skin corrosion/irritation Not classified based on availa	able	information.
Product:		
Remarks	:	May cause skin irritation in susceptible persons.
Components:		
Copper:		
Remarks	:	May cause skin irritation in susceptible persons.
octadecylamine: Assessment	:	Irritating to skin.

according to Regulation (EC) No. 1907/2006



# ROTOVARIO 580 352 Rich Pale Gold

rsion )	Revision Date: 12.04.2024	SDS Number: 102000029324	Print Date: 13.04.2024 Date of first issue: 09.03.2018
	us eye damage/eye i es serious eye irritation		
<u>Prodι</u> Rema		: Eye irritation	
<u>Comp</u>	oonents:		
<b>Copp</b> Result		: Eye irritation	
	<b>ecylamine:</b> ssment	: Corrosive	
Respi	ratory or skin sensit	isation	
-	sensitisation assified based on ava	ilable information.	
-	ratory sensitisation assified based on ava	ilable information.	
	<b>cell mutagenicity</b> assified based on ava	ilable information.	
	n <b>ogenicity</b> assified based on ava	ilable information.	
-	oductive toxicity assified based on ava	ilable information.	
	• <b>single exposure</b> assified based on ava	ilable information.	
	- repeated exposure assified based on ava		
<u>Comp</u>	onents:		
Expos Targe	<b>ecylamine:</b> sure routes t Organs ssment		ve system, Immune system amage to organs through prolonged or repeate
-	<b>ation toxicity</b> assified based on ava	ilable information.	

according to Regulation (EC) No. 1907/2006



# ROTOVARIO 580 352 Rich Pale Gold

Version 4.0	Revision Date: 12.04.2024	SDS Number: 102000029324	Print Date: 13.04.2024 Date of first issue: 09.03.2018
<u>Com</u>	ponents:		
	<b>lecylamine:</b> be fatal if swallowed an	d enters airways.	
11.2 Infor	mation on other haza	rds	
Furth	er information		
<u>Prod</u> Rema		: No data availa	ble
Com	ponents:		
Сорр	per:		
Rema	arks	: No data availa	ble
zinc	powder — zinc dust (s	stabilised):	
Rema	arks	: No data availa	ble
SECTIO	N 12: Ecological info	ormation	
12.1 Toxi	city		
<u>Com</u>	ponents:		
Сорр	per:		
	ctor (Short-term (acute) tic hazard)	: 10	
		10	

## Ecotoxicology Assessment

M-Factor (Long-term

(chronic) aquatic hazard)

Acute aquatic toxicity	:	Very toxic to aquatic life.

: 10

Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.
--------------------------	---

## zinc powder — zinc dust (stabilised):

M-Factor (Short-term (acute) aquatic hazard) M-Factor (Long-term (chronic) aquatic hazard)		1
Ecotoxicology Assessment Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006



# ROTOVARIO 580 352 Rich Pale Gold

Version 4.0	Revision Date: 12.04.2024		OS Number: 2000029324	Print Date: 13.04.2024 Date of first issue: 09.03.2018			
M-Fa aquat M-Fa	lecylamine: ctor (Short-term (acute) ic hazard) ctor (Long-term hic) aquatic hazard)	:	10 10				
	Ecotoxicology Assessment Acute aquatic toxicity		Very toxic to aquatic life.				
Chror	nic aquatic toxicity	:	Very toxic to aqu	atic life with long lasting effects.			
	i <b>stence and degradabil</b> ata available	ity					
	<b>ccumulative potential</b> ata available						
	<b>lity in soil</b> ata available						
12.5 Resu	Its of PBT and vPvB as	sses	ssment				
<u>Produ</u> Asse	uct: ssment	:	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.				
	ocrine disrupting prope ata available	ertie	S				
12.7 Othe	r adverse effects						
	<u>uct:</u> ional ecological nation	:	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.				
<u>Com</u>	oonents:						
	<b>er:</b> ional ecological nation	:	<ul> <li>An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.</li> <li>Very toxic to aquatic life with long lasting effects.</li> </ul>				
zinc	powder — zinc dust (st	tabil	ised):				
	ional ecological nation	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.					

according to Regulation (EC) No. 1907/2006



# ROTOVARIO 580 352 Rich Pale Gold

Version	Revision Date:	SDS Number:	Print Date: 13.04.2024
4.0	12.04.2024	102000029324	Date of first issue: 09.03.2018

## **SECTION 13: Disposal considerations**

European Waste Catalogue European Waste Catalogue European Waste Catalogue European Waste Catalogue	::	<ul> <li>12 01 04 - non-ferrous metal dust and particles</li> <li>12 01 04 - non-ferrous metal dust and particles</li> <li>10 03 21 - other particulates and dust (including ball-mill dust) containing hazardous substances</li> <li>10 03 21 - other particulates and dust (including ball-mill dust) containing hazardous substances</li> </ul>
13.1 Waste treatment methods		
Product	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. In accordance with local and national regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. In accordance with local and national regulations.

# **SECTION 14: Transport information**

14.1 UN number or ID number			
ADR	:	UN 3077	
IMDG	:	UN 3077	
ΙΑΤΑ	:	UN 3077	
14.2 UN proper shipping name			
ADR	:	ENVIRONMENTALLY N.O.S. (Copper metal powde	HAZARDOUS SUBSTANCE, SOLID,
IMDG	:	ENVIRONMENTALLY N.O.S. (Copper metal powde	HAZARDOUS SUBSTANCE, SOLID,
ΙΑΤΑ	:	Environmentally haza (Copper metal powde	ardous substance, solid, n.o.s. er)
14.3 Transport hazard class(es)			
		Class	Subsidiary risks
ADR	:	9	
IMDG	:	9	

according to Regulation (EC) No. 1907/2006



# ROTOVARIO 580 352 Rich Pale Gold

Version 4.0	Revision Date: 12.04.2024		OS Number: 2000029324	Print Date: 13.04.2024 Date of first issue: 09.03.2018
ΙΑΤΑ		:	9	
14.4 Pack	ing group			
Class Haza Label Tunne	el restriction code		III M7 90 9 (-)	
Label	Code	: :	III 9 F-A, S-F IMDG Code segr salts	egation group 7 - Heavy metals and their
Pack aircra Pack	ing instruction (LQ) ing group	: : :	956 Y956 III 9	
Pack (pass Pack	(Passenger) ing instruction senger aircraft) ing instruction (LQ) ing group	:	956 Y956 III 9	
14.5 Envi	ronmental hazards			
IMDG	onmentally hazardous pollutant	:	yes yes	
	ial precautions for use	er	,	
Rema	-	:	packagings conta inner packaging, IATA-DGR may For single packag packagings conta	gings <=5L / 5 kg, or combination aining inner packagings <= 5L / 5 kg net per SV375 ADR, 2.10.2.7 IMDG-Code, A197
				or informational purposes only, and solely ial as it is described within this Safety Data

based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

according to Regulation (EC) No. 1907/2006



# ROTOVARIO 580 352 Rich Pale Gold

Version	Revision Date:	SDS Number:	Print Date: 13.04.2024
4.0	12.04.2024	102000029324	Date of first issue: 09.03.2018

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: 1-methoxy-2-propanol (Number on list 40, 3)
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

### 15.2 Chemical safety assessment

No data available

## **SECTION 16: Other information**

Full text of H-Statements		
H226	:	Flammable liquid and vapour.
H302	:	Harmful if swallowed.
H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H336	:	May cause drowsiness or dizziness.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H400	:	Very toxic to aquatic life.
		Very toxic to aquatic life with long lasting effects.
Full text of other abbreviation	าร	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Eye Dam.	:	Serious eye damage

Eurthor information

according to Regulation (EC) No. 1907/2006



# ROTOVARIO 580 352 Rich Pale Gold

Versio 4.0	on Revision Date: 12.04.2024	DS Number: Print Date: 13. 02000029324 Date of first is:	04.2024 sue: 09.03.2018		
E	Eye Irrit.	Eye irritation			
Flam. Liq.		: Flammable liquids			
Skin Irrit.		: Skin irritation			
STOT RE		: Specific target organ toxicity - repeated exposure			
STOT SE		: Specific target organ toxicity - single exposure			
2000/39/EC		: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values			
GB EH40		UK. EH40 WEL - Workplace Exposure Limits			
2000/39/EC / TWA		Limit Value - eight hours			
2	2000/39/EC / STEL	Short term exposure limit			
Ģ	GB EH40 / TWA	Long-term exposure limit (8-hour	TWA reference period)		
G	GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Verv High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Classification of the	mixture:	Classification procedure:
Acute Tox. 4	H302	Calculation method
Eye Irrit. 2	H319	Calculation method

according to Regulation (EC) No. 1907/2006



# ROTOVARIO 580 352 Rich Pale Gold

Version	Revision Date: 12.04.2024	SDS Number:	Print Date: 13.04.2024
4.0		102000029324	Date of first issue: 09.03.2018
•	ic Acute 1 ic Chronic 1	H400 H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN