according to Regulation (EC) No. 1907/2006



ROTOSAFE 700 003 Pale Gold

Version	Revision Date:	SDS Number:	Print Date: 16.02.2023
3.0	14.02.2023	102000032749	Date of first issue: 17.03.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product	identifier
-----	---------	------------

Trade name : ROTOSAFE 700 003 Pale Gold

Product code : 079816C60

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	
Substance/Mixture	

: Colouring agents, pigments

1.3 Details of the supplier of the safety data sheet

Company	: ECKART GmbH Guentersthal 4 91235 Hartenstein	
Telephone	: +499152770	
Telefax	: +499152777008	
E-mail address of person responsible for the SDS	: msds.eckart@altana.com	<u>n</u>

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006



ROTOSAFE 700 003 Pale Gold

Version 3.0	Revision Date: 14.02.2023	-	SDS Number: 02000032749	Print Date: 16.02.2023 Date of first issue: 17.03.2020
2.2 Label	elements			
	l ling (REGULATION (rd pictograms	(EC) :	No 1272/2008)	¥2
Signa	l word	:	Warning	
Hazaı	rd statements	:	H302 H319 H410	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Preca	utionary statements	:	Prevention: P264 P273 P280 Response: P337 + P313 P391 Disposal: P501	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection. If eye irritation persists: Get medical advice/ attention. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Copper

2.3 Other hazards

Combustible Solids

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302	>= 50 - <= 100
		Eye Irrit. 2; H319	
	231-159-6	Aquatic Acute 1;	
	01-2119480154-42	H400	

according to Regulation (EC) No. 1907/2006



ROTOSAFE 700 003 Pale Gold

Version 3.0	Revision Date: 14.02.2023	SDS Number: 102000032749	Print Date: 16.02.2023 Date of first issue: 17.03.2020)
3.0 zinc p (stabil	14.02.2023 www.even.even.even.even.even.even.even.e		Date of first issue: 17.03.2020Aquatic Chronic 1; H410M-Factor (Acute aquatic toxicity): 10M-Factor (Chronic aquatic toxicity): 10Aquatic Acute 1; H400 Aquatic Chronic 1; H4104-37Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT RE 2; H373 (Liver, Gastrointestinal tract, Immune system) Asp. Tox. 1; H304 Aquatic Chronic 1; H400 Aquatic Chronic 1; H400 Aquatic Chronic 1; H400 Aquatic Chronic 1; H400 Aquatic Chronic 1;) >= 2.5 - < 10 >= 0.25 - < 1
			aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move the victim to fresh air.
		Move out of dangerous area. Show this safety data sheet to the doctor in attendance.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off immediately with soap and plenty of water.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing.

according to Regulation (EC) No. 1907/2006



ROTOSAFE 700 003 Pale Gold

Version 3.0	Revision Date: 14.02.2023	SDS Number: 102000032749	Print Date: 16.02.2023 Date of first issue: 17.03.2020
If swallowed		 Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. 	
4.2 Most ii	mportant symptoms	and effects, both acu	te and delayed
Risks		: Harmful if swalld Causes serious	
	tion of any immediate	e medical attention ar	nd special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Special powder against metal fire Dry sand ABC powder
Unsuitable extinguishing media	:	Water High volume water jet Carbon dioxide (CO2)
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires.
		Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
-	Evacuate personnel to safe areas.
	Use personal protective equipment.
	Avoid dust formation.

according to Regulation (EC) No. 1907/2006

ROTOSAFE 700 003 Pale Gold



Version 3.0	Revision Date: 14.02.2023	SDS Number: 102000032749	Print Date: 16.02.2023 Date of first issue: 17.03.2020		
		Avoid breathi	ng dust.		
6.2 Environmental precautions Environmental precautions		•	The product should not be allowed to enter drains, water courses or the soil.		
		Prevent furth	uct from entering drains. er leakage or spillage if safe to do so. contaminates rivers and lakes or drains inform thorities.		
	hods and material for co thods for cleaning up		eaning up cal handling equipment.		
		Pick up and t	ransfer to properly labelled containers.		
		Keep in suita	ble, closed containers for disposal.		

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling		Avoid creating dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.
		Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
		Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	General industrial hygiene practice. Do not smoke. Wash hands before breaks and at the end of workday. Keep away from food and drink. Keep away from tobacco products.

according to Regulation (EC) No. 1907/2006



ROTOSAFE 700 003 Pale Gold

Version 3.0	Revision Date: 14.02.2023	-	DS Number: 2000032749	Print Date: 16.02.2023 Date of first issue: 17.03.2020		
				not eat or drink. When using do not smoke. ore breaks and at the end of workday.		
7.2 Cond	litions for safe storage,	inc	luding any incon	npatibilities		
	Requirements for storage areas and containers		Electrical installations / working materials must comply with the technological safety standards.			
			store near comb closed in a cool,	sources of ignition - No smoking. Do not ustible materials. Keep containers tightly well-ventilated place. To maintain product tore in heat or direct sunlight.		
			place. Container resealed and ke	tightly closed in a dry and well-ventilated is which are opened must be carefully pt upright to prevent leakage. Electrical orking materials must comply with the fety standards.		
	her information on age conditions	:	Protect from hur	nidity and water.		
Advi	ice on common storage	:	strongly acid ma	oxidizing agents, strongly alkaline and terials in order to avoid exothermic reactions. ether with oxidizing and self-igniting products.		
Dam	npness	:	Keep in a dry, co	ool and well-ventilated place.		
Further information on : storage stability			No decomposition if stored and applied as directed.			

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3 (Copper)	GB EH40
		TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40
		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable	4 mg/m3	GB EH40

according to Regulation (EC) No. 1907/2006



ROTOSAFE 700 003 Pale Gold

ersion 0	Revision Date 14.02.2023	SDS Nur 1020000		ate: 16.02.2023 f first issue: 17.03.2020	
			ction)		
Deriv	ved No Effect Lev	/el (DNEL) accoi	rding to Regulation	(EC) No. 1907/2006:	
Subs	tance name	End Use	Exposure routes	Potential health effects	Value
Copp	ber	Workers	Skin contact	Long-term systemic effects	137 mg/kg
		Workers	Skin contact	Acute systemic effects	273 mg/kg
		Workers	Inhalation	Long-term systemic 20 mg/n effects	
		Consumers	Inhalation	Long-term local effects	1 mg/m3
		Consumers	Inhalation	Acute local effects	1 mg/m3
		Consumers	Skin contact	Long-term systemic effects	137 mg/kg
		Consumers	Skin contact	Acute systemic effects	273 mg/kg
		Consumers	Ingestion	Long-term systemic effects	0.041 mg/kg
	powder — zinc (stabilised)	Workers	Inhalation	Long-term systemic effects	5 mg/m3
	<u>, </u>	Workers	Skin contact	Long-term systemic effects	83 mg/kg
		Consumers	Inhalation	Long-term systemic effects	2.5 mg/m3
		Consumers	Skin contact	Long-term systemic effects	83 mg/kg
		Consumers	Ingestion	Long-term systemic effects	0.83 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment Value	
Copper	Fresh water	0.0078 mg/l
	Marine water	0.0052 mg/l
	STP	0.230 mg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Soil	65 mg/kg
zinc powder — zinc dust (stabilised)	Fresh water	0.0206 mg/l
	Marine water	0.0061 mg/l
	STP	0.100 mg/l
	Fresh water sediment	235.6 mg/kg
	Marine sediment	121 mg/kg
	Soil	35.6 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Safety glasses

according to Regulation (EC) No. 1907/2006



ROTOSAFE 700 003 Pale Gold

Versio 3.0	n Revision Date: 14.02.2023	SDS Number: 102000032749	Print Date: 16.02.2023 Date of first issue: 17.03.2020		
		Tightly fitting s Wear face-shi problems.	afety goggles eld and protective suit for abnormal processing		
Hand protection Material		: Leather	Leather		
	Remarks	only depend c and is differen break through producer and preventive ski The suitability	s The choice of an appropriate glove does not in its material but also on other quality features it from one producer to the other. The exact time can be obtained from the protective glove this has to be observed. Recommended in protection for a specific workplace should be discussed icers of the protective gloves.		
S	kin and body protection	: Long sleeved Safety shoes	clothing		
		Choose body	us protective suit protection according to the amount and of the dangerous substance at the work place.		
R	espiratory protection	: Use suitable b requires. Respirator wit P1 filter	reathing protection if workplace concentration		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: pellets
Colour	: gold
Odour	: odourless
Odour Threshold	: No data available
Freezing point	: No data available
Boiling point/boiling range	: No data available
Flammability	: Combustible Solids

according to Regulation (EC) No. 1907/2006



ROTOSAFE 700 003 Pale Gold

	sion Date: 2.2023		S Number: 2000032749	Print Date: 16.02.2023 Date of first issue: 17.03.2020
Upper explos	sion limit / Upper	:	No data available	
flammability	limit			
Lower explos	sion limit / Lower limit	:	No data available)
Flash point		:	No data available)
Auto-ignition	temperature	:	Not relevant	
Decomposition	on temperature	:	No data available	2
pН		:	substance/mixtur	e is non-soluble (in water)
Viscosity,	kinematic	:	No data available	9
Solubility(ies Water sol		:	insoluble	
Solubility	in other solvents	:	No data available)
Partition coe octanol/wate		:	No data available	
Vapour press	sure	:	No data available)
Relative den	sity	:	No data available)
Density		:	No data available)
Relative vap	our density	:	No data available)
Particle S	ize Distribution	:		

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
		No hazards to be specially mentioned.
		No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006



ROTOSAFE 700 003 Pale Gold

Version 3.0	Revision Date: 14.02.2023	SDS Numb 102000032	
		Dust n	nay form explosive mixture in air.
10.4 Conc	litions to avoid		
Cond	itions to avoid	: No dat	ta available
		No da	ta available
10.5 Incor	mpatible materials		
	rdous decomposition nation is not available	-	
SECTION	11: Toxicologica	information	
11.1 Infor	mation on hazard cla	asses as defin	ned in Regulation (EC) No 1272/2008
Acute	e toxicity		
	ful if swallowed.		
Prod	uct:		
Acute	oral toxicity		oxicity estimate: 597.88 mg/kg d: Calculation method
<u>Com</u>	ponents:		
Сорр	er:		
Acute	e oral toxicity		ment: The component/mixture is moderately toxic after ngestion.
zinc	powder — zinc dust	(stabilised):	
Acute	e oral toxicity	: (Rat):	> 2,000 mg/kg
Acute	inhalation toxicity	: LC50 (Rat): 5.41 mg/l
			ure time: 4 h mosphere: dust/mist
Skin	corrosion/irritation		
-	corrosion/irritation lassified based on ava	ailable informat	tion.
-	lassified based on ava uct:		tion. Iuse skin irritation in susceptible persons.
Not cl <u>Prod</u> Rema	lassified based on ava <u>uct:</u> arks		
Not cl <u>Prod</u> Rema	lassified based on ava <u>uct:</u> arks ponents:		

according to Regulation (EC) No. 1907/2006



ROTOSAFE 700 003 Pale Gold

Version 3.0	Revision Date: 14.02.2023	SDS Number: 102000032749	Print Date: 16.02.2023 Date of first issue: 17.03.2020
	decylamine: essment	: Irritating to ski	n.
Serie	ous eye damage/eye ir	ritation	
Caus	ses serious eye irritation).	
<u>Prod</u> Rem		: Eye irritation	
<u>Com</u>	ponents:		
Cop Resu		: Eye irritation	
octa	decylamine:		
	essment	: Corrosive	
Resp	piratory or skin sensiti	isation	
-	sensitisation classified based on avai	lable information.	
•	biratory sensitisation classified based on avai	lable information.	
	n cell mutagenicity classified based on avai	lable information.	
	inogenicity classified based on avai	lable information.	
-	oductive toxicity classified based on avai	lable information.	
STO	T - single exposure classified based on avai		
STO	T - repeated exposure		
	ponents:		
Expo Targ	decylamine: osure routes et Organs ossment		e system, Immune system mage to organs through prolonged or repeated

Aspiration toxicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



ROTOSAFE 700 003 Pale Gold

3.0	Revision Date: 14.02.2023	SDS Number: 102000032749	Print Date: 16.02.2023 Date of first issue: 17.03.2020
<u>Com</u>	ponents:		
octad	lecylamine:		
	be fatal if swallowed and	l enters airways.	
11.2 Infor	mation on other hazar	ds	
Furth	er information		
Produ	uct:		
Rema	arks	: No data availal	ble
Com	ponents:		
Copp Rema		: No data availal	ale
i toine			
zinc p	powder — zinc dust (s	tabilised):	
Rema	arks	: No data availal	ble
SECTION	N 12: Ecological info	rmation	
12.1 Toxic	-	rmation	
12.1 Toxic	city ponents:	rmation	
12.1 Toxic <u>Comp</u> Copp M-Fac	city ponents:		
12.1 Toxic <u>Comp</u> Copp M-Fac aquat M-Fac	city ponents: per: ctor (Short-term (acute) tic hazard) ctor (Long-term		
12.1 Toxic <u>Comp</u> Copp M-Fac aquat M-Fac	city ponents: per: ctor (Short-term (acute) tic hazard)	: 10	
12.1 Toxic Comp M-Fac aquat M-Fac (chror Ecoto	city ponents: ctor (Short-term (acute) tic hazard) ctor (Long-term nic) aquatic hazard)	: 10 : 10	
12.1 Toxic Comp M-Fac aquat M-Fac (chror Ecoto	city ponents: per: ctor (Short-term (acute) tic hazard) ctor (Long-term nic) aquatic hazard)	: 10 : 10	quatic life.
12.1 Toxic Comp M-Fac aquat M-Fac (chror Ecoto Acute	city ponents: ctor (Short-term (acute) tic hazard) ctor (Long-term nic) aquatic hazard)	: 10 : 10 : Very toxic to ad	quatic life. quatic life with long lasting effects.
12.1 Toxic Comp M-Fac aquat M-Fac (chror Ecoto Acute Chror	city ponents: per: ctor (Short-term (acute) tic hazard) ctor (Long-term nic) aquatic hazard) pxicology Assessment e aquatic toxicity	: 10 : 10 : Very toxic to ad : Very toxic to ad	
12.1 Toxic Comp M-Fac aquat M-Fac (chror Ecoto Acute Chror zinc p Ecoto	city ponents: per: ctor (Short-term (acute) tic hazard) ctor (Long-term nic) aquatic hazard) pxicology Assessment a aquatic toxicity nic aquatic toxicity powder — zinc dust (so	: 10 : 10 : Very toxic to ad : Very toxic to ad tabilised):	quatic life with long lasting effects.
12.1 Toxic Comp M-Fac aquat M-Fac (chror Ecoto Acute Chror zinc p Ecoto	city ponents: her: ctor (Short-term (acute) tic hazard) ctor (Long-term nic) aquatic hazard) pxicology Assessment a aquatic toxicity nic aquatic toxicity powder — zinc dust (s	: 10 : 10 : Very toxic to ad : Very toxic to ad tabilised):	quatic life with long lasting effects.
12.1 Toxic Comp M-Fac aquat M-Fac (chror Ecoto Acute Chror zinc p Ecoto Acute	city ponents: per: ctor (Short-term (acute) tic hazard) ctor (Long-term nic) aquatic hazard) pxicology Assessment a aquatic toxicity nic aquatic toxicity powder — zinc dust (so	: 10 : 10 : Very toxic to ad : Very toxic to ad tabilised): : Very toxic to ad	quatic life with long lasting effects.
12.1 Toxic Comp M-Fac aquat M-Fac (chror Ecoto Acute Chror Ecoto Acute Chror	city ponents: her: ctor (Short-term (acute) tic hazard) ctor (Long-term nic) aquatic hazard) pxicology Assessment a aquatic toxicity nic aquatic toxicity powder — zinc dust (s pxicology Assessment a aquatic toxicity	: 10 : 10 : Very toxic to ad : Very toxic to ad tabilised): : Very toxic to ad	quatic life with long lasting effects. quatic life.



according to Regulation (EC) No. 1907/2006



ROTOSAFE 700 003 Pale Gold

Version 3.0	Revision Date: 14.02.2023		DS Number: 02000032749	Print Date: 16.02.2023 Date of first issue: 17.03.2020	
aqu	atic hazard)				
	actor (Long-term onic) aquatic hazard)	:	10		
Eco	otoxicology Assessment	:			
Acu	te aquatic toxicity	:	Very toxic to aquatic life.		
Chr	onic aquatic toxicity	:	: Very toxic to aquatic life with long lasting effects.		
	sistence and degradabil data available	lity			
	accumulative potential data available				
	bility in soil data available				
12.5 Res	sults of PBT and vPvB a	sse	ssment		
	<u>duct:</u> essment	:	to be either persis	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of	
	docrine disrupting prope data available	ertie	25		
12.7 Oth	er adverse effects				
Add	<u>duct:</u> litional ecological rmation	:	unprofessional ha	I hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.	
<u>Cor</u>	nponents:				
Cop	oper:				
	litional ecological rmation	:	unprofessional ha	I hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.	
zine	c powder — zinc dust (si	tabi	lised):		
	litional ecological rmation	:	unprofessional ha	I hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.	

according to Regulation (EC) No. 1907/2006



ROTOSAFE 700 003 Pale Gold

Version 3.0	Revision Date: 14.02.2023		DS Number: 02000032749	Print Date: 16.02.2023 Date of first issue: 17.03.2020
SECTIO	N 13: Disposal consi	der	ations	
	pean Waste Catalogue pean Waste Catalogue	:	10 03 21 - other	errous metal dust and particles particulates and dust (including ball-mill dust) dous substances
13.1 Was	te treatment methods			
Prod	uct	:	courses or the se Do not contamin chemical or used Send to a license	ate ponds, waterways or ditches with
Cont	aminated packaging	:	Empty remaining Dispose of as ur Do not re-use en In accordance w	used product.

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	UN 3077	
IMDG	:	UN 3077	
ΙΑΤΑ	:	UN 3077	
14.2 UN proper shipping name			
ADR	:	ENVIRONMENTALL' N.O.S. (Copper metal powde	Y HAZARDOUS SUBSTANCE, SOLID, er)
IMDG	:	ENVIRONMENTALL N.O.S. (Copper metal powde	Y HAZARDOUS SUBSTANCE, SOLID, er)
ΙΑΤΑ	:	Environmentally hazardous substance, solid, n.o.s. (Copper metal powder)	
14.3 Transport hazard class(es)			
		Class	Subsidiary risks
ADR	:	9	
IMDG	:	9	
ΙΑΤΑ	:	9	
14.4 Packing group			

according to Regulation (EC) No. 1907/2006



ROTOSAFE 700 003 Pale Gold

Versio 3.0	on	Revision Date: 14.02.2023		0S Number: 2000032749	Print Date: 16.02.2023 Date of first issue: 17.03.2020
F C H L	Hazard ∟abels Funnel	group cation Code Identification Number restriction code	:	III M7 90 9 (-)	
F	MDG Packing Labels EmS Co Remark	ode	:	III 9 F-A, S-F IMDG Code segre salts	egation group 7 - Heavy metals and their
F a F F	aircraft)	instruction (cargo instruction (LQ)	:	956 Y956 III 9	
F (F	Packing passen	Passenger) instruction ger aircraft) instruction (LQ) group	:	956 Y956 III 9	
14.5 E	14.5 Environmental hazards				
E	MDG	mentally hazardous pollutant	:	yes yes	
		policiant		,	
	Remark	-	:	packagings conta	ings <=5L / 5 kg, or combination ining inner packagings <= 5L / 5 kg net per SV375 ADR, 2.10.2.7 IMDG-Code, A197 be applied.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006



ROTOSAFE 700 003 Pale Gold

Version	Revision Date:	SDS Number:	Print Date: 16.02.2023
3.0	14.02.2023	102000032749	Date of first issue: 17.03.2020

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H302	:	Harmful if swallowed.
H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H373	:	May cause damage to organs through prolonged or repeated
		exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ons	
Acute Tox.		Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
	:	
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Acute Aquatic Chronic	:	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard
Aquatic Acute Aquatic Chronic Asp. Tox.		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aspiration hazard
Aquatic Acute Aquatic Chronic Asp. Tox. Eye Dam.		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aspiration hazard Serious eye damage
Aquatic Acute Aquatic Chronic Asp. Tox. Eye Dam. Eye Irrit.	· · · · · · · · · · · · · · · · · · ·	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aspiration hazard Serious eye damage Eye irritation
Aquatic Acute Aquatic Chronic Asp. Tox. Eye Dam. Eye Irrit. Skin Irrit.		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aspiration hazard Serious eye damage Eye irritation Skin irritation
Aquatic Acute Aquatic Chronic Asp. Tox. Eye Dam. Eye Irrit. Skin Irrit. STOT RE		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aspiration hazard Serious eye damage Eye irritation Skin irritation Specific target organ toxicity - repeated exposure
Aquatic Acute Aquatic Chronic Asp. Tox. Eye Dam. Eye Irrit. Skin Irrit. STOT RE GB EH40		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aspiration hazard Serious eye damage Eye irritation Skin irritation Specific target organ toxicity - repeated exposure UK. EH40 WEL - Workplace Exposure Limits

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the

according to Regulation (EC) No. 1907/2006



ROTOSAFE 700 003 Pale Gold

Version	Revision Date:	SDS Number:	Print Date: 16.02.2023
3.0	14.02.2023	102000032749	Date of first issue: 17.03.2020

Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the	Classification procedure:	
Acute Tox. 4	H302	Calculation method
Eye Irrit. 2	H319	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN