

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
6.2	17.11.2023	102000020121	Date of first issue: 03.01.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	STANDART RESIST LT Rich Gold Bronze Powder
Product code	:	069521C20

1.2 Relevant identified uses of the substance or mixture and uses advised against Use of the : Colouring agents, pigments

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART Suisse SA Route de la Brasserie 2 1963 Vétroz
Telephone	:	+410273454800
Telefax	:	+410273454859
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 Eye irritation, Category 2 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1 H302: Harmful if swallowed.H319: Causes serious eye irritation.H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



STANDART RESIST LT Rich Gold Bronze Powder

Version 6.2	Revision Date: 17.11.2023		DS Number: 02000020121	Print Date: 15.04.2024 Date of first issue: 03.01.2014
Hazard	l pictograms	:		
Signal	word	:	Warning	
Hazard	I statements	:	H302 H319 H410	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Precautionary statements		:	Prevention: P264 P273 P280 Response: P337 + P313 P391 Disposal: P501	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection. If eye irritation persists: Get medical advice/ attention. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label: Copper

2.3 Other hazards

Combustible Solids

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

components			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302	>= 50 - <= 100
	231-159-6	Eye Irrit. 2; H319	
		Aquatic Acute 1;	
	01-2119480154-42	H400	
		Aquatic Chronic 1;	
		H410	



STANDART RESIST LT Rich Gold Bronze Powder

		SDS Number: 102000020121	Print Date: 15.04.2024 Date of first issue: 03.01.2014			
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10			
	oowder — zinc dust lised)	7440-66-6 231-175-3 030-001-01-9 01-2119467174	H400 Aquatic Chronic 1; H410	5 - < 50		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move the victim to fresh air.
	Move out of dangerous area. Show this safety data sheet to the doctor in attendance.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: Wash off immediately with soap and plenty of water.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	 Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
4.2 Most important symptoms	and effects, both acute and delayed

Risks : Harmful if swallowed. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Special powder against metal fire



STANDART RESIST LT Rich Gold Bronze Powder

Versi 6.2	ion	Revision Date: 17.11.2023		9S Number: 2000020121	Print Date: 15.04.2024 Date of first issue: 03.01.2014
				Dry sand ABC powder	
	Unsuitable extinguishing : media		:	Water High volume wate Carbon dioxide (C	
	5.2 Special hazards arising from t Specific hazards during firefighting				xture off from fire fighting to enter drains or water
	5.3 Advice for firefighters Special protective equipment for firefighters		:	Wear self-contain necessary.	ed breathing apparatus for firefighting if
	Further	information	:	Standard procedu	ire for chemical fires.
				must not be disch Fire residues and	ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.

SECTION 6: Accidental release measures

	e equipment and emergency procedures Use personal protective equipment. Evacuate personnel to safe areas. Use personal protective equipment. Avoid dust formation. Avoid breathing dust.
6.2 Environmental precautions	
General advice :	The product should not be allowed to enter drains, water courses or the soil. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for contai	nment and cleaning up
Methods for cleaning up :	Use mechanical handling equipment.
	Pick up and transfer to properly labelled containers.
	Keep in suitable, closed containers for disposal.



Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
6.2	17.11.2023	102000020121	Date of first issue: 03.01.2014

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid creating dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
			Avoid dust formation.
	Hygiene measures	:	General industrial hygiene practice. Do not smoke. Wash hands before breaks and at the end of workday. Keep away from food and drink. Keep away from tobacco products. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage,	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Electrical installations / working materials must comply with the technological safety standards.
			Keep away from sources of ignition - No smoking. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.
			Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
	Further information on storage conditions	:	Protect from humidity and water.
	Advice on common storage	:	Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions. Do not store together with oxidizing and self-igniting products
	Dampness	:	Keep in a dry, cool and well-ventilated place.



Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
6.2	17.11.2023	102000020121	Date of first issue: 03.01.2014

Further information on storage stability

Keep in a dry place. No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

:

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3 (Copper)	GB EH40
		TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40
		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40
silicon dioxide	7631-86-9	TWA (inhalable dust)	6 mg/m3 (Silica)	GB EH40
	Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above the levels. Some dusts have been assigned specific WELs and exposure to the must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the bor response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limit should be complied with., Where no specific short-term exposure limit is list a figure three times the long-term exposure limit should be used.			

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



STANDART RESIST LT Rich Gold Bronze Powder

Version 6.2	Revision Date: 17.11.2023	SDS Number: 102000020121	Print Date: 15.04.2024 Date of first issue: 03.01.20	014
	Fu in wl M re su cc in ar le m pa pa re di ar m av to de cc st	TWA (Respirab dust) urther information: For the pu- halable dust are those fraction hen sampling is undertaken in DHS14/4 General methods f spirable, thoracic and inhalal ubstance hazardous to health oncentration in air equal to on halable dust or 4 mg.m-3 8-h by dust will be subject to COS vels. Some dusts have been ust comply with the appropri- articles of a wide range of size articular particle after entry in sponse that it elicits, depend stinguishes two size fraction ind 'respirable'., Inhalable dus aterial that enters the nose a vailable for deposition in the the fraction that penetrates efinitions and explanatory ma ontain components that have hould be complied with., Whe figure three times the long-te	le 2.4 mg/m3 (Silica) proses of these limits, respi- tons of airborne dust which w n accordance with the meth- or sampling and gravimetric ole aerosols., The COSHH of includes dust of any kind w greater than 10 mg.m-3 8-h our TWA of respirable dust. SHH if people are exposed to assigned specific WELs and ate limits., Most industrial du- tes. The behaviour, depositi- to the human respiratory sy- l on the nature and size of the s for limit-setting purposes to at approximates to the fraction and mouth during breathing a respiratory tract. Respirable to the gas exchange region the rial are given in MDHS14/ their own assigned WEL, all pre no specific short-term ex	GB EH40 rable dust and ill be collected ods described in analysis or definition of a hen present at a nour TWA of This means that o dust above these d exposure to these usts contain on and fate of any stem, and the body he particle. HSE ermed 'inhalable' on of airborne and is therefore dust approximates of the lung. Fuller 4., Where dusts I the relevant limits posure limit is listed,
Deriv	ed No Effect Leve	el (DNEL) according to Reg	ulation (EC) No. 1907/2006	i:

Derived NO Lifect Le		rung to Regulation	(LO) NO. 1307/2000.	
Substance name	End Use	Exposure routes	Potential health effects	Value
Copper	Workers	Skin contact	Long-term systemic effects	137 mg/kg
	Workers	Skin contact	Acute systemic effects	273 mg/kg
	Workers	Inhalation	Long-term systemic effects	20 mg/m3
	Consumers	Inhalation	Long-term local effects	1 mg/m3
	Consumers	Inhalation	Acute local effects	1 mg/m3
	Consumers	Skin contact	Long-term systemic effects	137 mg/kg
	Consumers	Skin contact	Acute systemic effects	273 mg/kg
	Consumers	Ingestion	Long-term systemic effects	0.041 mg/kg
zinc powder — zinc dust (stabilised)	Workers	Inhalation	Long-term systemic effects	5 mg/m3
	Workers	Skin contact	Long-term systemic effects	83 mg/kg
	Consumers	Inhalation	Long-term systemic effects	2.5 mg/m3



STANDART RESIST LT Rich Gold Bronze Powder

Version 6.2	Revision Date: 17.11.2023	SDS Nur 10200002		Print Date: 15.04.2024 Date of first issue: 03.01.2014	
		Consumers	Skin contac	ct Long-term systemic effects	83 mg/kg
		Consumers	Ingestion	Long-term systemic effects	0.83 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Copper	Fresh water	0.0078 mg/l
	Marine water	0.0052 mg/l
	STP	0.230 mg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Soil	65 mg/kg
zinc powder — zinc dust (stabilised)	Fresh water	0.0206 mg/l
	Marine water	0.0061 mg/l
	STP	0.100 mg/l
	Fresh water sediment	235.6 mg/kg
	Marine sediment	121 mg/kg
	Soil	35.6 mg/kg

8.2 Exposure controls

Personal protective equipment				
Eye/face protection	Safety glasses Wear face-shield and protective suit for abnormal processing problems.	I		
Hand protection				
Material	Leather			
Remarks	Leather gloves The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed. Recommended preventive skin protection The suitability for a specific workplace should be discussed with the producers of the protective gloves.			
Skin and body protection	Long sleeved clothing Safety shoes Dust impervious protective suit Choose body protection according to the amount and concentration of the dangerous substance at the work place.			
Respiratory protection	Use suitable breathing protection if workplace concentration requires. Respirator with a dust filter P1 filter			



Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
6.2	17.11.2023	102000020121	Date of first issue: 03.01.2014

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	:	powder
Colour	:	gold
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	> 900 °C
Boiling point/boiling range	:	No data available
Flammability	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility Solubility in other solvents	:	insoluble No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	8 - 9 g/cm3
Relative vapour density	:	No data available
Particle characteristics		



Version 6.2	Revision Date: 17.11.2023	SDS Number: 102000020121	Print Date: 15.04.2024 Date of first issue: 03.01.2014	
Assessment		do not meet t	: Assessment: This substance/the components of the mixture do not meet the criteria of the nano-definition according to Regulation (EU) 1881/2018	
Particle characteristics Particle Size Distribution 9.2 Other information No data available		: No data avail	able	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	 Stable under recommended storage conditions. No hazards to be specially mentioned. No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

10.5 Incompatible materials

10.6 Hazardous decomposition products

This information is not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.		
Product:		
Acute oral toxicity	:	Acute toxicity estimate: 738.66 mg/kg Method: Calculation method
Components:		
Copper:		
Acute oral toxicity	:	Assessment: The component/mixture is moderately toxic after single ingestion.



rsion 2	Revision Date: 17.11.2023	-	DS Number: 2000020121	Print Date: 15.04.2024 Date of first issue: 03.01.2014
	powder — zinc dust (-	
Acute	e oral toxicity	:	(Rat): > 2,000 m	ig/kg
Acute	inhalation toxicity	:	LC50 (Rat): 5.41 Exposure time: 4 Test atmosphere	⊧h ັ
-	corrosion/irritation lassified based on ava	ilable	information.	
Prod	uct:			
Rema		:	May cause skin i	rritation in susceptible persons.
<u>Com</u>	oonents:			
Сорр	er:			
Rema	arks	:	May cause skin i	rritation in susceptible persons.
	ous eye damage/eye i es serious eye irritatio		on	
Prod				
Rema	Irks	:	Eye irritation	
<u>Com</u>	oonents:			
Сорр	er:			
Copp Resul		:	Eye irritation	
Resul				
Resul Resp Skin	^{it} iratory or skin sensit sensitisation	isatio	n	
Resul Resp Skin Not c	t iratory or skin sensit sensitisation lassified based on ava	isatio	n	
Resul Resp Skin Not c Resp	^{it} iratory or skin sensit sensitisation	isatio ilable	n information.	
Resul Resp Skin Not c Resp Not c	t iratory or skin sensit sensitisation lassified based on ava iratory sensitisation	isatio ilable ilable	n information. information.	
Resul Resp Skin Not c Resp Not c Germ Not c Carci	it iratory or skin sensit sensitisation lassified based on ava iratory sensitisation lassified based on ava cell mutagenicity	isatio ilable ilable ilable	n information. information. information.	



/ersion 6.2	Revision Date: 17.11.2023	SDS Number: 102000020121	Print Date: 15.04.2024 Date of first issue: 03.01.2014
	- single exposure lassified based on av	ailable information.	
	- repeated exposur lassified based on av		
-	ation toxicity lassified based on av	ailable information.	
11.2 Infor	mation on other haz	ards	
Furth	er information		
<u>Prod</u> Rema		: No data availab	le
<u>Com</u>	oonents:		
Сорр	er:		
Rema	arks	: No data availab	le
zinc	powder — zinc dust	(stabilised):	
Rema	arks	: No data availab	le

12.1 Toxicity

Components:				
Copper: M-Factor (Short-term (acute) aquatic hazard) M-Factor (Long-term (chronic) aquatic hazard)		10 10		
Ecotoxicology Assessment Acute aquatic toxicity Chronic aquatic toxicity	:	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.		
zinc powder — zinc dust (stabilised):				
Ecotoxicology Assessment Acute aquatic toxicity	:	Very toxic to aquatic life.		



Version 6.2	Revision Date: 17.11.2023	SDS Number: 102000020121	Print Date: 15.04.2024 Date of first issue: 03.01.2014
	stence and degradab ta available	ility	
	cumulative potential ta available		
12.4 Mobil No dat	ity in soil ta available		
12.5 Resul	ts of PBT and vPvB	assessment	
<u>Produ</u> Asses		to be either per	e/mixture contains no components considered rsistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
	crine disrupting proj ta available	perties	
12.7 Other	adverse effects		
<u>Produ</u> Additio inform	onal ecological	unprofessional	tal hazard cannot be excluded in the event of handling or disposal. quatic life with long lasting effects.
<u>Comp</u>	onents:		
Coppe Addition inform	onal ecological	unprofessional	tal hazard cannot be excluded in the event of handling or disposal. quatic life with long lasting effects.
zinc p	owder — zinc dust (stabilised):	
Additio inform	onal ecological ation	unprofessional	tal hazard cannot be excluded in the event of handling or disposal. quatic life with long lasting effects.

European Waste Catalogue	:	12 01 04 - non-ferrous metal dust and particles
European Waste Catalogue	:	10 03 21 - other particulates and dust (including ball-mill dust)
		containing hazardous substances

13.1 Waste treatment methods



Version 6.2	Revision Date: 17.11.2023	SDS Number: 102000020121	Print Date: 15.04.2024 Date of first issue: 03.01.2014	
Product		 The product should not be allowed to enter drains, wate courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. In accordance with local and national regulations. 		
Contaminated packaging		Dispose of as Do not re-use e	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. In accordance with local and national regulations. 	

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	UN 3077
IMDG	:	UN 3077
ΙΑΤΑ	:	UN 3077
14.2 UN proper shipping name		
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper metal powder)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper metal powder)
ΙΑΤΑ	:	Environmentally hazardous substance, solid, n.o.s. (Copper metal powder)
14.3 Transport hazard class(es)		
		Class Subsidiary risks
ADR	:	9
IMDG	:	9
ΙΑΤΑ	:	9
14.4 Packing group		
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code IMDG		III M7 90 9 (-)

A member of **C ALTANA**



STANDART RESIST LT Rich Gold Bronze Powder

Version 6.2	Revision Date: 17.11.2023		DS Number: 2000020121	Print Date: 15.04.2024 Date of first issue: 03.01.2014
Lab Em	king group els S Code narks	:	III 9 F-A, S-F IMDG Code segr salts	egation group 7 - Heavy metals and their
Pac airc Pac	king instruction (LQ) king group	:	956 Y956 III 9	
Pac (pas Pac	A (Passenger) king instruction senger aircraft) king instruction (LQ) king group els	:	956 Y956 III 9	
14.5 Env	vironmental hazards			
IMD	ironmentally hazardous	:	yes yes	
14.6 Spe	ecial precautions for use	er :	For single packag	gings <=5L / 5 kg, or combination aining inner packagings <= 5L / 5 kg net per SV375 ADR, 2.10.2.7 IMDG-Code, A197 be applied.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on	:	Not applicable
the market and use of certain dangerous substances,		



6.2 17.11.2023 102000020121 Date of first issue: 03.01.2014	
mixtures and articles (Annex XVII) Regulation (EC) No 1005/2009 on substances that : Not applicable deplete the ozone layer UK REACH List of substances subject to authorisation : Not applicable (Annex XIV)	

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H302 H319 H400 H410	:	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.			
Full text of other abbreviations					
Acute Tox.	:	Acute toxicity			
Aquatic Acute	:	Short-term (acute) aquatic hazard			
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			
Eye Irrit.	:	Eye irritation			
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits			
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)			
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention;



Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
6.2	17.11.2023	102000020121	Date of first issue: 03.01.2014

PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information		
Classification of the mixture:		Classification procedure:
Acute Tox. 4	H302	Calculation method
Eye Irrit. 2	H319	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN