according to Regulation (EC) No. 1907/2006



# **ROTOSTAR UV FPG 77504 Silver**

Version	Revision Date:	SDS Number:	Print Date: 13.07.2023
7.0	11.07.2023	102000022521	Date of first issue: 15.12.2014

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: ROTOSTAR UV FPG 77504 Silver
Product code	: 021883HW0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colorant; Printing ink related material; Printing ink, Colouring
Substance/Mixture		agents, dyes

#### 1.3 Details of the supplier of the safety data sheet

Company	: ECKART GmbH Guentersthal 4 91235 Hartenstein	
Telephone	: +499152770	
Telefax	: +499152777008	
E-mail address of person responsible for the SDS	: msds.eckart@altana.com	<u>m</u>

#### 1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Eye irritation, Category 2 Skin sensitisation, Category 1 Long-term (chronic) aquatic hazard, Category 2 H315: Causes skin irritation.H319: Causes serious eye irritation.H317: May cause an allergic skin reaction.H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

# **C**ECKART

# **ROTOSTAR UV FPG 77504 Silver**

Versio 7.0	n	Revision Date: 11.07.2023	-	DS Number: 02000022521	Print Date: 13.07.2023 Date of first issue: 15.12.2014
Ha	azard	pictograms	:		
Si	ignal v	vord	:	Warning	×
H	azard	statements	:	H315 H317 H319 H411	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.
Pr	recaut	ionary statements	:	<b>Prevention:</b> P261 P264 P273 P280	Avoid breathing mist or vapours. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.
				<b>Response:</b> P333 + P313 P391	If skin irritation or rash occurs: Get medical advice/ attention. Collect spillage.

#### Hazardous components which must be listed on the label:

Propylidynetrimethanol, ethoxylated, esters with acrylic acid Glycerol, propoxylated, esters with acrylic acid phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Propylidynetrimethanol,	28961-43-5	Eye Irrit. 2; H319	>= 25 - < 50
ethoxylated, esters with acrylic		Skin Sens. 1; H317	
acid	500-066-5		
	01-2119489900-30		
2-Propenoic acid, polymer with	144086-02-2	Eye Irrit. 2; H319	>= 25 - < 50
2,2-bis(hydroxymethyl)-1,3-		Aquatic Chronic 2;	
propanediol, methyloxirane and	604-394-0	H411	
oxirane			
Acryliertes harz	Not Assigned	Skin Irrit. 2; H315	>= 10 - < 20

according to Regulation (EC) No. 1907/2006



# **ROTOSTAR UV FPG 77504 Silver**

Version 7.0	Revision Date: 11.07.2023	SDS Number: 102000022521	Print Date: 13.07.2023 Date of first issue: 15.12.2014
			Eye Irrit. 2; H319
alumi	nium powder (stabilised)	7429-90-5	Flam. Sol. 1; H228 >= 1 - < 10
		231-072-3 013-002-00-1 01-211952924	3-45
	erol, propoxylated, esters acrylic acid	52408-84-1 500-114-5	Eye Irrit. 2; H319 >= 1 - < 10 Skin Sens. 1; H317
	yl bis(2,4,6- hylbenzoyl)-phosphine o	01-211948794 162881-26-7 xide 423-340-5 015-189-00-5 01-211948940	Skin Sens. 1; H317 >= 1 - < 2.5 Aquatic Chronic 4; H413

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice :		Move the victim to fresh air.
		Move out of dangerous area. Show this safety data sheet to the doctor in attendance.
If inhaled :		If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact :		Wash off immediately with soap and plenty of water.
		If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact :		Immediately flush eye(s) with plenty of water.
		Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed :	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.



# **ROTOSTAR UV FPG 77504 Silver**

Version	Revision Date:	SDS Number:	Print Date: 13.07.2023
7.0	11.07.2023	102000022521	Date of first issue: 15.12.2014

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks

: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media	:	Dry sand ABC powder Foam
Unsuitable extinguishing media	:	High volume water jet Carbon dioxide (CO2)

#### 5.2 Special hazards arising from the substance or mixture

This information is not available.

5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Evacuate personnel to safe areas. Use personal protective equipment.
6.2 Environmental precautions Environmental precautions	:	The product should not be allowed to enter drains, water courses or the soil.
		Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

according to Regulation (EC) No. 1907/2006



# **ROTOSTAR UV FPG 77504 Silver**

Version 7.0	Revision Date: 11.07.2023	SDS Number: 102000022521	Print Date: 13.07.2023 Date of first issue: 15.12.2014
6.3 Metho	ods and material for o	containment and clea	aning up
Meth	ods for cleaning up	Soak up with ir	al handling equipment. hert absorbent material (e.g. sand, silica gel, iversal binder, sawdust).
		acid binder, un Do not flush wi	nert absorbent material (e.g. sand, silica gel, iversal binder, sawdust). ith water. le, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

7.1 Precautions for s	afe handling	
Advice on safe ha	andling :	Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Advice on protect fire and explosion		Normal measures for preventive fire protection.
Hygiene measure	es :	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for sa	fe storage, inc	luding any incompatibilities
Requirements for areas and contair		Earthing of containers and apparatuses is essential. Reaction with water liberates extremely flammable gas (hydrogen) Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition - No smoking. Keep container closed when not in use.
		Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Further informatic storage condition		Protect from humidity and water.

according to Regulation (EC) No. 1907/2006



# **ROTOSTAR UV FPG 77504 Silver**

Version 7.0	Revision Date: 11.07.2023	SDS Numb 102000022	
Advic	e on common storage	Do not Never a storage Keep a	store near acids. store together with oxidizing and self-igniting products. allow product to get in contact with water during e. way from oxidizing agents, strongly alkaline and y acid materials in order to avoid exothermic reactions.
	er information on ge stability	: No dec	omposition if stored and applied as directed.
7.3 Specific end use(s)			

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
aluminium powder (stabilised)	7429-90-5	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40
		TWA (inhalable dust)	10 mg/m3	GB EH40
	inhalable dus when samplir MDHS14/4 G respirable, the substance ha concentration inhalable dus any dust will b levels. Some must comply particles of a particular part response that distinguishes and 'respirabl material that of available for of to the fraction definitions an contain comp should be cor	t are those fractions of is undertaken in a eneral methods for s pracic and inhalable zardous to health ind in air equal to or great t or 4 mg.m-3 8-hour be subject to COSHH dusts have been ass with the appropriate wide range of sizes. ticle after entry into the it elicits, depend on two size fractions for e'., Inhalable dust appendent that penetrates to the deposition in the resp that penetrates to the d explanatory materia onents that have the nplied with., Where r	ses of these limits, respirable of airborne dust which will be ccordance with the methods ampling and gravimetric ana aerosols., The COSHH defin cludes dust of any kind when eater than 10 mg.m-3 8-hour TWA of respirable dust. This if people are exposed to du signed specific WELs and ex- limits., Most industrial dusts The behaviour, deposition and he human respiratory system the nature and size of the par- r limit-setting purposes termed proximates to the fraction of mouth during breathing and is proximates to the fraction of mouth during breathing and is protecting purposes termed proximates to the fraction of mouth during breathing and is provinates to the	e collected described in ilysis or ition of a present at a TWA of s means that ast above these posure to these contain nd fate of any n, and the body article. HSE ed 'inhalable' airborne is therefore t approximates e lung. Fuller Where dusts a relevant limits ure limit is listed,
	Further inform	nation: For the purpo	ses of these limits, respirable	e dust and

according to Regulation (EC) No. 1907/2006



# **ROTOSTAR UV FPG 77504 Silver**

Version	Revision Date: 11.07.2023	SDS Number:	Print Date: 13.07.2023
7.0		102000022521	Date of first issue: 15.12.2014
	when MDHS respir substa conce inhala any di levels must partic respo disting and 'r mater availa to the definit conta should	sampling is undertake S14/4 General method able, thoracic and inhi- ance hazardous to he- entration in air equal to able dust or 4 mg.m-3 ust will be subject to 0 . Some dusts have be comply with the appro- les of a wide range of ular particle after entry nse that it elicits, depending guishes two size fraction espirable'., Inhalable of ial that enters the nos ble for deposition in the fraction that penetrate tions and explanatory in components that had d be complied with., W	ctions of airborne dust which will be collected en in accordance with the methods described in ds for sampling and gravimetric analysis or alable aerosols., The COSHH definition of a alth includes dust of any kind when present at a or greater than 10 mg.m-3 8-hour TWA of 8-hour TWA of respirable dust. This means that COSHH if people are exposed to dust above these een assigned specific WELs and exposure to these opriate limits., Most industrial dusts contain sizes. The behaviour, deposition and fate of any y into the human respiratory system, and the body end on the nature and size of the particle. HSE ions for limit-setting purposes termed 'inhalable' dust approximates to the fraction of airborne e and mouth during breathing and is therefore he respiratory tract. Respirable dust approximates es to the gas exchange region of the lung. Fuller material are given in MDHS14/4., Where dusts ave their own assigned WEL, all the relevant limits Where no specific short-term exposure limit is listed, g-term exposure limit should be used.

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylidynetrimethan ol, ethoxylated, esters with acrylic acid	Workers	Inhalation	Long-term systemic effects	16.2 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.8 mg/kg
	Consumers	Inhalation	Long-term systemic effects	4.9 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0.48 mg/kg
	Consumers	Oral	Long-term systemic effects	1.39 mg/kg
2-Propenoic acid, polymer with 2,2- bis(hydroxymethyl)- 1,3-propanediol, methyloxirane and oxirane	Workers	Inhalation	Long-term systemic effects	5.87 mg/m3
	Workers	Skin contact	Long-term systemic effects	3.33 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1.45 mg/m3
	Consumers	Skin contact	Long-term systemic effects	1.67 mg/kg
	Consumers	Ingestion	Long-term systemic effects	0.83 mg/kg

according to Regulation (EC) No. 1907/2006



# **ROTOSTAR UV FPG 77504 Silver**

Version Revision Date: 2.0 11.07.2023		: SDS Nu 1020000		Print Date: 13.07.2023 Date of first issue: 15.12.2014		
	nium powder ilised)	Workers	Inhalation	Long-term systemic effects	3.72 mg/m3	
		Workers	Inhalation	Long-term local effects	3.72 mg/m3	
		Consumers	Oral	Long-term systemic effects	3.95 mg/kg	
	erol, oxylated, esters acrylic acid	Workers	Inhalation	Long-term systemic effects	16.22 mg/m3	
		Workers	Dermal	Long-term systemic effects	1.92 mg/kg	
		Consumers	Inhalation	Long-term systemic effects	4.87 mg/m3	
		Consumers	Dermal	Long-term systemic effects	1.15 mg/kg	
		Consumers	Oral	Long-term systemic effects	1.39 mg/kg	
trimet	yl bis(2,4,6- thylbenzoyl)- phine oxide	Workers	Inhalation	Long-term systemic effects	7.84 mg/m3	
		Workers	Dermal	Long-term systemic effects	3.0 mg/kg	
		Consumers	Inhalation	Long-term systemic effects	1.93 mg/m3	
		Consumers	Dermal	Long-term systemic effects	1.5 mg/kg	
		Consumers	Oral	Long-term systemic effects	1.5 mg/kg	
		Workers	Inhalation	Acute systemic effects	7.84 mg/m3	
		Workers	Dermal	Acute systemic effects	3.3 mg/kg	
		Consumers	Inhalation	Acute systemic effects	1.93 mg/m3	
		Consumers	Dermal	Acute systemic effects	1.67 mg/kg	
		Consumers	Oral	Acute systemic effects	0.00167 ppn	

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Soil	0.00644 mg/kg
	Fresh water	0.00195 mg/l
	Fresh water sediment	0.038 mg/kg
	STP	10 mg/l
	Marine water	0.000195 mg/l
	Marine sediment	0.0038 mg/kg
	Intermittent Release	0.00195 mg/l
	Intermittent water release	0.0195 mg/l

according to Regulation (EC) No. 1907/2006



# **ROTOSTAR UV FPG 77504 Silver**

ersion )	Revision Date: 11.07.2023		S Number: 000022521	Print Date: 13.07.2023 Date of first issue: 15.12	.2014
2,2-bi	penoic acid, polymer w is(hydroxymethyl)-1,3- mediol, methyloxirane a ne		Fresh water		0.0079 mg/l
			Marine water		0.00079 mg/l
			Fresh water se	diment	0.119 mg/kg
			Marine sedime	nt	0.0119 mg/kg
			Soil		0.0192 mg/kg
alumi	nium powder (stabilise	d)	Fresh water		0.0749 mg/l
			clarification pla	nt	20 mg/l
Glycerol, propoxylated, esters with acrylic acid		rs	Fresh water		0.0057 mg/l
			Marine water		0.0005 mg/l
			Fresh water se	diment	0.0169 mg/kg
			Marine sedime	nt	0.0017 mg/kg
			STP		10 mg/l
			Soil		0.0011 mg/kg
	yl bis(2,4,6- hylbenzoyl)-phosphine		Fresh water		0.8 µg/l
			Marine water		0.8 µg/l
			STP		1 mg/l
			Fresh water se	diment	0.712 mg/kg
			Marine sedime	nt	0.712 mg/kg
			Soil		20 mg/kg
			Intermittent wa	ter release	0.8 µg/l

### 8.2 Exposure controls

Personal protective equipm	ent	
Eye/face protection	:	Goggles Eye wash bottle with pure water Wear face-shield and protective suit for abnormal processing problems.
Hand protection		
Material	:	Solvent-resistant gloves (butyl-rubber)
Remarks	:	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective



# **ROTOSTAR UV FPG 77504 Silver**

Version 7.0	Revision Date: 11.07.2023	SDS Number: 102000022521	Print Date: 13.07.2023 Date of first issue: 15.12.2014		
		gloves.			
Skin and body protection		: Choose body protection according to the amount and concentration of the dangerous substance at the work place.			
Respiratory protection		: Use suitable breathing protection if workplace concentration requires.			

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	silver
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	Not applicable
	:	> 100 °C
Flammability	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 100 °C
Auto-ignition temperature	:	Not relevant
Decomposition temperature	:	No data available
рН	:	6 - 8 Concentration: 100 %
Viscosity Viscosity, kinematic	:	> 21 mm2/s (40 °C)
Solubility(ies) Water solubility Solubility in other solvents	:	insoluble No data available
Partition coefficient: n-	:	No data available
octanol/water Vapour pressure	:	No data available

according to Regulation (EC) No. 1907/2006



# **ROTOSTAR UV FPG 77504 Silver**

Version 7.0	Revision Date: 11.07.2023	SDS Numbe 102000022		14
Relat	ive density	: No data	available	
Density		: 1.1 g/ci	13	
Relat	ive vapour density	: No data	available	
Pa	article Size Distribution	: No data	available	
• • • • • •	<b>information</b> ata available			

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Contact with acids and alkalis may release hydrogen.
		Stable under recommended storage conditions.
10.4 Conditions to avoid		
Conditions to avoid	:	Do not allow evaporation to dryness.
		No data available
10.5 Incompatible materials		
Materials to avoid	:	Acids Bases Oxidizing agents

#### **10.6 Hazardous decomposition products**

This information is not available.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### **Components:**

### aluminium powder (stabilised):

according to Regulation (EC) No. 1907/2006

# **ROTOSTAR UV FPG 77504 Silver**



rsion )	Revision Date: 11.07.2023	SDS Number: 10200002252	
Acute	inhalation toxicity	: LC50 (Rat) Exposure t Test atmos	
phen	yl bis(2,4,6-trimethyl	benzoyl)-phosph	ine oxide:
Acute	oral toxicity		ı: > 2,000 mg/kg ECD Test Guideline 401
Acute	dermal toxicity		: > 2,000 mg/kg ECD Test Guideline 402
Skin	corrosion/irritation		
Cause	es skin irritation.		
<u>Produ</u>			
Rema	ırks	: May cause	skin irritation and/or dermatitis.
<u>Produ</u> Rema		: May cause	irreversible eye damage.
Rema		: May cause	irreversible eye damage.
Rema <u>Com</u> r	oonents:		
Rema <u>Com</u> r	urks ponents: ylidynetrimethanol, e		rs with acrylic acid:
Rema <u>Comp</u> Propy Resul	urks ponents: ylidynetrimethanol, e t penoic acid, polyme	ethoxylated, ester : Irritating to	r <b>s with acrylic acid:</b> eyes.
Rema <u>Comp</u> Propy Resul 2-Pro	urks <u>ponents:</u> /lidynetrimethanol, e t penoic acid, polyme ne:	ethoxylated, ester : Irritating to	rs with acrylic acid: eyes. droxymethyl)-1,3-propanediol, methyloxirane ar
Rema Comr Propy Resul 2-Pro oxiran Resul	urks <u>ponents:</u> /lidynetrimethanol, e t penoic acid, polyme ne:	ethoxylated, ester : Irritating to er with 2,2-bis(hyd : Eye irritatio	rs with acrylic acid: eyes. droxymethyl)-1,3-propanediol, methyloxirane ar
Rema Comr Propy Resul 2-Pro oxiran Resul	urks <u>ponents:</u> ylidynetrimethanol, e t penoic acid, polyme ne: t erol, propoxylated, e	ethoxylated, ester : Irritating to er with 2,2-bis(hyd : Eye irritatio	rs with acrylic acid: eyes. droxymethyl)-1,3-propanediol, methyloxirane an on acid:
Rema Comp Propy Resul 2-Pro oxiran Resul Glyce Resul	urks <u>ponents:</u> ylidynetrimethanol, e t penoic acid, polyme ne: t erol, propoxylated, e	ethoxylated, ester : Irritating to er with 2,2-bis(hyd : Eye irritation sters with acrylic : Eye irritation	rs with acrylic acid: eyes. droxymethyl)-1,3-propanediol, methyloxirane ar
Rema Comp Propy Resul 2-Pro oxirat Resul Glyce Resul Resul Skin :	urks ponents: vlidynetrimethanol, e t penoic acid, polyme ne: t erol, propoxylated, e t	ethoxylated, ester : Irritating to er with 2,2-bis(hyd : Eye irritation sters with acrylic : Eye irritation	rs with acrylic acid: eyes. droxymethyl)-1,3-propanediol, methyloxirane ar
Rema Comp Propy Resul C-Pro oxiral Resul Glyce Resul Resul Skin s May o Respi	onents: ponents: ylidynetrimethanol, e t penoic acid, polyme ne: t erol, propoxylated, e t iratory or skin sensi sensitisation	ethoxylated, ester : Irritating to r with 2,2-bis(hyd : Eye irritation sters with acrylic : Eye irritation tisation reaction.	rs with acrylic acid: eyes. droxymethyl)-1,3-propanediol, methyloxirane ar on acid: on
Rema Comp Propy Resul C-Pro oxiral Resul Glyce Resul Resul Skin s May o Respi	urks <u>ponents:</u> ylidynetrimethanol, e t penoic acid, polyme ne: t erol, propoxylated, e t iratory or skin sensi sensitisation cause an allergic skin iratory sensitisation assified based on ava	ethoxylated, ester : Irritating to r with 2,2-bis(hyd : Eye irritation sters with acrylic : Eye irritation tisation reaction.	rs with acrylic acid: eyes. droxymethyl)-1,3-propanediol, methyloxirane ar on acid: on

according to Regulation (EC) No. 1907/2006



# **ROTOSTAR UV FPG 77504 Silver**

Version 7.0	Revision Date: 11.07.2023	SDS Number: 102000022521	Print Date: 13.07.2023 Date of first issue: 15.12.2014
Com	ponents:		
Prop	ylidynetrimethanol,	ethoxylated, esters w	vith acrylic acid:
Resu	lt	: May cause ser	nsitisation by skin contact.
Rema	arks	: Causes sensit May cause ser contact.	isation. nsitisation of susceptible persons by skin
Glyce	erol, propoxylated,	esters with acrylic aci	id:
Resu	lt	: May cause ser	nsitisation by skin contact.
phen	yl bis(2,4,6-trimethy	/lbenzoyl)-phosphine	oxide:
Resu		• • • •	nsitisation by skin contact.
	n <b>cell mutagenicity</b> lassified based on av	vailable information.	
<b>Carcinogenicity</b> Not classified based on available information. <b>Reproductive toxicity</b> Not classified based on available information.			
	<b>T - single exposure</b> lassified based on av	vailable information.	
	<b>F - repeated exposu</b> lassified based on av		
-	ration toxicity	vailable information.	
11.2 Infor	mation on other ha	zards	
Furth	ner information		
<u>Prod</u>	uct:		
	arks	: No data availa	blo

according to Regulation (EC) No. 1907/2006



# **ROTOSTAR UV FPG 77504 Silver**

Version	Revision Date:	SDS Number:	Print Date: 13.07.2023
7.0	11.07.2023	102000022521	Date of first issue: 15.12.2014

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

2-Propenoic acid, polymer with 2,2-bis(hydroxymethyl)-1,3-propanediol, methyloxirane and oxirane:

#### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

#### phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide:

#### **Ecotoxicology Assessment** Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

#### **Components:**

#### Glycerol, propoxylated, esters with acrylic acid:

Partition coefficient: n-	:	log Pow: 2.52 (23 °C)
octanol/water		Method: OECD Test Guideline 107

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

#### Product:

Additional ecological	:	No data available
information		

according to Regulation (EC) No. 1907/2006



# **ROTOSTAR UV FPG 77504 Silver**

Version 7.0	Revision Date: 11.07.2023		DS Number: 02000022521	Print Date: 13.07.2023 Date of first issue: 15.12.2014
Con	nponents:			
	ropenoic acid, polymer ane:	with	n 2,2-bis(hydroxyn	nethyl)-1,3-propanediol, methyloxirane and
	itional ecological rmation	:	: An environmental hazard cannot be excluded in the ever unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.	
Gly	cerol, propoxylated, est	ers	with acrylic acid:	
	itional ecological rmation	:	No data available	
SECTIC	N 13: Disposal consi	der	ations	
Euro	opean Waste Catalogue	:	08 03 12 - waste	ink containing dangerous substances
13.1 Wa	ste treatment methods			
Prod	duct	:	Do not contamina chemical or used	f waste into sewer. ate ponds, waterways or ditches with container. d waste management company.
Con	taminated packaging	:	Empty remaining Dispose of as und Do not re-use em	used product.

### **SECTION 14: Transport information**

14.1 UN number or ID number		
ADR	:	UN 3082
IMDG	:	UN 3082
ΙΑΤΑ	:	UN 3082
14.2 UN proper shipping name		
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkoxylated Pentaerythritol Tetraacrylate)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkoxylated Pentaerythritol Tetraacrylate)
ΙΑΤΑ	:	Environmentally hazardous substance, liquid, n.o.s. (Alkoxylated Pentaerythritol Tetraacrylate)
14.3 Transport hazard class(es)		

A member of **C ALTANA** 

according to Regulation (EC) No. 1907/2006

# **ROTOSTAR UV FPG 77504 Silver**



Versio 7.0	n Revision Date: 11.07.2023	-	DS Number: 2000022521	Print Date: 13.07.2023 Date of first issue: 15.12.2014
			Class	Subsidiary risks
Δ	DR		9	
	/DG		9	
		:	9	
14.4 P	acking group			
Pi C H La	<b>DR</b> acking group lassification Code azard Identification Number abels unnel restriction code		III M6 90 9 (-)	
Pa La	<b>IDG</b> acking group abels mS Code	:	III 9 F-A, S-F	
Pa ai Pa Pa	<b>ATA (Cargo)</b> acking instruction (cargo ircraft) acking instruction (LQ) acking group abels		964 Y964 III 9	
Pi (p Pi Pi	ATA (Passenger) acking instruction bassenger aircraft) acking instruction (LQ) acking group abels	:	964 Y964 III 9	
14.5 E	nvironmental hazards			
	<b>DR</b> nvironmentally hazardous	:	yes	
	<b>IDG</b> larine pollutant	:	yes	
14.6 S	pecial precautions for use	er		
R	emarks	:	packagings conta	gings <=5L / 5 kg, or combination aining inner packagings <= 5L / 5 kg net per SV375 ADR, 2.10.2.7 IMDG-Code, A197 be applied.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



# **ROTOSTAR UV FPG 77504 Silver**

Version	Revision Date:	SDS Number:	Print Date: 13.07.2023
7.0	11.07.2023	102000022521	Date of first issue: 15.12.2014

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3 Propylidynetrimethanol, ethoxylated, esters with acrylic acid (Number on list 3) 2-Propenoic acid, polymer with 2,2- bis(hydroxymethyl)-1,3-propanediol, methyloxirane and oxirane (Number on list 3) aluminium powder (stabilised) (Number on list 40) Glycerol, propoxylated, esters with acrylic acid (Number on list 3)
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

#### 15.2 Chemical safety assessment

No data available

### **SECTION 16: Other information**

Full text of H-Statements				
H228	: Flammable solid.			
H315	: Causes skin irritation.			
H317	: May cause an allergic skin reaction.			
H319	: Causes serious eye irritation.			
H411	: Toxic to aquatic life with long lasting effects.			
H413	: May cause long lasting harmful effects to aquatic life.			
Full text of other approviations				

### Full text of other abbreviations

according to Regulation (EC) No. 1907/2006



# **ROTOSTAR UV FPG 77504 Silver**

Version	Revision Date:	SE	S Number:	Print Date: 13.07.2023
7.0	11.07.2023	10	2000022521	Date of first issue: 15.12.2014
Eye Irr Flam. Skin Ir Skin S GB E <del>I</del>	Sol. rit. ens. I40	:	Eye irritation Flammable sol Skin irritation Skin sensitisati UK. EH40 WEI	on Workplace Exposure Limits
GB EH40 / TWA		:	Long-term exp	osure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Classification of th	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method



# ROTOSTAR UV FPG 77504 Silver

Version	Revision Date:	SDS Number:	Print Date: 13.07.2023
7.0	11.07.2023	102000022521	Date of first issue: 15.12.2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN