according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 40105 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 16.02.2023
2.0	14.02.2023	102000034310	Date of first issue: 09.06.2021

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product	identifier
Trade na	ame

: MASTERSAFE Gold 40105 Rich Gold

Product code : 026756LG0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	
Substance/Mixture	

: Colouring agents, pigments

#### 1.3 Details of the supplier of the safety data sheet

Company	: ECKART GmbH Guentersthal 4 91235 Hartenstein	
Telephone	: +499152770	
Telefax	: +499152777008	
E-mail address of person responsible for the SDS	: msds.eckart@altana.com	1

#### 1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 40105 Rich Gold

Version 2.0	Revision Date: 14.02.2023		SDS Number: 02000034310	Print Date: 16.02.2023 Date of first issue: 09.06.2021
2.2 Label	elements			
	Iling (REGULATION of pictograms	(EC) :	No 1272/2008)	
Signa	l word	:	Warning	
Hazai	rd statements	:	H302 H319 H410	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Preca	autionary statements	:	<b>Prevention:</b> P264 P273 P280 <b>Response:</b> P337 + P313 P391 <b>Disposal:</b> P501	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection. If eye irritation persists: Get medical advice/ attention. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.

#### Hazardous components which must be listed on the label:

Copper

#### 2.3 Other hazards

#### **Combustible Solids**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302	>= 50 - <= 100
		Eye Irrit. 2; H319	
	231-159-6	Aquatic Acute 1;	
	01-2119480154-42	H400	

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 40105 Rich Gold

Version 2.0	Revision Date: 14.02.2023	SDS Number: 102000034310	Print Date: 16.02.2023 Date of first issue: 09.06.2021	
			Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
	oowder — zinc dust ilised)	7440-66-6 231-175-3 030-001-01-9 01-2119467174	Aquatic Acute 1; >= 25 - < H400 Aquatic Chronic 1; H410 4-37	< 50

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	: Move the victim to fresh air.			
	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.			
If inhaled	<ul> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>			
In case of skin contact	: Wash off immediately with soap and plenty of water.			
In case of eye contact	<ul> <li>Immediately flush eye(s) with plenty of water.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>			
If swallowed	<ul> <li>Induce vomiting immediately and call a physician.</li> <li>Keep respiratory tract clear.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If symptoms persist, call a physician.</li> </ul>			
4.2 Most important symptoms and effects, both acute and delayed				

Risks	:	Harmful if swallowed.
		Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 40105 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 16.02.2023
2.0	14.02.2023	102000034310	Date of first issue: 09.06.2021

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media	:	Special powder against metal fire Dry sand ABC powder
Unsuitable extinguishing media	:	Water High volume water jet Carbon dioxide (CO2)

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during	:	Do not allow run-off from fire fighting to enter drains or water
firefighting		courses.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires.
		Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### **SECTION 6:** Accidental release measures

6.1 Personal precautions, protective	e equipment and emergency procedures
Personal precautions :	Use personal protective equipment. Evacuate personnel to safe areas. Use personal protective equipment. Avoid dust formation. Avoid breathing dust.
6.2 Environmental precautions	
Environmental precautions :	The product should not be allowed to enter drains, water courses or the soil.
	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 40105 Rich Gold

Version 2.0	Revision Date: 14.02.2023	SDS Number: 102000034310	Print Date: 16.02.2023 Date of first issue: 09.06.2021
	ods and material for c		
Meth	ods for cleaning up	: Use mechani	cal handling equipment.
		Pick up and t	ransfer to properly labelled containers.
		Keep in suital	ble, closed containers for disposal.
For perso	ence to other sections	on 8.	
SECTIO	N 7: Handling and st	orage	
	utions for safe handli	•	
Advid	e on safe handling		g dust. ekeeping should be instituted to ensure that accumulate on surfaces.
		Do not breath Avoid contact For personal Smoking, eat application ar	on of respirable particles. e vapours/dust. with skin and eyes. protection see section 8. ing and drinking should be prohibited in the ea. use water in accordance with local and national
	e on protection against nd explosion	: Normal meas	ures for preventive fire protection.
			mation. Provide appropriate exhaust ventilation ere dust is formed.
Hygie	ene measures	hands before	strial hygiene practice. Do not smoke. Wash breaks and at the end of workday. Keep away d drink. Keep away from tobacco products.
			lo not eat or drink. When using do not smoke. before breaks and at the end of workday.
7.2 Cond	tions for safe storage	, including any inc	ompatibilities
	irements for storage and containers		allations / working materials must comply with ical safety standards.
		store near co closed in a co	om sources of ignition - No smoking. Do not mbustible materials. Keep containers tightly ool, well-ventilated place. To maintain product t store in heat or direct sunlight.
		Kaan aantain	er tightly closed in a dry and well-ventilated

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 40105 Rich Gold

Vers 2.0	sion	Revision Date: 14.02.2023		DS Number: 2000034310	Print Date: 16.02.2023 Date of first issue: 09.06.2021
				resealed and kep	which are opened must be carefully t upright to prevent leakage. Electrical king materials must comply with the ety standards.
		information on conditions	:	Protect from hum	idity and water.
	Advice	on common storage	:	strongly acid mat	oxidizing agents, strongly alkaline and erials in order to avoid exothermic reactions. ther with oxidizing and self-igniting products.
	Dampn	less	:	Keep in a dry, coo	ol and well-ventilated place.
		information on e stability	:	No decomposition	n if stored and applied as directed.

#### 7.3 Specific end use(s)

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3 (Copper)	GB EH40
		TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40
		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40
silicon dioxide	7631-86-9	TWA (inhalable dust)	6 mg/m3 (Silica)	GB EH40
	Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain			

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 40105 Rich Gold

Version 2.0	Revision Date: 14.02.2023	SDS Number: 102000034310	Print Date: 16.02.2023 Date of first issue: 09.00	6.2021
	particu respon disting and 're materi availal to the definiti contai should	alar particle after entry hase that it elicits, depending puishes two size fraction espirable'., Inhalable depending al that enters the nose of deposition in the fraction that penetrate ions and explanatory r in components that have be complied with., W e three times the long TWA (Respire		y system, and the body of the particle. HSE as termed 'inhalable' action of airborne ng and is therefore ble dust approximates on of the lung. Fuller S14/4., Where dusts a, all the relevant limits a exposure limit is listed,
	inhala when a MDHS respira substa concer inhala any du levels. must o particle particle particle particle respor disting and 're materi availal to the definit contai should	ble dust are those frac sampling is undertake able, thoracic and inhat ance hazardous to heat intration in air equal to ble dust or 4 mg.m-3 8 ust will be subject to Cu Some dusts have bee comply with the approp es of a wide range of sular particle after entry hase that it elicits, depend usines two size fraction espirable'., Inhalable d al that enters the nose ble for deposition in the fraction that penetrate ions and explanatory r in components that have ble complied with., W	(Silica) purposes of these limits, re- tions of airborne dust which n in accordance with the m s for sampling and gravime lable aerosols., The COSH lth includes dust of any kin or greater than 10 mg.m-3 B-hour TWA of respirable du OSHH if people are expose en assigned specific WELs oriate limits., Most industria sizes. The behaviour, depo into the human respiratory nd on the nature and size of ons for limit-setting purpose ust approximates to the fra e and mouth during breathing e respiratory tract. Respiral s to the gas exchange reginaterial are given in MDHS we their own assigned WEL here no specific short-term term exposure limit should	h will be collected hethods described in etric analysis or H definition of a ad when present at a 8-hour TWA of ust. This means that ed to dust above these and exposure to the exposure to the and exposure to the exposu

Substance name	End Use	Exposure routes	Potential health effects	Value
Copper	Workers	Skin contact	Long-term systemic effects	137 mg/kg
	Workers	Skin contact	Acute systemic effects	273 mg/kg
	Workers	Inhalation	Long-term systemic effects	20 mg/m3
	Consumers	Inhalation	Long-term local effects	1 mg/m3
	Consumers	Inhalation	Acute local effects	1 mg/m3
	Consumers	Skin contact	Long-term systemic	137 mg/kg

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 40105 Rich Gold

Vers 2.0	sion Revision I 14.02.202			nt Date: 16.02.2023 te of first issue: 09.06.2021	
				effects	070 //
		Consumers	Skin contact	Acute systemic effects	273 mg/kg
		Consumers	Ingestion	Long-term systemic effects	0.041 mg/kg
	zinc powder — zin dust (stabilised)	c Workers	Inhalation	Long-term systemic effects	5 mg/m3
		Workers	Skin contact	Long-term systemic effects	83 mg/kg
		Consumers	Inhalation	Long-term systemic effects	2.5 mg/m3
		Consumers	Skin contact	Long-term systemic effects	83 mg/kg
		Consumers	Ingestion	Long-term systemic effects	0.83 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Copper	Fresh water	0.0078 mg/l
	Marine water	0.0052 mg/l
	STP	0.230 mg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Soil	65 mg/kg
zinc powder — zinc dust (stabilised)	Fresh water	0.0206 mg/l
	Marine water	0.0061 mg/l
	STP	0.100 mg/l
	Fresh water sediment	235.6 mg/kg
	Marine sediment	121 mg/kg
	Soil	35.6 mg/kg

#### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection	:	Safety glasses
		Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Hand protection Material	:	Leather
Remarks	:	Leather gloves The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed. Recommended preventive skin protection

according to Regulation (EC) No. 1907/2006



# **MASTERSAFE Gold 40105 Rich Gold**

Version 2.0	Revision Date: 14.02.2023	SDS Number: 102000034310	Print Date: 16.02.2023 Date of first issue: 09.06.2021				
		•	or a specific workplace should be discussed ers of the protective gloves.				
Skin	and body protection	: Long sleeved clothing Safety shoes					
		Choose body p	s protective suit rotection according to the amount and f the dangerous substance at the work place.				
Resp	iratory protection	: Use suitable br requires. Respirator with P1 filter	eathing protection if workplace concentration a dust filter				

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	pellets
Colour	:	gold
Odour	:	odourless
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	Not relevant
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)

according to Regulation (EC) No. 1907/2006

# **C**ECKART

# MASTERSAFE Gold 40105 Rich Gold

Versi 2.0	ion	Revision Date: 14.02.2023		S Number: 2000034310	Print Date: 16.02.2023 Date of first issue: 09.06.2021
	Visc	osity, kinematic	:	No data available	
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Solu	bility in other solvents	:	No data available	)
	Partition octanol	n coefficient: n- /water	:	No data available	9
	Vapour	pressure	:	No data available	)
	Relative	e density	:	No data available	)
	Density		:	No data available	)
	Relative	e vapour density	:	No data available	)
	Part	icle Size Distribution	:		

#### 9.2 Other information

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	<ul> <li>Stable under recommended storage conditions.</li> <li>No hazards to be specially mentioned.</li> <li>No decomposition if stored and applied as directed.</li> </ul>
	Dust may form explosive mixture in air.

### 10.4 Conditions to avoid

Conditions to avoid

: No data available

No data available

#### 10.5 Incompatible materials

#### **10.6 Hazardous decomposition products**

This information is not available.

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 40105 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 16.02.2023
2.0	14.02.2023	102000034310	Date of first issue: 09.06.2021

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.		
Product:		
Acute oral toxicity	:	Acute toxicity estimate: 820.74 mg/kg Method: Calculation method
Components:		
Copper:		
Acute oral toxicity	:	Assessment: The component/mixture is moderately toxic after single ingestion.
zinc powder — zinc dust (s	stabi	lised):
Acute oral toxicity	:	(Rat): > 2,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 5.41 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Skin corrosion/irritation		
Not classified based on avail	lable	information.
Product:		
Remarks	:	May cause skin irritation in susceptible persons.
Components:		
Copper:		
Remarks	:	May cause skin irritation in susceptible persons.
Serious eye damage/eye ir	ritati	on
Causes serious eye irritation	ı.	
Product:		
Remarks	:	May cause irreversible eye damage.
Components:		
Copper:		
Result	:	Eye irritation

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 40105 Rich Gold

Version 2.0	Revision Date: 14.02.2023	SDS Number: 102000034310	Print Date: 16.02.2023 Date of first issue: 09.06.2021							
Resp	iratory or skin sensi	tisation								
-	Skin sensitisation Not classified based on available information.									
	Respiratory sensitisation Not classified based on available information.									
	cell mutagenicity assified based on ava	ailable information.								
	nogenicity assified based on ava	ailable information.								
-	oductive toxicity assified based on ava	ailable information.								
	- single exposure assified based on ava	ailable information.								
	- repeated exposure assified based on ava									
-	ation toxicity assified based on ava	ailable information.								
11.2 Infor	mation on other haza	ards								
Furth	er information									
<u>Prod</u> Rema		: No data availat	ble							
<u>Com</u>	oonents:									
Сорр	er:									
Rema	ırks	: No data availat	ble							
zinc	oowder — zinc dust	(stabilised):								
Rema	arks	: No data availat	ble							

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

#### Copper:

M-Factor (Short-term (acute) : 10 aquatic hazard)

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 40105 Rich Gold

Version 2.0	Revision Date: 14.02.2023		DS Number: 02000034310	Print Date: 16.02.2023 Date of first issue: 09.06.2021
	ctor (Long-term nic) aquatic hazard)	:	10	
Ecoto	oxicology Assessment	t		
	aquatic toxicity	:	Very toxic to aqu	atic life.
Chror	nic aquatic toxicity	:	Very toxic to aqu	atic life with long lasting effects.
zinc	powder — zinc dust (s	tabi	lised):	
	oxicology Assessmen	t		
Acute	aquatic toxicity	:	Very toxic to aqu	atic life.
Chror	nic aquatic toxicity	:	Very toxic to aqu	atic life with long lasting effects.
	i <b>stence and degradabi</b> ata available	lity		
	ccumulative potential ata available			
	<b>lity in soil</b> ata available			
12.5 Resu	lts of PBT and vPvB a	sse	ssment	
Prode Asses	uct: ssment	:	to be either persi	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
	ocrine disrupting properties of the second s	ertie	25	
12.7 Othe	r adverse effects			
	u <u>ct:</u> Ional ecological nation	:	unprofessional h	I hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.
Com	oonents:			
	er: Ional ecological nation	:	unprofessional h	I hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 40105 Rich Gold

Versio 2.0		Revision Date: 4.02.2023		DS Number: 2000034310	Print Date: 16.02.2023 Date of first issue: 09.06.2021			
	-	der — zinc dust (s						
	Additional ecological : information		An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.					
SEC	SECTION 13: Disposal considerations							
	•	n Waste Catalogue n Waste Catalogue			rrous metal dust and particles particulates and dust (including ball-mill dust) lous substances			
13.1 V	Waste tr	eatment methods						
F	Product		:	courses or the so Do not contamina chemical or used	ite ponds, waterways or ditches with			
C	Contamir	nated packaging	:	Empty remaining Dispose of as und Do not re-use em	used product.			

### **SECTION 14: Transport information**

14.1 UN number or ID number				
ADR	:	UN 3077		
IMDG	:	UN 3077		
ΙΑΤΑ	:	UN 3077		
14.2 UN proper shipping name				
ADR	:	ENVIRONMENTALL N.O.S. (Copper metal powde	Y HAZARDOUS SUBSTANCE, SOLID, er)	
IMDG	:	ENVIRONMENTALL N.O.S. (Copper metal powde	Y HAZARDOUS SUBSTANCE, SOLID, er)	
ΙΑΤΑ	:	Environmentally hazardous substance, solid, n.o.s. (Copper metal powder)		
14.3 Transport hazard class(es)				
		Class	Subsidiary risks	
ADR	:	9		
IMDG	:	9		

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 40105 Rich Gold

Version 2.0	Revision Date: 14.02.2023		DS Number: 2000034310	Print Date: 16.02.2023 Date of first issue: 09.06.2021
ΙΑΤΑ		:	9	
14.4 Pack	king group			
ADR				
	ing group	:	111	
	sification Code	÷	M7	
	rd Identification Number	:	90	
Labe		:	9	
Tunn	el restriction code	:	(-)	
IMDO	3			
	ing group	:		
Labe		:	9	
	Code	:	F-A, S-F	
Rema	arks	:	salts	egation group 7 - Heavy metals and their
	(Cargo)			
aircra		:	956	
	ing instruction (LQ)	:	Y956	
	ing group	:		
Labe	ls	:	9	
ΙΑΤΑ	(Passenger)			
	ing instruction	:	956	
	senger aircraft)			
	ing instruction (LQ)	:	Y956	
	ing group	÷		
Labe	-	·	9	
14.5 Envi	ronmental hazards			
ADR				
Envir	onmentally hazardous	:	yes	
IMDO	3			
	ne pollutant	:	yes	
14.6 Spec	ial precautions for use	r		
Rema	•	:	packagings conta	gings <=5L / 5 kg, or combination aining inner packagings <= 5L / 5 kg net per SV375 ADR, 2.10.2.7 IMDG-Code, A197 be applied.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006



# MASTERSAFE Gold 40105 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 16.02.2023
2.0	14.02.2023	102000034310	Date of first issue: 09.06.2021

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

#### 15.2 Chemical safety assessment

No data available

#### **SECTION 16: Other information**

Full text of H-Statements					
H302 H319 H400	:	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life.			
H410	:	Very toxic to aquatic life with long lasting effects.			
Full text of other abbreviations					
Acute Tox. Aquatic Acute Aquatic Chronic Eye Irrit. GB EH40 GB EH40 / TWA GB EH40 / STEL	· · · · · · · · · · · · · · · · · · ·	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Eye irritation UK. EH40 WEL - Workplace Exposure Limits Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period)			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



## MASTERSAFE Gold 40105 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 16.02.2023
2.0	14.02.2023	102000034310	Date of first issue: 09.06.2021

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

#### Classification of the mixture:

Classification of the m	Classification procedure:	
Acute Tox. 4	H302	Calculation method
Eye Irrit. 2	H319	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN