

Version	Revision Date:	SDS Number:	Print Date: 28.02.2023
7.0	27.02.2023	102000025967	Date of first issue: 12.05.2017

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Trade name	:	METALSTAR Supergloss 07 2002 Rich Pale Gold
Product code	:	076419RN0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colorant; Printing ink related material; Printing ink, Colouring
Substance/Mixture		agents, dyes

#### 1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

#### **1.4 Emergency telephone number**

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Acute toxicity, Category 4	H302: Harmful if swallowed.				
Eye irritation, Category 2	H319: Causes serious eye irritation.				
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.				
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.				



## METALSTAR Supergloss 07 2002 Rich Pale Gold

Version 7.0	Revision Date: 27.02.2023	-	SDS Number: 02000025967	Print Date: 28.02.2023 Date of first issue: 12.05.2017
2.2 Label	elements			
	Iling (REGULATION ( rd pictograms	( <b>EC)</b> :	No 1272/2008)	*
Signa	al word	:	Warning	
Haza	rd statements	:	H302 H319 H410	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Preca	autionary statements	:	<b>Prevention:</b> P264 P273 P280 <b>Response:</b> P337 + P313 P391 <b>Disposal:</b> P501	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection. If eye irritation persists: Get medical advice/ attention. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.

#### Hazardous components which must be listed on the label:

Copper

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302	>= 25 - < 50
		Eye Irrit. 2; H319	
	231-159-6	Aquatic Acute 1;	
	01-2119480154-42	H400	

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



# METALSTAR Supergloss 07 2002 Rich Pale Gold

	27.02.2023 1020	000025967 Date	e of first issue: 12.05.2017	7
			Aquatic Chronic 1; H410	
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
hydro	ates (petroleum), treated middle; Gasoil — ecified	64742-46-7 265-148-2 649-221-00-X	Asp. Tox. 1; H304 EUH066	>= 10 - <
(stabi		7440-66-6 231-175-3 030-001-01-9 01-2119467174-37	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2.5 - <
Petro	leum resins	64742-16-1 265-116-8	Aquatic Chronic 4; H413	>= 2.5 - <
	propyl-2,2- hyltrimethylene diisobutyrate	6846-50-0 229-934-9 01-2119451093-47	Repr. 2; H361d Aquatic Chronic 3; H412	>= 1 - < 2
octad	ecylamine	124-30-1 204-695-3 612-282-00-8 01-2119473804-32	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT RE 2; H373 (Liver, Gastrointestinal tract, Immune system) Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxioity); 10	>= 0.25 -
amine	es, hydrogenated tallow alkyl	61788-45-2 (90640-32-7)	aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10 Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 0.025 0.1
		262-976-6 612-284-00-9	STOT RE 2; H373 (Liver, Gastrointestinal tract, Immune system) Asp. Tox. 1; H304	



## METALSTAR Supergloss 07 2002 Rich Pale Gold

Version	Revision Date: 27.02.2023	SDS Number:	Print Date: 28.02.2023
7.0		102000025967	Date of first issue: 12.05.2017
			Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures General advice : Move the victim to fresh air. Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. If inhaled Remove to fresh air. : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. In case of skin contact : Wash off immediately with soap and plenty of water. In case of eye contact : Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Induce vomiting immediately and call a physician. : Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks	:	Harmful if swallowed.
		Causes serious eye irritation.

## 4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.



Version	Revision Date:	SDS Number:	Print Date: 28.02.2023
7.0	27.02.2023	102000025967	Date of first issue: 12.05.2017

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Special powder against metal fire Dry sand ABC powder
Unsuitable extinguishing media	:	Water High volume water jet Carbon dioxide (CO2)
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires.
		Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **SECTION 6:** Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment.
6.2 Environmental precautions	
Environmental precautions	The product should not be allowed to enter drains, water courses or the soil.
	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.



Version	Revision Date:	SDS Number:	Print Date: 28.02.2023
7.0	27.02.2023	102000025967	Date of first issue: 12.05.2017

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Use mechanical handling equipment.
	Pick up and transfer to properly labelled containers. Do not flush with water. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling :	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
	Advice on protection against : fire and explosion	Keep away from heat and sources of ignition. No smoking.
		Normal measures for preventive fire protection.
	Hygiene measures :	General industrial hygiene practice.
		When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 0	Conditions for safe storage, inc	luding any incompatibilities
	Requirements for storage : areas and containers	Keep away from sources of ignition - No smoking. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.

Keep container tightly closed in a dry and well-ventilated



Version 7.0	Revision Date: 27.02.2023		DS Number: 02000025967	Print Date: 28.02.2023 Date of first issue: 12.05.2017
			resealed and kep precautions. Elec	s which are opened must be carefully of upright to prevent leakage. Observe label strical installations / working materials must echnological safety standards.
	her information on age conditions	:	Protect from hum	idity and water.
Adv	ice on common storage	:	strongly acid mat	oxidizing agents, strongly alkaline and erials in order to avoid exothermic reactions. ther with oxidizing and self-igniting products.
Dan	npness	:	Keep in a dry, co	ol and well-ventilated place.
	her information on age stability	:	No decomposition	n if stored and applied as directed.

### 7.3 Specific end use(s)

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3 (Copper)	GB EH40
		TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40
		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Copper	Workers	Skin contact	Long-term systemic effects	137 mg/kg
	Workers	Skin contact	Acute systemic effects	273 mg/kg
	Workers	Inhalation	Long-term systemic effects	20 mg/m3
	Consumers	Inhalation	Long-term local effects	1 mg/m3

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## METALSTAR Supergloss 07 2002 Rich Pale Gold

	ision Date: 2.2023	SDS Nui 1020000		t Date: 28.02.2023 of first issue: 12.05.2017	
		Consumers	Inhalation	Acute local effects	1 mg/m3
		Consumers	Skin contact	Long-term systemic effects	137 mg/kg
		Consumers	Skin contact	Acute systemic effects	273 mg/kg
		Consumers	Ingestion	Long-term systemic effects	0.041 mg/kg
zinc powder dust (stabilis		Workers	Inhalation	Long-term systemic effects	5 mg/m3
		Workers	Skin contact	Long-term systemic effects	83 mg/kg
		Consumers	Inhalation	Long-term systemic effects	2.5 mg/m3
		Consumers	Skin contact	Long-term systemic effects	83 mg/kg
		Consumers	Ingestion	Long-term systemic effects	0.83 mg/kg
1-isopropyl-2 dimethyltrime diisobutyrate	ethylene	Workers	Skin contact	Long-term systemic effects	5.00 mg/kg
		Workers	Inhalation	Long-term systemic effects	17.62 mg/m
		Consumers	Ingestion	Long-term systemic effects	5.00 mg/kg
		Consumers	Skin contact	Long-term systemic effects	5.00 mg/kg
		Consumers	Inhalation	Long-term systemic effects	4.35 mg/m3
amines, hydi tallow alkyl	rogenated	Workers	Inhalation	Long-term systemic effects	0.38 mg/m3
		Workers	Inhalation	Long-term local effects	1 mg/m3
		Workers	Inhalation	Acute local effects	1 mg/m3
		Consumers	Inhalation	Long-term systemic effects	0.035 mg/m
		Consumers	Oral	Long-term systemic effects	0.04 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Copper	Fresh water	0.0078 mg/l
	Marine water	0.0052 mg/l
	STP	0.230 mg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Soil	65 mg/kg
zinc powder — zinc dust (stabilised)	Fresh water	0.0206 mg/l
	Marine water	0.0061 mg/l



## METALSTAR Supergloss 07 2002 Rich Pale Gold

Version 7.0	Revision Date: 27.02.2023	SDS Number: 102000025967		•
		STP		0.100 mg/l
		Fresh water s	ediment	235.6 mg/kg
		Marine sedim	ient	121 mg/kg
		Soil		35.6 mg/kg
dimet	propyl-2,2- hyltrimethylene butyrate	Fresh water		0.014 mg/l
		Marine water		0.0014 mg/l
		Fresh water s	sediment	5.29 mg/kg
		Soil		1.05 mg/kg
		STP		3 mg/l
		Marine sedim	ient	0.529 mg/kg
		oral (seconda	ary poisoning)	83.3 mg/kg
amine alkyl	es, hydrogenated tallow	Fresh water		0.00026 mg/l
		Marine water		0.000026 mg/l
		Sewage treat	ment plant	0.55 mg/kg
		Fresh water s	sediment	3.76 mg/kg
		Marine sedim	ent	376 mg/kg
		Soil		10 mg/kg
		Intermittent R	elease	0.0016 mg/l

#### 8.2 Exposure controls

Personal protective equipment			
Eye/face protection	:	Safety glasses	
		Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.	
Hand protection Material	:	Solvent-resistant gloves (butyl-rubber)	
Remarks	:	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.	



Version 7.0	Revision Date: 27.02.2023	SDS Number: 102000025967	Print Date: 28.02.2023 Date of first issue: 12.05.2017
Skin a	nd body protection		thing protection according to the amount and of the dangerous substance at the work place.
Respir	ratory protection	requires.	reathing protection if workplace concentration ould conform to EN 14387

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	gold
Odour	:	characteristic
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	> 100 °C
Flammability	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 100 °C
Auto-ignition temperature	:	Not relevant
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity Viscosity, kinematic	:	> 22 mm2/s (40 °C)
 Solubility(ies) Water solubility	•	insoluble



Vers 7.0	sion	Revision Date: 27.02.2023		S Number: 2000025967	Print Date: 28.02.2023 Date of first issue: 12.05.2017		
	Solu	ubility in other solvents	:	No data available	)		
	Partitio octano	n coefficient: n- l/water	:	No data available			
	Vapou	rpressure	:	No data available	)		
	Relativ	e density	:	No data available	)		
	Density	/	:	No data available	)		
	Relativ	e vapour density	:	No data available	)		
	Particle Size Distribution		:	No data available	)		
9.2 (	Other ir	nformation					
	No data	a available					
SEC	SECTION 10: Stability and reactivity						
10.1	10.1 Reactivity						
	No decomposition if stored and applied as directed.						
10.2	Chemi	cal stability					
	No dec	composition if stored an	d ap	plied as directed.			

#### 10.3 Possibility of hazardous reactions

- Hazardous reactions
- : Stable under recommended storage conditions.

No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid

: Do not allow evaporation to dryness.

No data available

#### 10.5 Incompatible materials

#### **10.6 Hazardous decomposition products**

Thermal decomposition

: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).



Version	Revision Date:	SDS Number:	Print Date: 28.02.2023
7.0	27.02.2023	102000025967	Date of first issue: 12.05.2017

### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008				
Acute toxicity Harmful if swallowed.				
Product:				
Acute oral toxicity	: Acute toxicity estimate: 1,624 mg/kg Method: Calculation method			
Components:				
Copper:				
Acute oral toxicity	: Assessment: The component/mixture is moderately toxic after single ingestion.			

#### zinc powder — zinc dust (stabilised):

Acute oral toxicity	:	(Rat): > 2,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 5.41 mg/l Exposure time: 4 h Test atmosphere: dust/mist

#### 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate: : LD50 Dermal (Rabbit): > 2,000 mg/kg Acute dermal toxicity Method: OECD Test Guideline 402

#### amines, hydrogenated tallow alkyl:

Acute oral toxicity	:	LD50 (Rat): > 2,000 - 5,000 mg/kg
		Method: OECD Test Guideline 401

#### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Remarks : May cause skin irritation in susceptible persons.

#### Components:

### Copper:

Remarks : May cause skin irritation in susceptible persons.

### 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Species : Rabbit



sion	Revision Date: 27.02.2023	SDS Numb 102000025	
Expos Metho Resul			Test Guideline 404 irritation
	ecylamine:		
Asses	ssment	: Irritating	y to skin.
amine	es, hydrogenated ta	llow alkyl:	
Resul	t	: Skin irri	tation
Rema	rks	: May ca	use skin irritation in susceptible persons.
Serio	us eye damage/eye	irritation	
	es serious eye irritati	on.	
<u>Produ</u> Rema		: May ca	use irreversible eye damage.
<u>Comp</u>	oonents:		
Сорр	er:		
Resul	t	: Eye irrit	ation
1-isop	propyl-2,2-dimethyl	trimethylene di	isobutyrate:
Speci	es	: Rabbit	
	sure time	: 72 h	
Metho			Test Guideline 405
Resul	t	: No eye	irritation
octad	ecylamine:		
Asses	sment	: Corrosi	ve
amine	es, hydrogenated ta	llow alkyl:	
Resul	t	: Irrevers	ible effects on the eye
Rema	ırks	: May ca	use irreversible eye damage.
Respi	iratory or skin sens	itisation	
Skin s	sensitisation		
Not cl	assified based on av	ailable informati	on.
Resp	iratory sensitisation	1	
	-		



Version	Revision Date:	SDS Number:	Print Date: 28.02.2023
7.0	27.02.2023	102000025967	Date of first issue: 12.05.2017

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### **Components:**

#### Distillates (petroleum), hydrotreated middle; Gasoil - unspecified:

Carcinogenicity -:Classified based on the conditions cited in Nota N (RegulationAssessment(EC) 1272/2008, Annex VI, Part 3, Note N)

#### **Reproductive toxicity**

Not classified based on available information.

#### **Components:**

#### 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Reproductive toxicity -:Some evidence of adverse effects on development, based on<br/>animal experiments.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### **Components:**

#### octadecylamine:

Exposure routes	:	Ingestion
Target Organs	:	Liver, digestive system, Immune system
Assessment	:	May cause damage to organs through prolonged or repeated
		exposure.

#### amines, hydrogenated tallow alkyl:

Target Organs	:	Liver, Gastrointestinal tract, Immune system
Assessment	:	The substance or mixture is classified as specific target organ
		toxicant, repeated exposure, category 2.

#### Aspiration toxicity

Not classified based on available information.

#### Components:

#### octadecylamine:

May be fatal if swallowed and enters airways.



Version	Revision Date:	SDS Number:	Print Date: 28.02.2023
7.0	27.02.2023	102000025967	Date of first issue: 12.05.2017

#### amines, hydrogenated tallow alkyl:

May be fatal if swallowed and enters airways.

#### **11.2 Information on other hazards**

#### Further information

#### Product:

Remarks	:	No data available
---------	---	-------------------

### Components:

Copper:

Remarks : No data available

## zinc powder — zinc dust (stabilised):

Remarks	:	No data available
---------	---	-------------------

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

### Copper:

M-Factor (Short-term (acute) : 10 aquatic hazard)

M-Factor (Long-term : 10 (chronic) aquatic hazard)

#### **Ecotoxicology Assessment**

Acute aquatic toxicity	:	Very toxic to aquatic life.	

Chronic aquatic toxicity :		Very toxic to aquatic life with long lasting effects.
----------------------------	--	---

#### zinc powder — zinc dust (stabilised):

### Ecotoxicology Assessment

Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.



Vers 7.0	sion	Revision Date: 27.02.2023		OS Number: 2000025967	Print Date: 28.02.2023 Date of first issue: 12.05.2017
	Petrol	eum resins:			
	Ecoto	xicology Assessment			
		c aquatic toxicity		May cause long la	asting harmful effects to aquatic life.
	1-isop	ropyl-2,2-dimethyltrim	netł	nylene diisobutyra	ate:
		y to daphnia and other c invertebrates	:	(Daphnia (water	flea)): 2.46 mg/l
	Ecoto	xicology Assessment			
	Chroni	c aquatic toxicity	:	Harmful to aquati	c life with long lasting effects.
	octade	ecylamine:			
	M-Fac	tor (Short-term (acute) c hazard)	:	10	
		tor (Long-term ic) aquatic hazard)	:	10	
	Ecoto	xicology Assessment			
	Acute	aquatic toxicity	:	Very toxic to aqua	atic life.
	Chroni	c aquatic toxicity	:	Very toxic to aqua	atic life with long lasting effects.
	amine	s, hydrogenated tallo	w a	lkyl:	
	M-Fac	tor (Short-term (acute) c hazard)	:	10	
		tor (Long-term ic) aquatic hazard)	:	10	
	Ecoto	xicology Assessment			
		aquatic toxicity	:	Very toxic to aqua	atic life.
	Chroni	c aquatic toxicity	:	Very toxic to aqua	atic life with long lasting effects.
	No dat <b>B Bioac</b>	stence and degradabil a available cumulative potential a available	ity		
12.4		<b>ty in soil</b> a available			



Version	Revision Date: 27.02.2023	SDS Number:	Print Date: 28.02.2023
7.0		102000025967	Date of first issue: 12.05.2017

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

Additional ecological : information	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.					
Components:						
<b>Copper:</b> Additional ecological : information	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.					
zinc powder — zinc dust (stabilised):						
Additional ecological : information	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.					

#### amines, hydrogenated tallow alkyl:

Additional ecological	:	An environmental hazard cannot be excluded in the event of
momation		unprofessional handling or disposal.
		Very toxic to aquatic life with long lasting effects.

### **SECTION 13: Disposal considerations**

European Waste Catalogue	:	08 03 12 - waste ink containing dangerous substances
<b>13.1 Waste treatment methods</b> Product	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.



Versio 7.0	n Revision Date: 27.02.2023		OS Number: 2000025967	Print Date: 28.02.2023 Date of first issue: 12.05.2017		
C	ontaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.			
SECT	ION 14: Transport inform	mat	ion			
14.1 U	N number or ID number					
Α	DR	:	UN 3082			
IN	/IDG	:	UN 3082			
IA	ATA	:	UN 3082			
14.2 U	N proper shipping name					
Α	DR	:	ENVIRONMENT N.O.S. (Copper metal po	ALLY HAZARDOUS SUBSTANCE, LIQUID, wder)		
IN	/IDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Copper metal powder)			
IA	ΤΑ	:	Environmentally hazardous substance, liquid, n.o.s. (Copper metal powder)			
14.3 T	14.3 Transport hazard class(es)					
			Class	Subsidiary risks		
Α	DR	:	9	,		
IN	<b>I</b> DG	:	9			
IA	TA	:	9			
14.4 P	acking group					
A Pa C Ha La	<b>DR</b> acking group lassification Code azard Identification Number abels unnel restriction code	:	III M6 90 9 (-)			
Pa La Ei	<b>IDG</b> acking group abels mS Code <b>\TA (Cargo)</b>	: : :	III 9 F-A, S-F			
Pa ai	acking instruction (cargo	:	964			
Pa	acking instruction (LQ)	:	Y964			



## METALSTAR Supergloss 07 2002 Rich Pale Gold

Version 7.0	Revision Date: 27.02.2023		DS Number: 02000025967	Print Date: 28.02.2023 Date of first issue: 12.05.2017
Packing group Labels		:	III 9	
IATA (Passenger) Packing instruction (passenger aircraft) Packing instruction (LQ)		:	964 Y964	
Packing group Labels		:	 9	
14.5 Environmental hazards				
<b>ADR</b> Envi	ronmentally hazardous	:	yes	
IMDG Marine pollutant :		:	yes	
14.6 Special precautions for user		er		
Remarks		:	For single packagings <=5L / 5 kg, or combination packagings containing inner packagings <= 5L / 5 kg net per inner packaging, SV375 ADR, 2.10.2.7 IMDG-Code, A197 IATA-DGR may be applied.	

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)  Conditions of restriction for the following entries should be considered: Number on list 3 Distillates (petroleum), hydrotreated middle; Gasoil — unspecified (Number on list 3)
1-isopropyl-2,2-dimethyltrimethylene diisobutyrate (Number on list 3) manganese neodecanoate (Number on list 3)
Distillates (petroleum), hydrotreated light; Kerosine —



Versic 7.0	on Revision Date: 27.02.2023	SDS Number: 102000025967			ate: 28.02.2023 first issue: 12.05.2017
					unspecified (Number on list 3)
	IK REACH Candidate lis oncern (SVHC) for Author	gh	:	Not applicable	
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)					Not applicable
	Regulation (EC) No 1005 eplete the ozone layer	:	Not applicable		
UK REACH List of substances subject to authorisation (Annex XIV)				:	Not applicable

#### 15.2 Chemical safety assessment

No data available

### **SECTION 16: Other information**

Full	text	of	H-Statements
i un	IUAL	<b>U</b> 1	

H302 H304 H315 H318 H319 H361d H373		Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye damage. Causes serious eye irritation. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure.		
		Very toxic to aquatic life.		
H410 H412	:	Very toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.		
H413	÷	May cause long lasting harmful effects to aquatic life.		
EUH066	:	Repeated exposure may cause skin dryness or cracking.		
Full text of other abbreviations				
Acute Tox. Aquatic Acute Aquatic Chronic Asp. Tox. Eye Dam. Eye Irrit. Repr. Skin Irrit. STOT RE GB EH40 GB EH40 / TWA GB EH40 / STEL		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aspiration hazard Serious eye damage Eye irritation Reproductive toxicity Skin irritation Specific target organ toxicity - repeated exposure UK. EH40 WEL - Workplace Exposure Limits Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period)		



Version	Revision Date:	SDS Number:	Print Date: 28.02.2023
7.0	27.02.2023	102000025967	Date of first issue: 12.05.2017

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Classification of th	e mixture:	Classification procedure:
Acute Tox. 4	H302	Calculation method
Eye Irrit. 2	H319	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



## METALSTAR Supergloss 07 2002 Rich Pale Gold

Version Revision Date: 7.0 27.02.2023 SDS Number: 102000025967 Print Date: 28.02.2023 Date of first issue: 12.05.2017

GB / EN