according to Regulation (EC) No. 1907/2006



# METALSTAR FPG 712 1874

Version	Revision Date:	SDS Number:	Print Date: 01.04.2023
1.0	31.03.2023	102000036357	Date of first issue: 31.03.2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: METALSTAR FPG 712 1874
Product code	: 027647RN0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colorant; Printing ink related material; Printing ink, Colouring
Substance/Mixture		agents, dyes

#### 1.3 Details of the supplier of the safety data sheet

Company	: ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	: +499152770
Telefax	: +499152777008
E-mail address of person responsible for the SDS	: msds.eckart@altana.com

#### 1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 Eye irritation, Category 2 Skin sensitisation, Category 1 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1

H302: Harmful if swallowed.H319: Causes serious eye irritation.H317: May cause an allergic skin reaction.H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

A member of **C ALTANA** 

according to Regulation (EC) No. 1907/2006



# **METALSTAR FPG 712 1874**

Version 1.0	Revision Date: 31.03.2023	_	SDS Number: 02000036357	Print Date: 01.04.2023 Date of first issue: 31.03.2023
Hazaro	d pictograms	:		
Signal	word	:	Warning	
Hazaro	d statements	:	H302 H317 H319 H410	Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Preca	utionary statements	:	<b>Prevention:</b> P261 P264 P273 P280	Avoid breathing mist or vapours. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.
			<b>Response:</b> P333 + P313	If skin irritation or rash occurs: Get medical
			P391	advice/ attention. Collect spillage.

### Hazardous components which must be listed on the label:

#### Copper

Rosin, maleated, polymer with pentaerythritol

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

oomponenta			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302	>= 25 - < 50
		Eye Irrit. 2; H319	
	231-159-6	Aquatic Acute 1;	
	01-2119480154-42	H400	
		Aquatic Chronic 1;	
		H410	
		M-Factor (Acute	
		aquatic toxicity): 10	

according to Regulation (EC) No. 1907/2006



		M-Factor (Chronic aquatic toxicity): 10	
Rosin, maleated, polymer with pentaerythritol	68333-69-7	Skin Sens. 1B; H317 Eye Irrit. 2; H319 Aquatic Chronic 4; H413	>= 10 - <
zinc powder — zinc dust (stabilised)	7440-66-6 231-175-3 030-001-01-9 01-2119467174-37	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2.5 - <
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4 01-2119555270-46	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0.25 - ·
octadecylamine	124-30-1 204-695-3 612-282-00-8 01-2119473804-32	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT RE 2; H373 (Liver, Gastrointestinal tract, Immune system) Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.25 - ·
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
(Z)-octadec-9-enylamine	112-90-3 204-015-5 612-283-00-3	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 (Liver, Gastrointestinal tract, Immune system) Asp. Tox. 1; H304 Aquatic Acute 1;	>= 0.025 · 0.1

according to Regulation (EC) No. 1907/2006



# METALSTAR FPG 712 1874

Version	Revision Date:	SDS Number:	Print Date: 01.04.2023	
1.0	31.03.2023	102000036357	Date of first issue: 31.03.2023	
			H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures General advice : Move the victim to fresh air. Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. If inhaled Remove to fresh air. : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. In case of skin contact Wash off immediately with soap and plenty of water. : In case of eye contact Immediately flush eye(s) with plenty of water. : Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Induce vomiting immediately and call a physician. : Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. 4.2 Most important symptoms and effects, both acute and delayed Risks Harmful if swallowed. : May cause an allergic skin reaction.

# 4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Special powder against metal fire

Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006

# METALSTAR FPG 712 1874



Versio 1.0	n	Revision Date: 31.03.2023		2000036357	Print Date: 01.04.2023 Date of first issue: 31.03.2023
				Dry sand ABC powder	
	nsuital edia	ole extinguishing	:	Water High volume wate Carbon dioxide (C	•
5.2 Sp	ecial	hazards arising from	the	substance or mix	kture
	pecific refight	hazards during ing	:	Do not allow run-c courses.	off from fire fighting to enter drains or water
5.3 Ad	5.3 Advice for firefighters				
	•	protective equipment ghters	:	Wear self-contain necessary.	ed breathing apparatus for firefighting if
Fu	urther	information	:	Standard procedu	ire for chemical fires.
				must not be disch Fire residues and be disposed of in Use extinguishing	ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations. measures that are appropriate to local d the surrounding environment.

### **SECTION 6:** Accidental release measures

	equipment and emergency procedures Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment.
6.2 Environmental precautions	
•	The product should not be allowed to enter drains, water courses or the soil.
	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for contair	ment and cleaning up
	Use mechanical handling equipment.

according to Regulation (EC) No. 1907/2006



# METALSTAR FPG 712 1874

Version 1.0	Revision Date: 31.03.2023	SDS Number: 102000036357	Print Date: 01.04.2023 Date of first issue: 31.03.2023
		absorbent mate vermiculite) an	th water. Je, and then collect with non-combustible erial, (e.g. sand, earth, diatomaceous earth, d place in container for disposal according to regulations (see section 13).
		acid binder, un	nert absorbent material (e.g. sand, silica gel, iversal binder, sawdust). le, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

7.1	Precautions for safe handling	3	
Advice on safe handling		:	Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
	Advice on protection against fire and explosion	:	Keep away from heat and sources of ignition. No smoking.
			Normal measures for preventive fire protection.
	Hygiene measures	:	General industrial hygiene practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
Requirements for storage areas and containers	:	Keep away from sources of ignition - No smoking. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.	
			Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
	Further information on storage conditions	:	Protect from humidity and water.

according to Regulation (EC) No. 1907/2006



# METALSTAR FPG 712 1874

Version 1.0	Revision Date: 31.03.2023	•	DS Number: 2000036357	Print Date: 01.04.2023 Date of first issue: 31.03.2023
Advid	ce on common storage	:	strongly acid mat	oxidizing agents, strongly alkaline and erials in order to avoid exothermic reactions. other with oxidizing and self-igniting products.
Dampness		:	Keep in a dry, co	ol and well-ventilated place.
	er information on ge stability	:	No decompositio	n if stored and applied as directed.
7.3 Specif	ic end use(s)			

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3 (Copper)	GB EH40
		TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40
		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40
2,6-di-tert-butyl-p- cresol	128-37-0	TWA	10 mg/m3	GB EH40
	Further information: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.			

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Copper	Workers	Skin contact	Long-term systemic effects	137 mg/kg
	Workers	Skin contact	Acute systemic effects	273 mg/kg
	Workers	Inhalation	Long-term systemic effects	20 mg/m3
	Consumers	Inhalation	Long-term local effects	1 mg/m3
	Consumers	Inhalation	Acute local effects	1 mg/m3
	Consumers	Skin contact	Long-term systemic effects	137 mg/kg
	Consumers	Skin contact	Acute systemic effects	273 mg/kg

\_

according to Regulation (EC) No. 1907/2006



# METALSTAR FPG 712 1874

Vers 1.0		ion Date: .2023	SDS Numb 102000036			ate: 01.04.2023 first issue: 31.03.2023	
		Cor	nsumers	Ingestion		Long-term systemic effects	0.041 mg/kg
	zinc powder - dust (stabilise		rkers	Inhalation		Long-term systemic effects	5 mg/m3
		Wo	rkers	Skin conta	act	Long-term systemic effects	83 mg/kg
		Cor	nsumers	Inhalation		Long-term systemic effects	2.5 mg/m3
		Cor	nsumers	Skin conta	act	Long-term systemic effects	83 mg/kg
		Cor	nsumers	Ingestion		Long-term systemic effects	0.83 mg/kg
	2,6-di-tert-but cresol	/I-p- Wo	rkers	Inhalation		Long-term systemic effects	0.78 mg/m3
		Wo	rkers	Dermal		Long-term systemic effects	0.5 mg/kg
		Cor	nsumers	Inhalation		Long-term systemic effects	0.435 mg/m3
Ī		Cor	nsumers	Dermal		Long-term systemic effects	0.25 mg/kg
		Cor	nsumers	Oral		Long-term systemic effects	0.25 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

	allon (i n=o) according to nogalation (	
Substance name	Environmental Compartment	Value
Copper	Fresh water	0.0078 mg/l
	Marine water	0.0052 mg/l
	STP	0.230 mg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Soil	65 mg/kg
zinc powder — zinc dust (stabilised)	Fresh water	0.0206 mg/l
	Marine water	0.0061 mg/l
	STP	0.100 mg/l
	Fresh water sediment	235.6 mg/kg
	Marine sediment	121 mg/kg
	Soil	35.6 mg/kg
2,6-di-tert-butyl-p-cresol	Fresh water	0.199 µg/l
	Marine water	0.02 µg/l
	STP	0.017 mg/l
	Fresh water sediment	0.0996 mg/kg
	Marine sediment	0.00996 mg/kg
	Soil	0.054 mg/kg
	Secondary Poisoning	8.33 mg/kg
	oral (secondary poisoning)	16.67 mg/kg

#### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : Safety glasses

according to Regulation (EC) No. 1907/2006



# METALSTAR FPG 712 1874

Version 1.0	Revision Date: 31.03.2023	SDS Number: 102000036357	Print Date: 01.04.2023 Date of first issue: 31.03.2023
	nd protection Material	problems.	ety goggles I and protective suit for abnormal processing gloves (butyl-rubber)
	Remarks : Take note of the information given by the producer concerning permeability and break through times, ar special workplace conditions (mechanical strain, dur contact). The exact break through time can be obtai the protective glove producer and this has to be obse Please observe the instructions regarding permeabil breakthrough time which are provided by the supplie gloves. Also take into consideration the specific loca conditions under which the product is used, such as danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin shou washed after contact. The suitability for a specific w should be discussed with the producers of the prote gloves.		eability and break through times, and of e conditions (mechanical strain, duration of act break through time can be obtained from ove producer and this has to be observed. the instructions regarding permeability and e which are provided by the supplier of the e into consideration the specific local which the product is used, such as the brasion, and the contact time. oreventive skin protection Skin should be ntact. The suitability for a specific workplace
	n and body protection	concentration of	otection according to the amount and the dangerous substance at the work place.
Re	spiratory protection	requires.	athing protection if workplace concentration d conform to EN 14387

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	gold
Odour	:	characteristic
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	> 100 °C
Flammability	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower	:	No data available

according to Regulation (EC) No. 1907/2006



# METALSTAR FPG 712 1874

Version 1.0	Revision Date: 31.03.2023	-	S Number: 2000036357	Print Date: 01.04.2023 Date of first issue: 31.03.2023
fla	mmability limit			
Fla	sh point	:	> 100 °C	
Au	to-ignition temperature	:	Not relevant	
De	composition temperature	:	No data available	e
рH		:	substance/mixtu	re is non-soluble (in water)
	Viscosity, kinematic	:	No data available	e
Pa	lubility(ies) Water solubility Solubility in other solvents rtition coefficient: n- tanol/water	::	insoluble No data available No data available	
	pour pressure	:	No data available	e
Re	lative density	:	No data available	e
De	nsity	:	No data available	e
Re	lative vapour density	:	No data available	e
	Particle Size Distribution	:	No data available	e
	<b>er information</b> data available			

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous	reactio	ns
Hazardous reactions	:	Stable under recommended storage conditions.
		No decomposition if stored and applied as directed.
10.4 Conditions to avoid		
Conditions to avoid	:	Do not allow evaporation to dryness.
		No data available

according to Regulation (EC) No. 1907/2006



Version 1.0	Revision Date: 31.03.2023		S Number: 2000036357	Print Date: 01.04.2023 Date of first issue: 31.03.2023
10.5 Incoi	mpatible materials			
10.6 Haza	rdous decomposition	n proc	lucts	
Therm	nal decomposition	:	Carbon monox hydrocarbons	ide, carbon dioxide and unburned (smoke).
SECTIO	N 11: Toxicological	infor	mation	
		asses	as defined in R	egulation (EC) No 1272/2008
	e toxicity ful if swallowed.			
<u>Prod</u> Acute	uct: e oral toxicity	:	Acute toxicity e Method: Calcula	stimate: 1,424 mg/kg ation method
<u>Com</u>	ponents:			
Сорр	er:			
Acute	e oral toxicity	:	Assessment: The single ingestion	ne component/mixture is moderately toxic after n.
	powder — zinc dust (	(stabil	ised):	
Acute	e oral toxicity	:	(Rat): > 2,000	mg/kg
Acute	e inhalation toxicity	:	LC50 (Rat): 5.4 Exposure time: Test atmosphere	4 h
2.6-di	i-tert-butyl-p-cresol:			
	e oral toxicity	:	LD50 (Rat): >5 Method: OECD	,000 mg/kg Test Guideline 401
Acute	e dermal toxicity	:	LD50 (Rat): > 5 Method: OECD	,000 mg/kg Test Guideline 402
(Z)-oc	ctadec-9-enylamine:			
Acute	e oral toxicity	:	Assessment: The single ingestion	ne component/mixture is moderately toxic after n.
	corrosion/irritation lassified based on ava	ailable	information.	
<u>Prod</u> Rema		:	May cause skin	irritation and/or dermatitis.

according to Regulation (EC) No. 1907/2006



ersion 0	Revision Date: 31.03.2023	SDS Number: 102000036357	Print Date: 01.04.2023 Date of first issue: 31.03.2023
<u>Con</u>	<u>nponents:</u>		
Сор	per:		
Ren	narks	: May cause	skin irritation in susceptible persons.
	idecylamine: essment	: Irritating to	skin.
<b>(Z)-(</b> Res	octadec-9-enylamine: ult	: Corrosive a	fter 3 minutes to 1 hour of exposure
	ous eye damage/eye in ses serious eye irritatior		
	<u>duct:</u> narks	: May cause	irreversible eye damage.
<u>Con</u>	<u>nponents:</u>		
Сор	per:		
Res	ult	: Eye irritation	n
	<b>decylamine:</b> essment	: Corrosive	
<b>(Z)-(</b> Res	octadec-9-enylamine: ult	: Irreversible	effects on the eye
Res	piratory or skin sensiti	sation	
	n <b>sensitisation</b> cause an allergic skin r	eaction.	
	piratory sensitisation classified based on avai	lable information.	
	<u>duct:</u> narks	: Causes ser	sitisation.
	<b>m cell mutagenicity</b> classified based on avai	lable information.	
	<b>cinogenicity</b> classified based on avai	lable information.	
-	roductive toxicity classified based on avai	lable information.	



according to Regulation (EC) No. 1907/2006



/ersion I.0	Revision Date: 31.03.2023	SDS Number: 102000036357	Print Date: 01.04.2023 Date of first issue: 31.03.2023				
	<b>- single exposure</b> assified based on ava	ilable information.					
<u>Comp</u>	oonents:						
	tadec-9-enylamine: ssment	: May cause res	spiratory irritation.				
	- repeated exposure assified based on ava						
<u>Comp</u>	oonents:						
octad	ecylamine:						
	sure routes	: Ingestion					
	t Organs ssment	<ul> <li>Liver, digestive system, Immune system</li> <li>May cause damage to organs through prolonged or repeated exposure.</li> </ul>					
(Z)-oc	tadec-9-enylamine:						
-	t Organs		system, Gastrointestinal tract				
Asses	ssment	: May cause da exposure.	mage to organs through prolonged or repeated				
-	ation toxicity assified based on ava	ilable information.					
<u>Com</u> p	oonents:						
	<b>ecylamine:</b> be fatal if swallowed a	nd enters airways.					
• •	tadec-9-enylamine: be fatal if swallowed a	nd enters airways.					
1.2 Infor	mation on other haza	ards					
Furth	er information						
<u>Produ</u>	<u>uct:</u>						
Rema	rks	: No data availa	ble				
<u>Com</u> p	oonents:						
Сорр	er:						
Rema	rks	: No data availa	ble				
zine i	oowder — zinc dust	(stabilised):					

according to Regulation (EC) No. 1907/2006



/ersion .0	Revision Date: 31.03.2023		DS Number: 2000036357	Print Date: 01.04.2023 Date of first issue: 31.03.2023
Remarks		:	No data availab	e
SECTION	I 12: Ecological infor	ma	ation	
12.1 Toxic	ity			
<u>Comp</u>	onents:			
Сорре	er:			
	tor (Short-term (acute)	:	10	
M-Fac	c hazard) tor (Long-term ic) aquatic hazard)	:	10	
Ecoto	xicology Assessment			
Acute	aquatic toxicity	:	Very toxic to aq	uatic life.
Chroni	ic aquatic toxicity	:	Very toxic to aq	uatic life with long lasting effects.
zinc p	owder — zinc dust (st	abi	lised):	
	xicology Assessment			
Acute	aquatic toxicity	:	Very toxic to aq	uatic life.
Chroni	ic aquatic toxicity	:	Very toxic to aq	uatic life with long lasting effects.
2,6-di-	tert-butyl-p-cresol:			
	tor (Short-term (acute)	:	1	
M-Fac	c hazard) tor (Long-term ic) aquatic hazard)	:	1	
Ecoto	xicology Assessment			
Acute	aquatic toxicity	:	Very toxic to aq	uatic life.
Chroni	ic aquatic toxicity	:	Very toxic to aq	uatic life with long lasting effects.
octade	ecylamine:			
	tor (Short-term (acute) c hazard)	:	10	
M-Fac	tor (Long-term ic) aquatic hazard)	:	10	
Ecoto	xicology Assessment			
Acute	aquatic toxicity	:	Very toxic to aq	uatic life.
Chroni	ic aquatic toxicity	:	Very toxic to aq	uatic life with long lasting effects.
(7)-00	tadec-9-enylamine:			

according to Regulation (EC) No. 1907/2006



Version 1.0	Revision Date: 31.03.2023		DS Number: 2000036357	Print Date: 01.04.2023 Date of first issue: 31.03.2023
aqua	actor (Short-term (acute) atic hazard)	:	10	
	actor (Long-term onic) aquatic hazard)	:	10	
	toxicology Assessment	t		
Acu	te aquatic toxicity	:	Very toxic to aqu	atic life.
Chro	onic aquatic toxicity	:	Very toxic to aqua	atic life with long lasting effects.
	sistence and degradabi	ility		
	accumulative potential data available			
	<b>bility in soil</b> data available			
12.5 Res	ults of PBT and vPvB a	asse	ssment	
Pro	duct:			
Ass	essment	:	to be either persis	hixture contains no components considered stent, bioaccumulative and toxic (PBT), or ad very bioaccumulative (vPvB) at levels of
	locrine disrupting prop data available	ertie	s	
12.7 Oth	er adverse effects			
Pro	duct:			
	itional ecological rmation	:	unprofessional ha	hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.
Com	ponents:			
Сор	per:			
	itional ecological rmation	:	unprofessional ha	hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.
zinc	powder — zinc dust (s	stabi	lised):	
Add	itional ecological rmation	:	An environmental unprofessional ha	hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.

according to Regulation (EC) No. 1907/2006



# METALSTAR FPG 712 1874

Version 1.0	Revision Date: 31.03.2023	SDS Number: 102000036357	Print Date: 01.04.2023 Date of first issue: 31.03.2023
SECTIO	N 13: Disposal cons	siderations	
Europ	pean Waste Catalogue	: 08 03 12 - w	aste ink containing dangerous substances
13.1 Wast	e treatment methods	i	
Product		courses or th Do not conta chemical or	should not be allowed to enter drains, water ne soil. aminate ponds, waterways or ditches with used container. ensed waste management company.
Conta	aminated packaging	Dispose of a	ning contents. as unused product. e empty containers.

# **SECTION 14: Transport information**

14.1 UN number or ID	number			
ADR	:	UN	N 3082	
IMDG	:	U١	1 3082	
ΙΑΤΑ	:	U١	1 3082	
14.2 UN proper shippi	ng name			
ADR	:	N.	IVIRONMENTALLY O.S. opper metal powde	HAZARDOUS SUBSTANCE, LIQUID, r)
IMDG	:	N.	IVIRONMENTALLY O.S. opper metal powde	HAZARDOUS SUBSTANCE, LIQUID, r)
ΙΑΤΑ	:		wironmentally hazaı opper metal powde	dous substance, liquid, n.o.s. r)
14.3 Transport hazard	class(es)			
		Cla	ass	Subsidiary risks
ADR	:	9		
IMDG	:	9		
ΙΑΤΑ	:	9		
14.4 Packing group				
ADR Packing group Classification Code Hazard Identificatio		III Me 90		

according to Regulation (EC) No. 1907/2006



# **METALSTAR FPG 712 1874**

Version 1.0	Revision Date: 31.03.2023		pate: 01.04.2023 f first issue: 31.03.2023
Lab Tuni	els nel restriction code	: 9 : (-)	
Lab	king group	: III : 9 : F-A, S-F	
Pac aircı Pac Pac	king instruction (LQ) king group	: 964 : Y964 : III	
Pac (pas Pac	A (Passenger) king instruction senger aircraft) king instruction (LQ) king group	: 9 : 964 : Y964 : III : 9	
14.5 Env	vironmental hazards		
IMD	ironmentally hazardous	: yes : ves	
	ecial precautions for us	<b>y</b>	
Rem	narks		her packagings <= 5L / 5 kg net per ADR, 2.10.2.7 IMDG-Code, A197

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on	:	Conditions of restriction for the
the market and use of certain dangerous substances,		following entries should be
mixtures and articles (Annex XVII)		considered:

according to Regulation (EC) No. 1907/2006



# METALSTAR FPG 712 1874

Version 1.0	Revision Date: 31.03.2023	SDS Number: 102000036357			ate: 01.04.2023 f first issue: 31.03.2023	
					Number on list 3	
		of substances of very h	igh	:	Not applicable	
	ern (SVHC) for Author Persistent Organic Pol		ained	:	Not applicable	
	The Persistent Organic Pollutants Regulations (retained : Not applicable Regulation (EU) 2019/1021 as amended for Great					
Brita	( )					
•	ulation (EC) No 1005/2	t	:	Not applicable		
•	ete the ozone layer					
	UK REACH List of substances subject to authorisation				Not applicable	
(Ann	ex XIV)					

#### 15.2 Chemical safety assessment

No data available

#### **SECTION 16: Other information**

Full text of H-Statements	
H302 :	Harmful if swallowed.
H304 :	May be fatal if swallowed and enters airways.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H319 :	Causes serious eye irritation.
H335 :	May cause respiratory irritation.
H373 :	May cause damage to organs through prolonged or repeated
	exposure.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H413 :	May cause long lasting harmful effects to aquatic life.
Full text of other abbreviations	
Acute Tox. :	Acute toxicity
Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Asp. Tox. :	Aspiration hazard
Eye Dam. :	Serious eye damage
Eye Irrit. :	Eye irritation
Skin Corr. :	Skin corrosion
Skin Irrit. :	Skin irritation
Skin Sens. :	Skin sensitisation
STOT RE :	Specific target organ toxicity - repeated exposure
STOT SE :	Specific target organ toxicity - single exposure
GB EH40 :	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA :	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL :	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the

according to Regulation (EC) No. 1907/2006



# METALSTAR FPG 712 1874

Version	Revision Date:	SDS Number:	Print Date: 01.04.2023
1.0	31.03.2023	102000036357	Date of first issue: 31.03.2023

Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Classification of the	Classification procedure:	
Acute Tox. 4	H302	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN