according to Regulation (EC) No. 1907/2006



STAPA 2 n.l. Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
4.0	27.01.2023	102000020050	Date of first issue: 13.01.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	STAPA 2 n.l. Aluminium Paste
Product code	:	053500G60
1.2 Relevant identified uses of	the s	substance or mixture and uses advise

1.2 Relevant identified uses of the substance or mixture and uses advised against Use of the : Colouring agents, pigments

Use of the	:	Col
Substance/Mixture		

1.3 Details of the supplier of the safety data sheet

Company	Gi	CKART GmbH Jentersthal 4 235 Hartenstein
Telephone	: +4	99152770
Telefax	: +4	99152777008
E-mail address of person responsible for the SDS	: <u>m</u> e	sds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Additional Labelling

EUH210 Safety data sheet available on request.

according to Regulation (EC) No. 1907/2006



STAPA 2 n.l. Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
4.0	27.01.2023	102000020050	Date of first issue: 13.01.2014

2.3 Other hazards

Combustible Solids

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Componente			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
aluminium powder (stabilised)	7429-90-5	Flam. Sol. 1; H228	>= 50 - <= 100
	231-072-3		
	013-002-00-1		
	01-2119529243-45		
Naphtha (petroleum),	64742-48-9	Asp. Tox. 1; H304	>= 25 - < 50
hydrotreated heavy; Low boiling			
point ydrogen treated naphtha	918-481-9		
	01-2119457273-39		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move the victim to fresh air.	
	Do not leave the vio	tim unattended.
lf inhaled	Remove to fresh air If unconscious, plac advice. If symptoms persist	ce in recovery position and seek medical
In case of skin contact	Wash off immediate	ely with soap and plenty of water.
In case of eye contact	Immediately flush e	ye(s) with plenty of water.
	Remove contact ler If eye irritation persi	ises. ists, consult a specialist.
If swallowed	Keep respiratory tra Do not give milk or	act clear. alcoholic beverages.

according to Regulation (EC) No. 1907/2006



STAPA 2 n.l. Aluminium Paste

Version 4.0	Revision Date: 27.01.2023		9S Number: 2000020050	Print Date: 16.04.2024 Date of first issue: 13.01.2014
				ng by mouth to an unconscious person. ist, call a physician.
	important symptoms a e known.	nd e	ffects, both acute	and delayed
	-			special treatment needed
SECTIO	N 5: Firefighting meas	sur	es	
5.1 Extin	guishing media			
Suita	able extinguishing media	:	Dry sand Special powder aç	gainst metal fire
Unsu med	uitable extinguishing ia	:	Water Foam ABC powder Carbon dioxide (C	:02)
5.2 Speci	al hazards arising from	the	substance or mix	xture
	cific hazards during ghting	:	Do not allow run-c courses.	off from fire fighting to enter drains or water
5.3 Advic	e for firefighters			
	cial protective equipment refighters	:	Use personal prot	ective equipment.
			Wear self-contain necessary.	ed breathing apparatus for firefighting if
Furth	ner information	:	must not be disch Fire residues and	ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.
				measures that are appropriate to local d the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions,	protective	equipment and emergency procedures
Personal precautions		Evacuate personnel to safe areas. Use personal protective equipment. Remove all sources of ignition. Avoid dust formation.

according to Regulation (EC) No. 1907/2006



STAPA 2 n.l. Aluminium Paste

Version 4.0	Revision Date: 27.01.2023	SDS Number: 102000020050	Print Date: 16.04.2024 Date of first issue: 13.01.2014
6.2 Environmental precautions Environmental precautions		: The product sho courses or the se	uld not be allowed to enter drains, water oil.
			from entering drains. ntaminates rivers and lakes or drains inform rities.
		If the product co respective autho	ntaminates rivers and lakes or drains inform rities.
6.3 Method	Is and material for co	ntainment and clean	ing up
Methods for cleaning up :		: Use mechanical Soak up with ine	handling equipment. rt absorbent material (e.g. sand, silica gel, ersal binder, sawdust).
		Sweep up and s	nge disposal without creating dust. hovel. , closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	Keep away from heat and sources of ignition. Avoid dust formation. Ensure adequate ventilation. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Advice on protection against : fire and explosion	Keep away from open flames, hot surfaces and sources of ignition. Earthing of containers and apparatuses is essential. Provide appropriate exhaust ventilation at places where dust
	is formed.
Hygiene measures :	General industrial hygiene practice.
7.2 Conditions for safe storage, inc	luding any incompatibilities
Requirements for storage : areas and containers	Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep container closed when not in use. Keep away from sources of ignition - No smoking.
	Electrical installations / working materials must comply with

according to Regulation (EC) No. 1907/2006



STAPA 2 n.l. Aluminium Paste

Vers 4.0	sion	Revision Date: 27.01.2023		9S Number: 2000020050	Print Date: 16.04.2024 Date of first issue: 13.01.2014
				the technological	safety standards.
Further information on storage conditions		:	Protect from humidity and water. Do not allow to dry.		
Advice on common storage		:	Do not store together with oxidizing and self-igniting products. Never allow product to get in contact with water during storage. Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.		
			No materials to be especially mentioned.		e especially mentioned.
		information on e stability	:	No decompositio	n if stored and applied as directed.
7.3 \$	7.3 Specific end use(s)				

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
aluminium powder (stabilised)	7429-90-5	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40
		TWA (inhalable dust)	10 mg/m3	GB EH40
	when samplin MDHS14/4 G respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply particles of a particular part response that distinguishes and 'respirabl material that e available for o to the fraction	ig is undertaken in a eneral methods for s pracic and inhalable zardous to health inc in air equal to or great tor 4 mg.m-3 8-hour be subject to COSHH dusts have been ass with the appropriate wide range of sizes. ticle after entry into the it elicits, depend on two size fractions for e'., Inhalable dust apprenters the nose and deposition in the response that penetrates to the	of airborne dust which will b ccordance with the methods ampling and gravimetric and aerosols., The COSHH defi- cludes dust of any kind wher eater than 10 mg.m-3 8-hour TWA of respirable dust. This if people are exposed to d signed specific WELs and ex- limits., Most industrial dusts The behaviour, deposition a he human respiratory syster the nature and size of the p r limit-setting purposes term oproximates to the fraction of mouth during breathing and diratory tract. Respirable dust and are given in MDHS14/4.,	a described in alysis or nition of a present at a TWA of is means that ust above these contain and fate of any m, and the body particle. HSE red 'inhalable' f airborne is therefore st approximates he lung. Fuller

according to Regulation (EC) No. 1907/2006



STAPA 2 n.l. Aluminium Paste

Version 4.0	Revision Date: 27.01.2023	SDS Number: 102000020050	Print Date: 16.04.2024 Date of first issue: 13.01.20	14
	sho	ould be complied with., V	we their own assigned WEL, all where no specific short-term exp g-term exposure limit should be rable 4 mg/m3	osure limit is listed,
		dust)		
	inh whe MD res sub cor inh any lev mu par par res dis and ma ava to t def cor	alable dust are those fra en sampling is undertake PHS14/4 General method pirable, thoracic and inha- ostance hazardous to hea ncentration in air equal to alable dust or 4 mg.m-3 dust will be subject to 0 els. Some dusts have be st comply with the appro- ticles of a wide range of ticular particle after entry ponse that it elicits, depo- tinguishes two size fract d 'respirable'., Inhalable of terial that enters the nos allable for deposition in the he fraction that penetrate initions and explanatory ntain components that ha ould be complied with., V	purposes of these limits, respir ctions of airborne dust which will an in accordance with the metho als for sampling and gravimetric alable aerosols., The COSHH d alth includes dust of any kind who or greater than 10 mg.m-3 8-ho 8-hour TWA of respirable dust. COSHH if people are exposed to be assigned specific WELs and priate limits., Most industrial dur sizes. The behaviour, deposition winto the human respiratory systend on the nature and size of the ions for limit-setting purposes te dust approximates to the fraction e and mouth during breathing a he respiratory tract. Respirable to the gas exchange region of material are given in MDHS14/4 we their own assigned WEL, all where no specific short-term exp g-term exposure limit should be	Il be collected ods described in analysis or efinition of a nen present at a pur TWA of This means that o dust above these exposure to these sts contain on and fate of any tem, and the body e particle. HSE ermed 'inhalable' n of airborne nd is therefore dust approximates of the lung. Fuller k., Where dusts the relevant limits posure limit is listed,

Substance name	End Use	Exposure routes	Potential health effects	Value
aluminium powder (stabilised)	Workers	Inhalation	Long-term systemic effects	3.72 mg/m3
	Workers	Inhalation	Long-term local effects	3.72 mg/m3
	Consumers	Oral	Long-term systemic effects	3.95 mg/kg
Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha	Workers	Inhalation	Acute systemic effects	1500 mg/m3
	Workers	Skin contact	Long-term systemic effects	300 mg/kg
	Consumers	Ingestion	Long-term systemic effects	300 mg/kg
	Consumers	Skin contact	Long-term systemic effects	300 mg/kg
	Consumers	Inhalation	Long-term systemic effects	900 mg/m3

according to Regulation (EC) No. 1907/2006



STAPA 2 n.l. Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
4.0	27.01.2023	102000020050	Date of first issue: 13.01.2014

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

	Substance name	Environmental Compartment	Value
Γ	aluminium powder (stabilised)	Fresh water	0.0749 mg/l
Γ		clarification plant	20 mg/l

8.2 Exposure controls

Personal protective equipment					
Eye/face protection	Safety glasses				
Material	Solvent-resistant gloves				
Remarks	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.				
Skin and body protection	Long sleeved clothing Safety shoes Choose body protection according to the amount and concentration of the dangerous substance at the work place. Protective suit				
Respiratory protection	Use suitable breathing protection if workplace concentration requires.				

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: Pasty solid	
Colour	: silver	
Odour	: characteristic	
Odour Threshold	: No data available	
Freezing point	: No data available	
Boiling point/boiling range	: No data available	
Flammability	: Combustible Solid	st

according to Regulation (EC) No. 1907/2006



STAPA 2 n.l. Aluminium Paste

Ver 4.0	sion	Revision Date: 27.01.2023		S Number: 2000020050	Print Date: 16.04.2024 Date of first issue: 13.01.2014
		explosion limit / Upper ability limit	:	No data available	
		explosion limit / Lower ability limit	:	No data available	
	Flash p	point	:	No data available	•
	Auto-ig	nition temperature	:	Not relevant	
	Decom	position temperature	:	No data available	9
	рН		:	substance/mixtur	e is non-soluble (in water)
	Viso	cosity, kinematic	:	No data available	
		ity(ies) er solubility ubility in other solvents	:	insoluble No data available)
	octano	n coefficient: n- I/water r pressure	:	No data available No data available	
	Relativ	e density	:	No data available	
	Density	/	:	1.3 - 2.0 g/cm3	
	Relativ	e vapour density	:	No data available	
9.2	Other i Explos	nformation ives	:	Not explosive	
		able solids ning number	:	1	
	Self-ig	nition	:	not auto-flammat	ble
	Miscibi	ility with water	:	immiscible	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

according to Regulation (EC) No. 1907/2006



STAPA 2 n.l. Aluminium Paste

Version 4.0	Revision Date: 27.01.2023	SDS Number: 102000020050	Print Date: 16.04.2024 Date of first issue: 13.01.2014	
Hazardous reactions		Contact with Mixture read hydrogen. Vapour/air-r Stable unde	 Reacts with alkalis, acids, halogenes and oxidizing agents Contact with acids and alkalis may release hydrogen. Mixture reacts slowly with water resulting in evolution of hydrogen. Vapour/air-mixtures are explosive at intense warming. Stable under recommended storage conditions. No hazards to be specially mentioned. 	
10.4 Conc	litions to avoid			
Cond	Conditions to avoid		<i>i</i> to dry.	
		No data ava	ilable	
10.5 Incompatible materials Materials to avoid		: Acids Bases Oxidizing a Highly halog	gents genated compounds	

10.6 Hazardous decomposition products

This information is not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

aluminium powder (stabilise	ed):	
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Naphtha (petroleum),	hydrotreated heavy; Low boiling point ydrogen treated naphtha:
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity	:	LC50 (Rat): Test atmosphere: vapour Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



STAPA 2 n.l. Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
4.0	27.01.2023	102000020050	Date of first issue: 13.01.2014

Serious eye damage/eye irritation Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:

Germ cell mutagenicity-	:	Classified based on benzene content < 0.1% (Regulation (EC)
Assessment		1272/2008, Annex VI, Part 3, Note P)

Carcinogenicity

Not classified based on available information.

Components:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:

Carcinogenicity -:Classified based on benzene content < 0.1% (Regulation (EC)</th>Assessment1272/2008, Annex VI, Part 3, Note P)

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha: May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Further information

Product:

Remarks

: No data available

according to Regulation (EC) No. 1907/2006



STAPA 2 n.l. Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
4.0	27.01.2023	102000020050	Date of first issue: 13.01.2014

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological	:	No data available
information		

Components:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:Additional ecological:No data available

information

SECTION 13: Disposal considerations

European Waste Catalogue European Waste Catalogue	:	12 01 04 - non-ferrous metal dust and particles 10 03 21 - other particulates and dust (including ball-mill dust) containing hazardous substances
13.1 Waste treatment methods Product	:	The product should not be allowed to enter drains, water courses or the soil. In accordance with local and national regulations.

according to Regulation (EC) No. 1907/2006



STAPA 2 n.l. Aluminium Paste

Version 4.0	Revision Date: 27.01.2023	SDS Number: 102000020050	Print Date: 16.04.2024 Date of first issue: 13.01.2014
Conta	aminated packaging	: In accordance	ce with local and national regulations.
			iners should be taken to an approved waste for recycling or disposal.
ECTIO	N 14: Transport info	rmation	
4.1 UN n	umber or ID number		
ADR		: Not regulated	d as a dangerous good
IMDG	ì	: Not regulated	d as a dangerous good
ΙΑΤΑ		: Not regulated	d as a dangerous good
4.2 UN p	roper shipping name		
ADR		: Not regulated	d as a dangerous good
IMDG	ì	: Not regulated	d as a dangerous good
ΙΑΤΑ		: Not regulated	d as a dangerous good
4.3 Trans	sport hazard class(es))	
ADR		: Not regulated	d as a dangerous good
IMDG	ì	: Not regulated	d as a dangerous good
ΙΑΤΑ		: Not regulated	d as a dangerous good
4.4 Pack	ing group		
ADR		: Not regulated	d as a dangerous good
IMDG	ì	: Not regulated	d as a dangerous good
ΙΑΤΑ	(Cargo)	: Not regulated	d as a dangerous good
ΙΑΤΑ	(Passenger)	: Not regulated	d as a dangerous good
	ronmental hazards egulated as a dangerou	is good	
-	ial precautions for us		
Rema	ırks	: Not classifie regulations.	d as dangerous in the meaning of transport

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006



STAPA 2 n.l. Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
4.0	27.01.2023	102000020050	Date of first issue: 13.01.2014

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: aluminium powder (stabilised) (Number on list 40) Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha (Number on list 3)
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements		
H228	:	Flammable solid.
H304	:	May be fatal if swallowed and enters airways.
Full text of other abbreviatio	ns	

Asp. Tox.	:	Aspiration hazard
Flam. Sol.	:	Flammable solids
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing

according to Regulation (EC) No. 1907/2006



STAPA 2 n.l. Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
4.0	27.01.2023	102000020050	Date of first issue: 13.01.2014

Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN