according to Regulation (EC) No. 1907/2006



## **VISIONAIRE Bright Cinnamon**

Version	Revision Date:	SDS Number:	Print Date: 31.01.2023
4.0	27.01.2023	102000000427	Date of first issue: 03.01.2014

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product	identifier
-------------	------------

Trade name : VISIONAIRE Bright Cinnamon

Product code : 060245QP0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Cosmetic products
Substance/Mixture		Colouring agents, pigments

#### 1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

### 1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Acute toxicity, Category 4	H302: Harmful if swallowed.			
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.			
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.			

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006



## **VISIONAIRE Bright Cinnamon**

Version 4.0	Revision Date: 27.01.2023	-	DS Number: 02000000427	Print Date: 31.01.2023 Date of first issue: 03.01.2014
Hazard pictograms :			¥2	
Signa	al word	:	Warning	•
Haza	rd statements	:	H302 H410	Harmful if swallowed. Very toxic to aquatic life with long lasting effects.
Preca	autionary statements	:	<b>Prevention:</b> P264 P270 P273 <b>Response:</b> P301 + P312 + P3	
			P391 <b>Disposal:</b> P501	CENTER/ doctor if you feel unwell. Rinse mouth. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.

## Hazardous components which must be listed on the label:

Copper

### 2.3 Other hazards

**Combustible Solids** 

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### Components

oomponenta			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302	>= 50 - <= 100
		Eye Irrit. 2; H319	
	231-159-6	Aquatic Acute 1;	
	01-2119480154-42	H400	
		Aquatic Chronic 1;	
		H410	

according to Regulation (EC) No. 1907/2006



## **VISIONAIRE Bright Cinnamon**

Version	Revision Date: 27.01.2023	SDS Number:	Print Date: 31.01.2023
4.0		102000000427	Date of first issue: 03.01.2014
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Move the victim to fresh air.
		Move out of dangerous area. Show this safety data sheet to the doctor in attendance.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off immediately with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.

## 4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Special powder against metal fire Dry sand ABC powder
Unsuitable extinguishing media	:	Water High volume water jet Carbon dioxide (CO2)

according to Regulation (EC) No. 1907/2006



## **VISIONAIRE Bright Cinnamon**

Version	Revision Date:	SDS Number:	Print Date: 31.01.2023
4.0	27.01.2023	102000000427	Date of first issue: 03.01.2014

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires.
		Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **SECTION 6:** Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions :	Use personal protective equipment. Evacuate personnel to safe areas. Avoid dust formation. Avoid breathing dust.
6.2 Environmental precautions	
Environmental precautions :	The product should not be allowed to enter drains, water courses or the soil.
	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for contain	inment and cleaning up
Methods for cleaning up :	
	Pick up and transfer to properly labelled containers.
	Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

according to Regulation (EC) No. 1907/2006



## VISIONAIRE Bright Cinnamon

Version	Revision Date:	SDS Number:	Print Date: 31.01.2023
4.0	27.01.2023	102000000427	Date of first issue: 03.01.2014

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling Advice on safe handling Avoid creating dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Avoid formation of respirable particles. Do not breathe vapours/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Advice on protection against Normal measures for preventive fire protection. 1 fire and explosion Normal measures for preventive fire protection. Hygiene measures General industrial hygiene practice. Do not smoke. Wash hands before breaks and at the end of workday. Keep away from food and drink. Keep away from tobacco products. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Electrical installations / working materials must comply with : areas and containers the technological safety standards. Keep away from sources of ignition - No smoking. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct sunlight. Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards. Further information on Protect from humidity and water. : storage conditions Keep away from oxidizing agents, strongly alkaline and Advice on common storage : strongly acid materials in order to avoid exothermic reactions. Do not store together with oxidizing and self-igniting products. Dampness Keep in a dry, cool and well-ventilated place. Further information on : Keep in a dry place.

according to Regulation (EC) No. 1907/2006



## **VISIONAIRE Bright Cinnamon**

Version	Revision Date:	SDS Number:	Print Date: 31.01.2023
4.0	27.01.2023	102000000427	Date of first issue: 03.01.2014

storage stability

No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3 (Copper)	GB EH40
		TMA (Duate and		
		TWA (Dusts and	1 mg/m3	GB EH40
		mists)	(Copper)	
		STEL (Dusts and	2 mg/m3	GB EH40
ailiaan diaxida	7004.00.0	mists)	(Copper)	
silicon dioxide	7631-86-9	TWA (inhalable dust)	6 mg/m3 (Silica)	GB EH40
	inhalable dus when samplir MDHS14/4 G respirable, the substance ha concentration inhalable dus any dust will H levels. Some must comply particles of a particular par response that distinguishes and 'respirabl material that of available for of to the fraction definitions an contain comp should be cor a figure three Further inform inhalable dus when samplir MDHS14/4 G respirable, the	t are those fractions in g is undertaken in a eneral methods for s oracic and inhalable zardous to health ind in air equal to or great t or 4 mg.m-3 8-hour be subject to COSHF dusts have been ass with the appropriate wide range of sizes. ticle after entry into the t it elicits, depend on two size fractions for le'., Inhalable dust appenters the nose and deposition in the responsition in the responsition in the responsition that penetrates to the d explanatory material onents that have the mplied with., Where the multimes the long-term TWA (Respirable dust) mation: For the purport t are those fractions in g is undertaken in a eneral methods for so oracic and inhalable	ses of these limits, respirable of airborne dust which will be ccordance with the methods ampling and gravimetric ana aerosols., The COSHH defin cludes dust of any kind when eater than 10 mg.m-3 8-hour TWA of respirable dust. This if people are exposed to du signed specific WELs and ex- limits., Most industrial dusts The behaviour, deposition at he human respiratory system the nature and size of the pa- r limit-setting purposes terme oproximates to the fraction of mouth during breathing and biratory tract. Respirable dust a gas exchange region of th al are given in MDHS14/4., V ir own assigned WEL, all the no specific short-term expose exposure limit should be use 2.4 mg/m3 (Silica) ses of these limits, respirable of airborne dust which will be ccordance with the methods sampling and gravimetric ana aerosols., The COSHH defini- cludes dust of any kind when	e collected described in lysis or ition of a present at a TWA of s means that at above these posure to these contain and fate of any and the body article. HSE ed 'inhalable' airborne is therefore t approximates e lung. Fuller Vhere dusts relevant limits are limit is listed, ed. GB EH40 e dust and e collected described in lysis or ition of a

according to Regulation (EC) No. 1907/2006



## **VISIONAIRE Bright Cinnamon**

Version	Revision Date: 27.01.2023	SDS Number:	Print Date: 31.01.2023
4.0		102000000427	Date of first issue: 03.01.2014
	inhala any d levels must partic partic respo disting and 'r mater availa to the defini conta shoul	ble dust or 4 mg.m-3 8 ust will be subject to C . Some dusts have been comply with the appropriate les of a wide range of sular particle after entry nse that it elicits, depending guishes two size fraction espirable'., Inhalable di ial that enters the nose uble for deposition in the fraction that penetrate tions and explanatory r in components that have d be complied with., W	or greater than 10 mg.m-3 8-hour TWA of 8-hour TWA of respirable dust. This means that OSHH if people are exposed to dust above these en assigned specific WELs and exposure to these priate limits., Most industrial dusts contain sizes. The behaviour, deposition and fate of any into the human respiratory system, and the body nd on the nature and size of the particle. HSE ons for limit-setting purposes termed 'inhalable' lust approximates to the fraction of airborne e respiratory tract. Respirable dust approximates as to the gas exchange region of the lung. Fuller material are given in MDHS14/4., Where dusts we their own assigned WEL, all the relevant limits 'here no specific short-term exposure limit is listed, -term exposure limit should be used.

Derived No Effect Le	evel (DNEL) accor	ding to Regulation	(EC) No. 1907/2006:	
Substance name	End Use	Exposure routes	Potential health effects	Value
Copper	Workers	Skin contact	Long-term systemic effects	137 mg/kg
	Workers	Skin contact	Acute systemic effects	273 mg/kg
	Workers	Inhalation	Long-term systemic effects	20 mg/m3
	Consumers	Inhalation	Long-term local effects	1 mg/m3
	Consumers	Inhalation	Acute local effects	1 mg/m3
	Consumers	Skin contact	Long-term systemic effects	137 mg/kg
	Consumers	Skin contact	Acute systemic effects	273 mg/kg
	Consumers	Ingestion	Long-term systemic effects	0.041 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Copper	Fresh water	0.0078 mg/l
	Marine water	0.0052 mg/l
	STP	0.230 mg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Soil	65 mg/kg

#### 8.2 Exposure controls

### Personal protective equipment

Eye/face protection
---------------------

Safety glasses

:

Safety glasses

according to Regulation (EC) No. 1907/2006



## **VISIONAIRE Bright Cinnamon**

Version 4.0	Revision Date: 27.01.2023	SDS Number: 102000000427	Print Date: 31.01.2023 Date of first issue: 03.01.2014
	d protection laterial	: Leather	
R	emarks	only depend of and is differer break through producer and preventive ski The suitability	s The choice of an appropriate glove does not on its material but also on other quality features at from one producer to the other. The exact time can be obtained from the protective glove this has to be observed. Recommended n protection for a specific workplace should be discussed acers of the protective gloves.
Skin	and body protection	Choose body	clothing us protective suit protection according to the amount and of the dangerous substance at the work place.
Resp	piratory protection	: Use suitable b requires. Respirator wit P1 filter	preathing protection if workplace concentration h a dust filter

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	: powder	
Colour	: copper	
Odour	: odourless	
Odour Threshold	: No data available	
Melting point/range	: 1,083 °C	
Boiling point/boiling range	: No data available	
Flammability	: Combustible Solids	5
Upper explosion limit / Upper flammability limit	: No data available	

according to Regulation (EC) No. 1907/2006



## **VISIONAIRE Bright Cinnamon**

Ver 4.0	sion	Revision Date: 27.01.2023		S Number: 2000000427	Print Date: 31.01.2023 Date of first issue: 03.01.2014
		explosion limit / Lower ability limit	:	No data available	9
	Flash p	point	:	No data available	9
	Auto-ig	nition temperature	:	Not relevant	
	Decom	position temperature	:	No data available	9
	рН		:	substance/mixtu	re is non-soluble (in water)
	Vise	cosity, kinematic	:	No data available	9
	Solubil Wa	ity(ies) ter solubility	:	insoluble	
	Sol	ubility in other solvents	:	No data available	9
	Partitic octano	n coefficient: n- I/water	:	No data available	9
	Vapou	r pressure	:	No data available	9
	Relativ	e density	:	No data available	9
	Density	y	:	7.1 g/cm3	
	Relativ	e vapour density	:	No data available	9

#### 9.2 Other information

No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

 

 Hazardous reactions
 : Stable under recommended storage conditions. No hazards to be specially mentioned. No decomposition if stored and applied as directed.

 Dust may form explosive mixture in air.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

according to Regulation (EC) No. 1907/2006



## **VISIONAIRE Bright Cinnamon**

Version Revision Date:	SDS Number:	Print Date: 31.01.2023	
4.0 27.01.2023	102000000427	Date of first issue: 03.01.2014	

No data available

#### 10.5 Incompatible materials

#### **10.6 Hazardous decomposition products**

This information is not available.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	
Harmful if swallowed.	
Product:	
Acute oral toxicity :	Acute toxicity estimate: 526.32 mg/kg Method: Calculation method
Components:	
Copper:	
Acute oral toxicity :	Assessment: The component/mixture is moderately toxic after single ingestion.
Skin corrosion/irritation	
Not classified based on available	e information.
Components:	
Copper:	
Remarks :	May cause skin irritation in susceptible persons.
Serious eye damage/eye irritat	tion
Not classified based on available	e information.
Product:	
Result :	No eye irritation
Components:	
Copper:	
Result :	Eye irritation
Respiratory or skin sensitisati	on
Skin sensitisation	
Not classified based on available	e information.

according to Regulation (EC) No. 1907/2006



## **VISIONAIRE Bright Cinnamon**

Version 4.0	Revision Date: 27.01.2023	SDS Number: 102000000427	Print Date: 31.01.2023 Date of first issue: 03.01.2014					
	Respiratory sensitisation							
	Not classified based on available information.							
	m cell mutagenicity							
	classified based on avail	able information.						
	cinogenicity classified based on avail	able information.						
Rej	productive toxicity							
Not	classified based on avail	lable information.						
ST	OT - single exposure							
Not	classified based on avail	lable information.						
ST	OT - repeated exposure							
Not	classified based on avail	lable information.						
Asj	piration toxicity							
Not	classified based on avail	lable information.						
11.2 Infe	ormation on other haza	rds						
Fur	Further information							
Pro	duct:							
Rer	narks	: No data availab	le					
Co	Components:							
Co	oper:							
Rer	narks	: No data availab	le					

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Com	ponents:	

Copper:M-Factor (Short-term (acute) : 10aquatic hazard)M-Factor (Long-term : 10(chronic) aquatic hazard)

### Ecotoxicology Assessment

Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006



## **VISIONAIRE Bright Cinnamon**

Version 4.0	Revision Date: 27.01.2023	-	DS Number: 02000000427	Print Date: 31.01.2023 Date of first issue: 03.01.2014
	istence and degradabi	ility		
No d	ata available			
	ccumulative potential ata available			
	<b>ility in soil</b> ata available			
12.5 Resu	ults of PBT and vPvB a	isse	ssment	
Prod	uct:			
	ssment	:	to be either persi	nixture contains no components considered istent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
	ocrine disrupting prope ata available	ertie	es	
12.7 Othe	er adverse effects			
Prod	uct:			
Addit	ional ecological nation	:	unprofessional h	al hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.
Com	ponents:			
Сор				
Addit	ional ecological nation	:	unprofessional h	al hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.
SECTIO	N 13: Disposal consi	der	ations	
	pean Waste Catalogue pean Waste Catalogue	:	10 03 21 - other	errous metal dust and particles particulates and dust (including ball-mill dust dous substances
13.1 Was	te treatment methods			
Prod	uct	:	courses or the so Do not contamin chemical or used Send to a license	ate ponds, waterways or ditches with
0			<b>_</b>	

Contaminated packaging : Empty remaining contents.

according to Regulation (EC) No. 1907/2006



## **VISIONAIRE Bright Cinnamon**

Version 4.0	Revision Date: 27.01.2023	SDS Number: 102000000427	Print Date: 31.01.2023 Date of first issue: 03.01.2014
		Do not re-use	unused product. empty containers. with local and national regulations.
SECTION	N 14: Transport inform	nation	
14.1 UN n	umber or ID number		
ADR		: UN 3077	
IMDG	3	: UN 3077	
ΙΑΤΑ		: UN 3077	
14.2 UN p	roper shipping name		
ADR		: ENVIRONMEN N.O.S. (Copper metal	NTALLY HAZARDOUS SUBSTANCE, SOLID, powder)
IMDG	3	: ENVIRONMEN N.O.S. (Copper metal	NTALLY HAZARDOUS SUBSTANCE, SOLID,
ΙΑΤΑ		: Environmental (Copper metal	lly hazardous substance, solid, n.o.s. powder)
14.3 Tran	sport hazard class(es)		
		Class	Subsidiary risks
ADR		: 9	
IMDG	6	: 9	
ΙΑΤΑ		: 9	
14.4 Pack	king group		
Class Haza Label	ing group sification Code rd Identification Number Is el restriction code	: III : M7 : 90 : 9 : (-)	
Label	ing group Is Code	: III : 9 : F-A, S-F : IMDG Code se salts	egregation group 7 - Heavy metals and their
	( <b>Cargo)</b> ing instruction (cargo aft)	: 956	

according to Regulation (EC) No. 1907/2006



## **VISIONAIRE Bright Cinnamon**

Versi 4.0	ion	Revision Date: 27.01.2023		DS Number: 02000000427	Print Date: 31.01.2023 Date of first issue: 03.01.2014
		g instruction (LQ) g group	:	Y956 III 9	
	Packin (passe Packin	<b>Passenger)</b> g instruction nger aircraft) g instruction (LQ) g group	:	956 Y956 III 9	
14.5	Enviro	onmental hazards			
	ADR Enviror IMDG	nmentally hazardous	:	yes	
		pollutant	:	yes	
14.6	Specia	al precautions for use	er		
l	Remar	ks	:	packagings conta	gings <=5L / 5 kg, or combination nining inner packagings <= 5L / 5 kg net per SV375 ADR, 2.10.2.7 IMDG-Code, A197 be applied.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

### 15.2 Chemical safety assessment

according to Regulation (EC) No. 1907/2006



### VISIONAIRE Bright Cinnamon

Version	Revision Date:	SDS Number:	Print Date: 31.01.2023
4.0	27.01.2023	102000000427	Date of first issue: 03.01.2014

No data available

### **SECTION 16: Other information**

#### Full text of H-Statements

H302 :	Harmful if swallowed.
H319 :	Causes serious eye irritation.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviations	
Acuto Tox	A cuto toxicity

Acute Tox.	:	Acute toxicity
Aquatic Acute		Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

according to Regulation (EC) No. 1907/2006



## **VISIONAIRE Bright Cinnamon**

Revision Date: 27.01.2023	SDS Number: 102000000427	Print Date: 31.01.2023 Date of first issue: 03.01.2014
r information		Classification procedures
		Classification procedure: Calculation method
Chronic 1	H410	Calculation method
	27.01.2023 information ication of the mixt ox. 4 Acute 1	27.01.2023       10200000427         information       information         ication of the mixture:          ox. 4       H302         Acute 1       H400

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN

\_