

**PALE SIL 6500**

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name : PALE SIL 6500  
Material number : 0135269J0

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

This information is not available.

**1.3 Details of the supplier of the safety data sheet**

Company : ECKART GmbH  
Guntersthal 4  
91235 Hartenstein  
Telephone : +499152770  
Telefax : +499152777008  
E-mail address : msds.eckart@altana.com  
Responsible/issuing person

**1.4 Emergency telephone number****NCEC:**

(contract no.: ECKART29003-NCEC)

+44 1235 239671 (Middle East/Africa, call and response in your language)

+1 215 207 0061 (Americas, call and response in your language)

+65 3158 1074 (Asia-Pacific, call and response in your language)

**SECTION 2: Hazards identification****GHS Classification**

: Flammable solids, Category 1, H228  
Acute toxicity, Category 4, Oral, H302  
Serious eye damage/eye irritation, Category 2A, H319

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## PALE SIL 6500

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

Short-term (acute) aquatic hazard, Category 1, H400  
Long-term (chronic) aquatic hazard, Category 1, H410

### GHS-Labelling

Symbol(s)



Signal word

: Danger

Hazard statements

: H228: Flammable solid.  
H302: Harmful if swallowed.  
H319: Causes serious eye irritation.  
H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P240 Ground and bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.  
**Response:**  
P301 + P317 + P330 IF SWALLOWED: Get medical help. Rinse mouth.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P317 If eye irritation persists: Get medical help.  
P391 Collect spillage.  
P370 + P378 In case of fire: Use for extinction: Special powder for metal fires.  
P370 + P378 In case of fire: Use for extinction: Dry sand.

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## PALE SIL 6500

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Hazardous components which must be listed on the label

Identification copper	CAS-No. 7440-50-8
--------------------------	----------------------

## SECTION 3: Composition/information on ingredients

Substance No. :

### Hazardous components

Chemical name	CAS-No. EINECS-No.	Classification and labelling	Concentration[%]
Copper	7440-50-8 231-159-6	Acute Tox.;4;H302 ;2A;H319 Aquatic Acute;1;H400 Aquatic Chronic;1;H410	50 - 100
zinc powder — zinc dust (stabilised)	7440-66-6 231-175-3	Aquatic Acute;1;H400 Aquatic Chronic;1;H410	2,5 - 10
octadecylamine	124-30-1 204-695-3	STOT RE;2;H373 Asp. Tox.;1;H304 Eye Dam.;1;H318 Aquatic Acute;1;H400 Aquatic Chronic;1;H410 Skin Irrit.;2;H315	0,25 - 1

**PALE SIL 6500**

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

--	--	--	--

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: First aid measures**
**4.1 Description of first aid measures**

- General advice : Move the victim to fresh air.  
 Do not leave the victim unattended.  
 Move out of dangerous area.  
 Show this safety data sheet to the doctor in attendance.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
 If symptoms persist, call a physician.
- In case of skin contact : Wash off immediately with soap and plenty of water.  
 If on skin, rinse well with water.  
 If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
 Remove contact lenses.  
 Keep eye wide open while rinsing.  
 If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
 Do not give milk or alcoholic beverages.  
 Never give anything by mouth to an unconscious person.  
 If symptoms persist, call a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

This information is not available.

**PALE SIL 6500**

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

**4.3 Indication of any immediate medical attention and special treatment needed**

This information is not available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media : Special powder against metal fire, Dry sand, ABC powder

Unsuitable extinguishing media : Water, High volume water jet

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.

**PALE SIL 6500**

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.  
Evacuate personnel to safe areas.  
Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Remove all sources of ignition.

**6.2 Environmental precautions**

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform  
respective authorities.

**6.3 Methods and materials for containment and cleaning up**

Methods for cleaning up : Use mechanical handling equipment.  
  
Pick up and transfer to properly labelled containers.  
  
Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections**

For personal protection see section 8.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Advice on safe handling : Avoid creating dust. Routine housekeeping should be  
instituted to ensure that dusts do not accumulate on surfaces.

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## PALE SIL 6500

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Avoid dust formation. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures : General industrial hygiene practice. Do not smoke. Wash hands before breaks and at the end of workday. Keep away from food and drink. Keep away from tobacco products.

When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.

Keep away from sources of ignition - No smoking. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.

No smoking. Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Protect from humidity and water.

Advice on common storage : Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions. Do not store together with oxidizing and self-igniting products.

**PALE SIL 6500**

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

Dampness : Keep in a dry, cool and well-ventilated place.

Other data : Keep in a dry place. No decomposition if stored and applied as directed.

**7.3 Specific end use(s)**

This information is not available.

**SECTION 8: Exposure controls/personal protection**
**8.1 Control parameters**
**Germany:**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
Copper	7440-50-8	AGW (inhalable fraction)	1 mg/m <sup>3</sup>		DE TRGS 900
zinc powder — zinc dust (stabilised)	7440-66-6	AGW (Inhalable fraction)	10 mg/m <sup>3</sup>	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
zinc powder — zinc dust (stabilised)	7440-66-6	AGW (Alveolate fraction)	1,25 mg/m <sup>3</sup>	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			

**United States of America (USA):**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
Copper	7440-50-8	TWA	1 mg/m <sup>3</sup>	2008-01-01	



**PALE SIL 6500**

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

Copper	7440-50-8	TWA (dust and mists)	1 mg/m <sup>3</sup>	2005-09-01	
Copper	7440-50-8	TWA	1 mg/m <sup>3</sup>	1989-01-19	
Copper	7440-50-8	TWA	0,2 mg/m <sup>3</sup>	2008-01-01	
Copper	7440-50-8	TWA	0,1 mg/m <sup>3</sup>	1989-01-19	
Copper	7440-50-8	TWA (Dust and mist)	1 mg/m <sup>3</sup>	2010-03-01	
Copper	7440-50-8	TWA (Fumes)	0,2 mg/m <sup>3</sup>	2010-03-01	
Copper	7440-50-8	TWA (Dust)	1 mg/m <sup>3</sup>	2013-10-08	
Copper	7440-50-8	TWA (Mist)	1 mg/m <sup>3</sup>	2013-10-08	
Copper	7440-50-8	TWA (dusts and mists)	1 mg/m <sup>3</sup>	2011-07-01	
Copper	7440-50-8	TWA (Fumes)	0,1 mg/m <sup>3</sup>	2011-07-01	
Copper	7440-50-8	PEL (Fumes)	0,1 mg/m <sup>3</sup>	2014-11-26	
Copper	7440-50-8	TWA (Fumes)	0,1 mg/m <sup>3</sup>	1989-01-19	
Copper	7440-50-8	TWA (Dust and mist)	1 mg/m <sup>3</sup>	1989-01-19	
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (total dust)	15 mg/m <sup>3</sup>	2012-07-01	
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (respirable fraction)	5 mg/m <sup>3</sup>	2012-07-01	
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (respirable fraction)	15 Million particles per cubic foot	2012-07-01	
zinc powder	7440-66-6	PEL (Total dust)	10 mg/m <sup>3</sup>	2014-11-26	

**PALE SIL 6500**

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

— zinc dust (stabilised)					
zinc powder — zinc dust (stabilised)	7440-66-6	PEL (respirable dust fraction)	5 mg/m <sup>3</sup>	2014-11-26	

**8.2 Exposure controls**
**Personal protective equipment**

- Eye protection : Safety glasses
- : Wear face-shield and protective suit for abnormal processing problems.
- Hand protection
- Material : Leather
- Remarks : Leather gloves
- The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.
- The exact break through time can be obtained from the protective glove producer and this has to be observed.
- Recommended preventive skin protection
- : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection : Long sleeved clothing
- Safety shoes
- : Dust impervious protective suit

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## PALE SIL 6500

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Use suitable breathing protection if workplace concentration requires.  
Respirator with a dust filter  
P1 filter

### Environmental exposure controls

General advice :

: Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Water : The product should not be allowed to enter drains, water courses or the soil.

:

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : powder

Colour : gold

Odour : odourless

pH : substance/mixture is non-soluble (in water)

Freezing point : No data available

**PALE SIL 6500**

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

Boiling point/boiling range	: No data available
Flash point	: No data available
Bulk density	: No data available
Flammability (solid, gas)	: The substance or mixture is a flammable solid with the category 1.
Auto-flammability	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Density	: No data available
Water solubility	: No data available
Miscibility with water	: immiscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available

**9.2 Other information**

No data available

**SECTION 10: Stability and reactivity****10.1 Reactivity**

**PALE SIL 6500**

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

---

No decomposition if stored and applied as directed.

**10.2 Chemical stability**

No decomposition if stored and applied as directed.

**10.3 Possibility of hazardous reactions**

Hazardous reactions : Stable under recommended storage conditions., No hazards to be specially mentioned.

No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

**10.4 Conditions to avoid**

Conditions to avoid : No data available

Heat, flames and sparks.

**10.5 Incompatible materials**

Materials to avoid : No data available

**10.6 Hazardous decomposition products**

Hazardous decomposition products : No data available

Other information : No data available

---

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity****Components:****Copper :**

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

**PALE SIL 6500**

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

Acute oral toxicity : The component/mixture is moderately toxic after single  
ingestion.

**Skin corrosion/irritation****Product**

May cause skin irritation in susceptible persons.

**Serious eye damage/eye irritation****Product**

Eye irritation

**Respiratory or skin sensitisation**

No data available

**Carcinogenicity**

No data available

**Toxicity to reproduction/fertility**

No data available

**Reprod.Tox./Development/Teratogenicity**

No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

**PALE SIL 6500**

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

No data available

**Aspiration toxicity**

No data available

**Further information****Product**

No data available

**SECTION 12: Ecological information****12.1 Toxicity****Components:****copper (7440-50-8) :**

M-Factor : 10

**Ecotoxicology Assessment**

Short-term (acute) aquatic hazard : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard : Very toxic to aquatic life with long lasting effects.

**zinc (7440-66-6) :****Ecotoxicology Assessment**

Short-term (acute) aquatic hazard : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard : Very toxic to aquatic life with long lasting effects.

**octadecylamine (124-30-1) :**

M-Factor : 10

**12.2 Persistence and degradability**

**PALE SIL 6500**

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

---

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

No data available

**12.6 Other adverse effects****Product:**Additional ecological  
information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Very toxic to aquatic life with long lasting effects.

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Product

: The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.  
In accordance with local and national regulations.



**PALE SIL 6500**

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
In accordance with local and national regulations.

**SECTION 14: Transport information****14.1 UN number**

ADR : 3089  
TDG : 3089  
CFR : 3089  
IMDG : 3089  
IATA : 3089

**14.2 Proper shipping name**

ADR : METAL POWDER, FLAMMABLE, N.O.S.  
TDG : METAL POWDER, FLAMMABLE, N.O.S.  
CFR : METAL POWDERS, FLAMMABLE, N.O.S.  
IMDG : METAL POWDER, FLAMMABLE, N.O.S.  
(  
(,Copper metal powder )  
IATA : METAL POWDER, FLAMMABLE, N.O.S.

**14.3 Transport hazard class**

ADR : 4.1  
TDG : 4.1  
CFR : 4.1  
IMDG : 4.1  
IATA : 4.1

**PALE SIL 6500**

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

**14.4 Packing group****ADR**

Packaging group : II  
Classification Code : F3  
Hazard Identification Number : 40  
Labels : 4.1  
Tunnel restriction code : (E)

**TDG**

Packaging group : II  
Labels : 4.1

**CFR**

Packaging group : II  
Labels : 4.1

**IMDG**

Packaging group : II  
Labels : 4.1  
EmS Number : F-G, S-G

**IATA**

Packing instruction (cargo aircraft) : 448  
Packing instruction (passenger aircraft) : 445  
Packing instruction (LQ) : Y441  
Packaging group : II  
Labels : 4.1

**14.5 Environmental hazards**

**ADR** : Environmentally hazardous

**PALE SIL 6500**

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

**IMDG** : Marine pollutant**14.6 Special precautions for user****IMDG Code- segregation group:**

- : IMDG Code segregation group 7 - Heavy metals and their salts
- : IMDG Code segregation group 15 - Powdered metals

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

No data available

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

**15.2 Chemical safety assessment**

No data available

**PALE SIL 6500**

Version 3.0

Revision Date 12.09.2022

Print Date 14.09.2022

**SECTION 16: Other information****Full text of H-Statements**

H228	: Flammable solid.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H373	: May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.