1.1 Product identifier

according to Regulation (EC) No. 1907/2006



UNIPAK WB 2849 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
6.0	12.02.2023	102000032002	Date of first issue: 19.09.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Trade name	: UNIPAK WB 2849 Rich Gold
Product code	: 025468KS0
	of the substance or mixture and uses advised against
Use of the Substance/Mixture	: Colorant; Printing ink related material; Printing ink, Colouring agents, dyes
1.3 Details of the supplier o	f the safety data sheet
Company	: ECKART GmbH Guentersthal 4
	01235 Hartenstein

	Guentersthal 4 91235 Hartenstein
Telephone	: +499152770
Telefax	: +499152777008
E-mail address of person responsible for the SDS	: msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard,	H400: Very toxic to aquatic life.
Category 1	
Long-term (chronic) aquatic hazard,	H410: Very toxic to aquatic life with long lasting
Category 1	effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006



UNIPAK WB 2849 Rich Gold

Version 6.0	Revision Date: 12.02.2023	-	DS Number: 02000032002	Print Date: 16.04.2024 Date of first issue: 19.09.2019
Hazaro	l pictograms	:		
Signal	word	:	Warning	
Hazard	I statements	:	H302 H319 H410	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Precau	utionary statements	:	Prevention: P264 P273 P280 Response: P337 + P313 P391 Disposal:	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection. If eye irritation persists: Get medical advice/ attention. Collect spillage.
			P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Copper

2-(dimethylamino)-2-methylpropan-1-ol

Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2Hisothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302	>= 25 - < 50
		Eye Irrit. 2; H319	
	231-159-6	Aquatic Acute 1;	

according to Regulation (EC) No. 1907/2006



		01-2119480154-42	H400 Aquatic Chronic 1; H410	
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
zinc p (stabi	oowder — zinc dust lised)	7440-66-6 231-175-3 030-001-01-9 01-2119467174-37	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - <
	nethylamino)-2- /lpropan-1-ol	7005-47-2 230-279-6 01-2119963368-25	Flam. Liq. 3; H226 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 1 - <
octad	ecylamine	124-30-1 204-695-3 612-282-00-8 01-2119473804-32	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT RE 2; H373 (Liver, Gastrointestinal tract, Immune system) Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 0.25 -
1,2-be	enzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 0.0025
			limit Skin Sens. 1; H317 >= 0.05 % Skin Sens. 1; H317 >= 0.05 %	

according to Regulation (EC) No. 1907/2006



Version 6.0	Revision Date: 12.02.2023		S Number: 000032002	Print Date: 16.04.2024 Date of first issue: 19.09.2019
methy	on mass of 5-chloro-2 /l-2H-isothiazol-3-one /l-2H-isothiazol-3-one	and 2-	55965-84-9 613-167-00-5	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1B; H314 >= 0.6 % Skin Irrit. 2; H315 0.06 - < 0.6 % Eye Irrit. 2; H319 0.06 - < 0.6 % Skin Sens. 1; H317 >= 0.0015 % Eye Dam. 1; H318 >= 0.6 % Skin Sens. 1A; H317 >= 0.0015 % Eye Dam. 1; H318 >= 0.6 % Skin Sens. 1A; H317 >= 0.0015 % Eye Dam. 1; H318 >= 0.6 %
pyrith	ione zinc		13463-41-7 236-671-3 613-333-00-7	Acute Tox. 3; H301 < 0.0002

according to Regulation (EC) No. 1907/2006



UNIPAK WB 2849 Rich Gold

Version 6.0	Revision Date: 12.02.2023	SDS Number: 102000032002	Print Date: 16.04.2024 Date of first issue: 19.09.2019
			aquatic toxicity): 10
			Acute toxicity estimate
			Acute oral toxicity: 221 mg/kg
			221 mg/kg Acute inhalation toxicity (dust/mist):
			0.14 mg/l 0.14 mg/l

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures General advice Move the victim to fresh air. : Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. If inhaled Remove to fresh air. : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. In case of skin contact : Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician. If on clothes, remove clothes. Immediately flush eye(s) with plenty of water. In case of eye contact : Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Induce vomiting immediately and call a physician. : Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risks	: Harmful if swallowed.
	Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006



UNIPAK WB 2849 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
6.0	12.02.2023	102000032002	Date of first issue: 19.09.2019

4.3 Indication of any immediate medical attention and special treatment needed This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Special powder against metal fire Dry sand ABC powder
Unsuitable extinguishing media	:	Water High volume water jet Carbon dioxide (CO2)
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires.
		Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

		equipment and emergency procedures Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment.
6.2 Environmental precautions Environmental precautions :	:	The product should not be allowed to enter drains, water courses or the soil.
		Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform

Version

6.0


according to Regulation (EC) No. 1907/2006

Revision Date:

12.02.2023



UNIPAK WB 2849 Rich Gold



respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up		Use mechanical handling equipment.
		Pick up and transfer to properly labelled containers. Do not flush with water. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
		Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling		
Advice on safe handling	:	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Keep away from heat and sources of ignition. No smoking.
		Normal measures for preventive fire protection.
Hygiene measures	:	General industrial hygiene practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, in	nclu	uding any incompatibilities
Requirements for storage areas and containers	:	Keep away from sources of ignition - No smoking. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.
		Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

C ECKART

according to Regulation (EC) No. 1907/2006



UNIPAK WB 2849 Rich Gold

Version 6.0	Revision Date: 12.02.2023		DS Number: 02000032002	Print Date: 16.04.2024 Date of first issue: 19.09.2019
	her information on age conditions	:	Protect from hum	idity and water.
Adv	rice on common storage	:	: Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reaction Do not store together with oxidizing and self-igniting products.	
Dan	npness	:	Keep in a dry, cool and well-ventilated place.	
	her information on age stability	:	No decompositio	n if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3 (Copper)	GB EH40
		TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40
		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health	Value
			effects	
Copper	Workers	Skin contact	Long-term systemic	137 mg/kg
			effects	
	Workers	Skin contact	Acute systemic	273 mg/kg
			effects	
	Workers	Inhalation	Long-term systemic	20 mg/m3
			effects	-
	Consumers	Inhalation	Long-term local	1 mg/m3
			effects	
	Consumers	Inhalation	Acute local effects	1 mg/m3
	Consumers	Skin contact	Long-term systemic	137 mg/kg
			effects	
	Consumers	Skin contact	Acute systemic	273 mg/kg
			effects	
	Consumers	Ingestion	Long-term systemic	0.041 mg/kg

according to Regulation (EC) No. 1907/2006



UNIPAK WB 2849 Rich Gold

sion	Revision Date: 12.02.2023	: SDS Nui 1020000		Date: 16.04.2024 of first issue: 19.09.2019	
				effects	
	owder — zinc tabilised)	Workers	Inhalation	Long-term systemic effects	5 mg/m3
,	·	Workers	Skin contact	Long-term systemic effects	83 mg/kg
		Consumers	Inhalation	Long-term systemic effects	2.5 mg/m3
		Consumers	Skin contact	Long-term systemic effects	83 mg/kg
		Consumers	Ingestion	Long-term systemic effects	0.83 mg/kg
	1,2-benzisothiazol- 3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m
		Workers	Skin contact	Long-term systemic effects	0.966 mg/k
		Consumers	Inhalation	Long-term systemic effects	1.2 mg/m3
		Consumers	Skin contact	Long-term systemic effects	0.345 mg/k
chloro- isothia 2-meth	n mass of 5- -2-methyl-2H- zol-3-one and yl-2H- zol-3-one (3:1)	Workers	Inhalation	Long-term local effects	0.02 mg/m
		Workers	Inhalation	Acute local effects	0.04 mg/m
		Consumers	Inhalation	Long-term local effects	0.02 mg/m
		Consumers	Inhalation	Acute local effects	0.04 mg/m
		Consumers	Ingestion	Long-term local effects	0.090 mg/k
		Consumers	Ingestion	Acute local effects	0.11 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Copper	Fresh water	0.0078 mg/l
	Marine water	0.0052 mg/l
	STP	0.230 mg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Soil	65 mg/kg
zinc powder — zinc dust (stabilised)	Fresh water	0.0206 mg/l
	Marine water	0.0061 mg/l
	STP	0.100 mg/l
	Fresh water sediment	235.6 mg/kg
	Marine sediment	121 mg/kg
	Soil	35.6 mg/kg
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Marine water	0.000403 mg/l
	STP	0.00103 mg/l
	Intermittent water release	0.0011 mg/l

according to Regulation (EC) No. 1907/2006



UNIPAK WB 2849 Rich Gold

/ersion 6.0	Revision Date: 12.02.2023	SDS Number: 102000032002	Print Date: 16.04.20 Date of first issue: 1	
1		Intermittent R	Release	0.00011 mg/l
		Fresh water s	sediment	0.0499 mg/kg
		Marine sedim	nent	0.00499 mg/kg
		Soil		3 mg/kg
methy	on mass of 5-chloro-: /I-2H-isothiazoI-3-one hyI-2H-isothiazoI-3-or	and	vater release	0.00339 mg/l
		Marine water		0.00339 mg/l
		Intermittent R		0.00339 mg/l
		STP		0.23 mg/l
		Soil		0.0471 mg/kg
		Fresh water s	sediment	0.027 mg/kg
		Marine sedim	nent	0.027 mg/kg
		Soil		0.01 mg/kg

8.2 Exposure controls

Personal protective equipment	
Eye/face protection :	Safety glasses Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Hand protection Material :	Solvent-resistant gloves (butyl-rubber)
Remarks :	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection :	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection :	Use suitable breathing protection if workplace concentration requires. Equipment should conform to EN 14387

according to Regulation (EC) No. 1907/2006



UNIPAK WB 2849 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
6.0	12.02.2023	102000032002	Date of first issue: 19.09.2019

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state		liquid
Colour	:	gold
Odour	:	characteristic
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	> 100 °C
Flammability	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 100 °C
Auto-ignition temperature	:	Not relevant
Decomposition temperature	:	No data available
рН	:	6 - 8 Concentration: 100 %
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility Solubility in other solvents	:	insoluble No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	No data available
Particle Size Distribution	:	No data available

according to Regulation (EC) No. 1907/2006



UNIPAK WB 2849 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
6.0	12.02.2023	102000032002	Date of first issue: 19.09.2019

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : S	Stable under recommended storage conditions.
-------------------------	--

No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid :	Do not allow evaporation to dryness.
-----------------------	--------------------------------------

No data available

10.5 Incompatible materials

10.6 Hazardous decomposition products

Thermal decomposition : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.	
Product:	
Acute oral toxicity	: Acute toxicity estimate: 1,663 mg/kg Method: Calculation method
Components:	
Copper:	
Acute oral toxicity	: Assessment: The component/mixture is moderately toxic after single ingestion.
zinc powder — zinc dus	st (stabilised):
Acute oral toxicity	· (Rat)· > 2 000 mg/kg

according to Regulation (EC) No. 1907/2006



Version 6.0	Revision Date: 12.02.2023		9S Number: 2000032002	Print Date: 16.04.2024 Date of first issue: 19.09.2019
Acut	e inhalation toxicity	:	LC50 (Rat): 5.41 Exposure time: 4 Test atmosphere	h
•	methylamino)-2-methy	ylprop		
Acut	e oral toxicity	:	Assessment: The single ingestion.	component/mixture is moderately toxic after
1,2-b	enzisothiazol-3(2H)-o	ne:		
	e oral toxicity	:	Assessment: The single ingestion.	component/mixture is moderately toxic after
Acut	e inhalation toxicity	:	LC50 (Rat): 0.4 n Exposure time: 4 Test atmosphere Assessment: The term inhalation.	ĥ
react (3:1):		-2-met	thyl-2H-isothiazol	-3-one and 2-methyl-2H-isothiazol-3-one
. ,	e oral toxicity	:	Assessment: The ingestion.	component/mixture is toxic after single
Acut	e inhalation toxicity	:	Assessment: The term inhalation.	component/mixture is highly toxic after short
Acut	e dermal toxicity	:	Assessment: The single contact wit	component/mixture is highly toxic after h skin.
pyrit	hione zinc:			
Acut	e oral toxicity	:	Acute toxicity est Method: Acute to No. 1272/2008	imate: 221 mg/kg xicity estimate according to Regulation (EC)
			Assessment: The ingestion.	component/mixture is toxic after single
				imate: 221 mg/kg xicity estimate according to Regulation (EC)
Acut	e inhalation toxicity	:	Acute toxicity est Test atmosphere Method: Acute to No. 1272/2008	
			Assessment: The inhalation.	component/mixture is toxic after short term

according to Regulation (EC) No. 1907/2006



ersion .0	Revision Date: 12.02.2023	SDS Numbe 1020000320	
		Test atm	xicity estimate: 0.14 mg/l nosphere: dust/mist Acute toxicity estimate according to Regulation (EC 2/2008
	corrosion/irritation assified based on ava	ailable informatio	on.
<u>Produ</u> Remar		: May cau	se skin irritation and/or dermatitis.
<u>Comp</u>	onents:		
Coppe Remar		: May cau	se skin irritation in susceptible persons.
2-(dim Result	ethylamino)-2-meth	ylpropan-1-ol: : Skin irrita	ation
octade Asses	ecylamine: sment	: Irritating	to skin.
1,2-be Result	nzisothiazol-3(2H)-c	ne: : Skin irrita	ation
	is eye damage/eye s serious eye irritatio		
<u>Produ</u> Remar		: May cau	se irreversible eye damage.
<u>Comp</u>	onents:		
Coppe Result		: Eye irrita	ation
2-(dim Result	ethylamino)-2-meth	ylpropan-1-ol: : Corrosiv	e
octade Asses	ecylamine: sment	: Corrosiv	e
1,2-be Result	nzisothiazol-3(2H)-c	ne: : Corrosiv	٩

according to Regulation (EC) No. 1907/2006



ersion 0	Revision Date: 12.02.2023	SDS Number: 102000032002	Print Date: 16.04.2024 Date of first issue: 19.09.2019
reacti (3:1):	on mass of 5-chloro	-2-methyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one
Resul	t	: Corrosive	
pyrith Resul	ione zinc: t	: Corrosive	
Respi	ratory or skin sensi	tisation	
	sensitisation assified based on ava	ailable information.	
-	ratory sensitisation assified based on avai	ailable information.	
<u>Comp</u>	oonents:		
1 ,2-be Resul	enzisothiazol-3(2H)-o t		nsitisation by skin contact.
	cell mutagenicity assified based on ava	ailable information.	
	n ogenicity assified based on ava	ailable information.	
-	oductive toxicity assified based on ava	ailable information.	
	• single exposure assified based on ava	ailable information.	
	- repeated exposure		
	assified based on ava ponents:	allable information.	
-			
Expo: Targe	ecylamine: sure routes t Organs ssment		e system, Immune system mage to organs through prolonged or repeated
-	ation toxicity assified based on ava	ailable information.	
<u>Comp</u>	oonents:		
	ecylamine:	nd ontoro circura	
May b	e fatal if swallowed a	nd enters airways.	



according to Regulation (EC) No. 1907/2006



UNIPAK WB 2849 Rich Gold

Version 6.0	Revision Date: 12.02.2023	SDS Number: 102000032002	Print Date: 16.04.2024 Date of first issue: 19.09.2019
11.2 Infor	mation on other haz	ards	
Furth	er information		
<u>Prod</u> Rema		: No data availa	ble
<u>Com</u>	ponents:		
Сорр	er:		
Rema	arks	: No data availa	ble
zinc	powder — zinc dust	(stabilised):	
Rema	arks	: No data availa	ble

SECTION 12: Ecological information

12.1 Toxicity

Com	ponents:

Copper: M-Factor (Short-term (acute) aquatic hazard) M-Factor (Long-term (chronic) aquatic hazard)		10 10
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.
zinc powder — zinc dust (st	abi	lised):
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.
octadecylamine:		
M-Factor (Short-term (acute) aquatic hazard)	:	10
M-Factor (Long-term (chronic) aquatic hazard)	:	10
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Very toxic to aquatic life.

according to Regulation (EC) No. 1907/2006



Version 6.0	Revision Date: 12.02.2023		DS Number: 2000032002	Print Date: 16.04.2024 Date of first issue: 19.09.2019
Chroi	nic aquatic toxicity	:	Very toxic to a	quatic life with long lasting effects.
1,2-b	enzisothiazol-3(2H)-one	:		
Ecote	oxicology Assessment			
	e aquatic toxicity	:	Very toxic to a	quatic life.
Chroi	nic aquatic toxicity	:	Toxic to aquati	c life with long lasting effects.
react (3:1):		-me	thyl-2H-isothiaz	col-3-one and 2-methyl-2H-isothiazol-3-one
	ctor (Short-term (acute)	:	100	
M-Fa	tic hazard) ctor (Long-term nic) aquatic hazard)	:	100	
Ecote	oxicology Assessment			
Acute	e aquatic toxicity	:	Very toxic to a	quatic life.
Chroi	nic aquatic toxicity	:	Very toxic to a	quatic life with long lasting effects.
M-Fa aquat M-Fa	hione zinc: ctor (Short-term (acute) tic hazard) ctor (Long-term nic) aquatic hazard)	:	1,000 10	
	oxicology Assessment			
	e aquatic toxicity	:	Very toxic to a	quatic life.
	nic aquatic toxicity	:		quatic life with long lasting effects.
	istence and degradabil ata available	ity		
	ccumulative potential ata available			
	ility in soil ata available			
12.5 Resu	Ilts of PBT and vPvB as	sse	ssment	
Prod	uct:			
	ssment	:	to be either per	e/mixture contains no components considered rsistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of

according to Regulation (EC) No. 1907/2006



UNIPAK WB 2849 Rich Gold

Version 6.0	Revision Date: 12.02.2023	SDS Number: 102000032002	Print Date: 16.04.2024 Date of first issue: 19.09.2019
	ocrine disrupting pro	operties	
12.7 Othe	r adverse effects		
	<u>uct:</u> ional ecological nation	unprofession	ental hazard cannot be excluded in the event of al handling or disposal. aquatic life with long lasting effects.
<u>Com</u>	ponents:		
	eer: ional ecological nation	unprofession	ental hazard cannot be excluded in the event of al handling or disposal. aquatic life with long lasting effects.
zinc	powder — zinc dust	(stabilised):	
	ional ecological nation	unprofession	ental hazard cannot be excluded in the event of al handling or disposal. aquatic life with long lasting effects.

SECTION 13: Disposal considerations

European Waste Catalogue	:	08 03 12 - waste ink containing dangerous substances
13.1 Waste treatment methods		
Product	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 3082
IMDG	:	UN 3082
ΙΑΤΑ	:	UN 3082

14.2 UN proper shipping name

according to Regulation (EC) No. 1907/2006



Version 6.0	Revision Date: 12.02.2023	-	98 Number: 2000032002	Print Date: 16.04.2024 Date of first issue: 19.09.2019		
ADR		:	ENVIRONMENT N.O.S. (Copper metal p	ALLY HAZARDOUS SUBSTANCE, LIQUID,		
IMDG	i	:	ENVIRONMENT N.O.S. (Copper metal p	ALLY HAZARDOUS SUBSTANCE, LIQUID,		
ΙΑΤΑ		:	Environmentally hazardous substance, liquid, n.o.s. (Copper metal powder)			
14.3 Trans	sport hazard class(es)					
			Class	Subsidiary risks		
ADR		:	9			
IMDG	i		9			
IATA			9			
	ing group	•				
ADR						
Packi Class Hazar Labels	el restriction code	:	III M6 90 9 (-)			
	ng group s	: : :	III 9 F-A, S-F			
	(Cargo) ng instruction (cargo ft)	:	964			
Packi	ng instruction (LQ) ng group	:	Y964 III 9			
Packi	(Passenger) ng instruction enger aircraft)	:	964			
Packi	ng instruction (LQ) ng group	:	Y964 III 9			
	onmental hazards					
ADR						
	onmentally hazardous	:	yes			
IMDG Marine	e pollutant	:	yes			
14.6 Spec	ial precautions for use	r				

according to Regulation (EC) No. 1907/2006



UNIPAK WB 2849 Rich Gold

Version 6.0	Revision Date: 12.02.2023	SDS Number: 102000032002	Print Date: 16.04.2024 Date of first issue: 19.09.2019
Remarks		packagings co	kagings <=5L / 5 kg, or combination ntaining inner packagings <= 5L / 5 kg net per g, SV375 ADR, 2.10.2.7 IMDG-Code, A197 ay be applied.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3 2-(dimethylamino)-2-methylpropan- 1-ol (Number on list 40, 3) polypropylene glycol (Number on list 3) Alcohols, C16-18, ethoxylated (Number on list 3)
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H226	:	Flammable liquid and vapour.
H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.

according to Regulation (EC) No. 1907/2006



UNIPAK WB 2849 Rich Gold

Version 6.0	Revision Date: 12.02.2023)S Number: 2000032002	Print Date: 16.04.2024 Date of first issue: 19.09.2019
H304 H310 H314 H315 H317 H318 H319 H330 H331 H373			 May be fatal if swallowed and enters airways. Fatal in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Fatal if inhaled. Toxic if inhaled. May cause damage to organs through prolonged or repeated exposure. 	
H400 H410 H411		:	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.	
	ext of other abbreviati	ons		
Aquat Asp. 1 Eye D Eye Ir Flam. Skin C Skin I Skin S STOT GB EI GB EI	ic Acute ic Chronic Tox. Jam. rit. Liq. Corr. rrit. Sens. RE		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aspiration hazard Serious eye damage Eye irritation Flammable liquids Skin corrosion Skin irritation Skin sensitisation Specific target organ toxicity - repeated exposure UK. EH40 WEL - Workplace Exposure Limits Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period)	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect **Further information**

according to Regulation (EC) No. 1907/2006



UNIPAK WB 2849 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
6.0	12.02.2023	102000032002	Date of first issue: 19.09.2019

Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Classification of the m	nixture:	Classification procedure:					
Acute Tox. 4	H302	Calculation method					
Eye Irrit. 2	H319	Calculation method					
Aquatic Acute 1	H400	Calculation method					
Aquatic Chronic 1	H410	Calculation method					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN