

SYMIC C522

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
3.0	13.02.2023	10200002390	Date of first issue: 09.01.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

agents, pigments

1.1 Product identifier		
Trade name	:	SYMIC C522

Product code : 035669MJ0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colouring
Substance/Mixture		-

1.3 Details of the supplier of the safety data sheet

Company	ECKART Suisse SA Route de la Brasserie 2 1963 Vétroz
Telephone	: +410273454800
Telefax	: +410273454859
E-mail address of person responsible for the SDS	: <u>msds.eckart@altana.com</u>

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Additional Labelling

EUH210 Safety data sheet available on request.



SYMIC C522

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
3.0	13.02.2023	102000002390	Date of first issue: 09.01.2014

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Substances with a workplace expo	sure limit:		
Fluorphlogopite	12003-38-2		>= 50 - <= 100
(Mg3K[AIF2O(SiO3)3])			
	234-426-5		
	01-2119971065-37		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water.
In case of eye contact	:	Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.



SYMIC C522

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
3.0	13.02.2023	10200002390	Date of first issue: 09.01.2014

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Not combustible.

5.2 Special hazards arising from the substance or mixture

This information is not available.

5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

	e equipment and emergency procedures Avoid dust formation.			
6.2 Environmental precautions Environmental precautions :	No special environmental precautions required.			
 6.3 Methods and material for containment and cleaning up Methods for cleaning up Pick up and arrange disposal without creating du Sweep up and shovel. Keep in suitable, closed containers for disposal. 				

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling					
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.			
Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.			



SYMIC C522

Version 3.0	Revision Date: 13.02.2023	-	0S Number: 2000002390	Print Date: 15.04.2024 Date of first issue: 09.01.2014
Hygi	Hygiene measures		General industrial hygiene practice.	
7.2 Cond	7.2 Conditions for safe storage,		luding any incom	patibilities
Requirements for storage areas and containers		:	Electrical installations / working materials must comply with the technological safety standards.	
Advice on common storage		:	No materials to b	e especially mentioned.
	Further information on : storage stability		Keep in a dry place. No decomposition if stored and applied as directed.	
7 3 Specific and use(s)				

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Fluorphlogopite (Mg3K[AIF2O(SiO 3)3])	12003-38-2	TWA	2.5 mg/m3 (Fluorine)	2000/39/EC
	Further inform	nation: Indicative		
diiron trioxide	1309-37-1	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40
		TWA (inhalable dust)	10 mg/m3	GB EH40
	when samplin MDHS14/4 G respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply particles of a particular part response that distinguishes and 'respirabl material that e available for o to the fraction definitions and contain comp	in g is undertaken in a eneral methods for s pracic and inhalable zardous to health ind in air equal to or great tor 4 mg.m-3 8-hour be subject to COSHH dusts have been ass with the appropriate wide range of sizes. ticle after entry into the it elicits, depend on two size fractions for e'., Inhalable dust appendent that penetrates to the deposition in the resp that penetrates to the dexplanatory material onents that have the	of airborne dust which will ccordance with the metho ampling and gravimetric a aerosols., The COSHH de- cludes dust of any kind wh eater than 10 mg.m-3 8-hc TWA of respirable dust. If people are exposed to signed specific WELs and limits., Most industrial dus The behaviour, depositio he human respiratory sys the nature and size of the r limit-setting purposes te oproximates to the fraction mouth during breathing an irratory tract. Respirable of he gas exchange region o al are given in MDHS14/4 ir own assigned WEL, all ho specific short-term exp	ds described in analysis or efinition of a een present at a our TWA of This means that o dust above these exposure to these ests contain n and fate of any tem, and the body e particle. HSE rmed 'inhalable' n of airborne nd is therefore dust approximates f the lung. Fuller ., Where dusts the relevant limits

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



SYMIC C522

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024	
3.0	13.02.2023	102000002390	Date of first issue: 09.01.2014	

а	figure three times the long-term	exposure limit should be use	d.	
	TWA (Respirable	4 mg/m3	GB EH40	
	dust)			
F	urther information: For the purpo	ses of these limits, respirable	e dust and	
in	halable dust are those fractions	of airborne dust which will be	collected	
	hen sampling is undertaken in ac			
	IDHS14/4 General methods for s			
	espirable, thoracic and inhalable a			
	ubstance hazardous to health inc			
	oncentration in air equal to or gre			
	halable dust or 4 mg.m-3 8-hour	•		
	ny dust will be subject to COSHH			
	evels. Some dusts have been ass			
	nust comply with the appropriate I			
	articles of a wide range of sizes.			
	particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE			
	distinguishes two size fractions for limit-setting purposes termed 'inhalable'			
	nd 'respirable'., Inhalable dust ap			
	naterial that enters the nose and r			
	vailable for deposition in the resp			
	the fraction that penetrates to th			
	efinitions and explanatory materia			
	ontain components that have thei			
	hould be complied with., Where n			
	figure three times the long-term			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

		-		
Substance name	End Use	Exposure routes	Potential health effects	Value
Fluorphlogopite (Mg3K[AIF2O(SiO3)3])	Consumers	Ingestion	Long-term systemic effects	62.5 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection	Safety glasses
Skin and body protection Respiratory protection	Protective suit No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: powder
Colour	: copper
Odaur	· odourlooo

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SYMIC C522



Vers 3.0		Revision Date: 13.02.2023		S Number: 000002390	Print Date: 15.04.2024 Date of first issue: 09.01.2014
	Odour Threshold		:	No data available	
	Freezing	point	:	No data available	
	Boiling p	oint/boiling range	:	No data available	
	Flammat	pility	:	Will not burn	
	Upper ex flammab	cplosion limit / Upper ility limit	:	No data available	
	Lower ex flammab	cplosion limit / Lower ility limit	:	No data available	
	Flash po	int	:	No data available	
	Auto-ign	ition temperature	:	Not relevant	
	Decomp	osition temperature	:	No data available	
	рН		:	substance/mixtur	e is non-soluble (in water)
	Visco	sity, kinematic	:	No data available	
		y(ies) r solubility vility in other solvents	:	insoluble No data available	
	Partition octanol/\	coefficient: n- vater	:	No data available	
	Vapour p		:	No data available	
	Relative	density	:	No data available	
	Density		:	3.43 g/cm3	
	Bulk den Relative	sity vapour density	:	0.23 g/cm3 No data available	
	Partic	le Size Distribution	:		

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



SYMIC C522

Version 3.0	Revision Date: 13.02.2023	SDS Number: 102000002390	Print Date: 15.04.2024 Date of first issue: 09.01.2014		
	nical stability ecomposition if stored	and applied as direct	ed.		
10.3 Poss	sibility of hazardous	reactions			
Hazaı	rdous reactions		recommended storage conditions. o be specially mentioned.		
10.4 Cond	ditions to avoid				
Cond	litions to avoid	: No data avail	able		
10.5 Inco	mpatible materials				
	10.6 Hazardous decomposition products This information is not available.				
SECTIO	SECTION 11: Toxicological information				
11.1 Infor	mation on hazard cla	asses as defined in I	Regulation (EC) No 1272/2008		
Acute	e toxicity				

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity Not classified based on available information.

Carcinogenicity Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SYMIC C522



Version 3.0	Revision Date: 13.02.2023	SDS Number: 102000002390	Print Date: 15.04.2024 Date of first issue: 09.01.2014
11.2 Infor	mation on other haz	ards	
Furth	er information		
<u>Prod</u> Rema		: No data availal	ble
SECTIO	N 12: Ecological in	formation	
12.1 Toxi o No da	c ity ata available		
	i stence and degrada ata available	ability	
	ccumulative potenti ata available	al	
	lity in soil ata available		
12.5 Resu	Its of PBT and vPvI	3 assessment	
Prod	uct:		
Asse	ssment	to be either pe	e/mixture contains no components considered rsistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
	ocrine disrupting pro ata available	operties	
12.7 Othe	r adverse effects		
	<u>uct:</u> ional ecological nation	: No data availal	ble
<u>Com</u>	oonents:		
Addit	phlogopite (Mg3K[A ional ecological nation	I F2O(SiO3)3]): : No data availal	ble

13.1 Waste treatment methods

Contaminated packaging	: Empty containers should be taken to an approved waste
	handling site for recycling or disposal.



SYMIC C522

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
3.0	13.02.2023	102000002390	Date of first issue: 09.01.2014

SECTION 14: Transport information

14.1 UN number or ID number				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

:

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances,



SYMIC C522

Version 3.0	Revision Date: 13.02.2023	SDS Number: 102000002390	Print Date: 15.04.2024 Date of first issue: 09.01.2014					
mixtures and articles (Annex XVII) Regulation (EC) No 1005/2009 on substances that : Not applicable deplete the ozone layer UK REACH List of substances subject to authorisation : Not applicable (Annex XIV)								
15.2 Chemical safety assessment								
No data av	vailable							

SECTION 16: Other information

Full text of H-Statements

Full text of other abbreviations						
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values				
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits				
2000/39/EC / TWA GB EH40 / TWA		Limit Value - eight hours Long-term exposure limit (8-hour TWA reference period)				

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals



SYMIC C522

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
3.0	13.02.2023	102000002390	Date of first issue: 09.01.2014

Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN