according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0001 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 28.02.2023
6.0	27.02.2023	102000029273	Date of first issue: 02.03.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	METALSTAR Eco 10 0001 Rich Gold
Product code	:	072876RN0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colorant; Printing ink related material; Printing ink, Colouring
Substance/Mixture		agents, dyes

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0001 Rich Gold

Version 6.0	Revision Date: 27.02.2023	-	DS Number: 02000029273	Print Date: 28.02.2023 Date of first issue: 02.03.2018			
2.2 Label	2.2 Label elements						
	Iling (REGULATION (rd pictograms	EC)	No 1272/2008)				
Signa	l word	:	Warning				
Hazaı	rd statements	:	H302 H319 H410	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.			
Precautionary statements		:	Prevention: P264 P273 P280 Response: P337 + P313 P391 Disposal: P501	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection. If eye irritation persists: Get medical advice/ attention. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.			

Hazardous components which must be listed on the label:

Copper

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302	>= 25 - < 50
		Eye Irrit. 2; H319	
	231-159-6	Aquatic Acute 1;	
	01-2119480154-42	H400	
		Aquatic Chronic 1;	
		H410	

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0001 Rich Gold

rsion			t Date: 28.02.2023 e of first issue: 02.03.2018	3
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
	oowder — zinc dust lised)	7440-66-6 231-175-3 030-001-01-9 01-2119467174-37	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - < 1
octad	ecylamine	124-30-1 204-695-3 612-282-00-8 01-2119473804-32	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT RE 2; H373 (Liver, Gastrointestinal tract, Immune system) Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 0.25 - <
amine	es, hydrogenated tallow alkyl	61788-45-2 (90640-32-7) 262-976-6 612-284-00-9	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT RE 2; H373 (Liver, Gastrointestinal tract, Immune system) Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.025 · 0.1
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0001 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 28.02.2023
6.0	27.02.2023	102000029273	Date of first issue: 02.03.2018

SECTION 4: First aid measures

4.1 Description of first aid measures General advice Move the victim to fresh air. : Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. If inhaled Remove to fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. In case of skin contact Wash off immediately with soap and plenty of water. : In case of eye contact Immediately flush eye(s) with plenty of water. : Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. 4.2 Most important symptoms and effects, both acute and delayed

•	•••		
Risks		: Harmful if swallowed.	
		Causes serious eye irritation.	

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Special powder against metal fire Dry sand ABC powder
Unsuitable extinguishing media	:	Water High volume water jet Carbon dioxide (CO2)
5.2 Special hazards arising from	the	e substance or mixture
Specific bazards during		Do not allow run-off from fire fighting to enter drains or wat

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0001 Rich Gold

Version 6.0	Revision Date: 27.02.2023		0S Number: 2000029273	Print Date: 28.02.2023 Date of first issue: 02.03.2018
5.3 Advice for firefighters Special protective equipment for firefighters Further information		:	necessary.	ed breathing apparatus for firefighting if Ire for chemical fires.
			must not be disch Fire residues and be disposed of in Use extinguishing	ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations. measures that are appropriate to local d the surrounding environment.

SECTION 6: Accidental release measures

• •	ve equipment and emergency procedures Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment.
6.2 Environmental precautions	
Environmental precautions :	The product should not be allowed to enter drains, water courses or the soil.
	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for conta	inment and cleaning up
Methods for cleaning up :	Use mechanical handling equipment.
	Pick up and transfer to properly labelled containers. Do not flush with water. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0001 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 28.02.2023
6.0	27.02.2023	102000029273	Date of first issue: 02.03.2018

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

74	Drocoutions for sofe handling		
7.1	Precautions for safe handling Advice on safe handling	:	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
	Advice on protection against fire and explosion	:	Keep away from heat and sources of ignition. No smoking.
			Normal measures for preventive fire protection.
	Hygiene measures	:	General industrial hygiene practice.
			When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep away from sources of ignition - No smoking. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.
			Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
	Further information on storage conditions	:	Protect from humidity and water.
	Advice on common storage	:	Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions. Do not store together with oxidizing and self-igniting products.
	Dampness	:	Keep in a dry, cool and well-ventilated place.
	Further information on storage stability	:	No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0001 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 28.02.2023
6.0	27.02.2023	102000029273	Date of first issue: 02.03.2018

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3 (Copper)	GB EH40
		TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40
		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Copper	Workers	Skin contact	Long-term systemic effects	137 mg/kg
	Workers	Skin contact	Acute systemic effects	273 mg/kg
	Workers	Inhalation	Long-term systemic effects	20 mg/m3
	Consumers	Inhalation	Long-term local effects	1 mg/m3
	Consumers	Inhalation	Acute local effects	1 mg/m3
	Consumers	Skin contact	Long-term systemic effects	137 mg/kg
	Consumers	Skin contact	Acute systemic effects	273 mg/kg
	Consumers	Ingestion	Long-term systemic effects	0.041 mg/kg
zinc powder — zinc dust (stabilised)	Workers	Inhalation	Long-term systemic effects	5 mg/m3
	Workers	Skin contact	Long-term systemic effects	83 mg/kg
	Consumers	Inhalation	Long-term systemic effects	2.5 mg/m3
	Consumers	Skin contact	Long-term systemic effects	83 mg/kg
	Consumers	Ingestion	Long-term systemic effects	0.83 mg/kg
amines, hydrogenated	Workers	Inhalation	Long-term systemic	0.38 mg/m3

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0001 Rich Gold

rsion	Revision Date: 27.02.2023			Print Date: 28.02.2023 Date of first issue: 02.03.2	018
tallow	/ alkyl	1		effects	
		Workers	Inhalation	Long-term local effects	1 mg/m3
		Workers	Inhalation	Acute local effect	s 1 mg/m3
		Consumers	Inhalation	Long-term system effects	5
		Consumers	Oral	Long-term system effects	nic 0.04 mg/kg
Predi	cted No Effect C	oncentration	(PNEC) accordi	ng to Regulation (EC) N	o. 1907/2006:
Subst	tance name	E	nvironmental Co	mpartment	Value
Copp	er	F	resh water	•	0.0078 mg/l
		Ν	larine water	0.0052 mg/l	
			STP	0.230 mg/l	
		F	resh water sedim	87 mg/kg	
		Ν	larine sediment		676 mg/kg
		S	Soil	65 mg/kg	
	zinc powder — zinc dust (stabilised)		resh water	0.0206 mg/l	
	ł	Ν	larine water	0.0061 mg/l	
		S	STP	0.100 mg/l	
		F	resh water sedim	235.6 mg/kg	
		Ν	larine sediment	121 mg/kg	
amines, hydrogenated tallow alkyl		S	Soil		35.6 mg/kg
		tallow F	resh water	0.00026 mg/l	
			larine water		0.000026 mg/l
			Sewage treatment		0.55 mg/kg
			resh water sedin	nent	3.76 mg/kg
			larine sediment		376 mg/kg
			Soil		10 mg/kg
			ntermittent Relea	0.0016 mg/l	

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses	
		Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.	
Hand protection Material	:	Solvent-resistant gloves (butyl-rubber)	
Remarks	:	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed.	

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0001 Rich Gold

Version 6.0	Revision Date: 27.02.2023		DS Number: 02000029273	Print Date: 28.02.2023 Date of first issue: 02.03.2018
			breakthrough time gloves. Also take conditions under danger of cuts, al Recommended p washed after con	he instructions regarding permeability and e which are provided by the supplier of the into consideration the specific local which the product is used, such as the brasion, and the contact time. reventive skin protection Skin should be tact. The suitability for a specific workplace sed with the producers of the protective
Skir	and body protection	:		ng tection according to the amount and he dangerous substance at the work place.
Res	piratory protection	:	requires.	athing protection if workplace concentration d conform to EN 14387

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	gold
Odour	:	characteristic
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	> 100 °C
Flammability	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 100 °C
Auto-ignition temperature	:	Not relevant

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0001 Rich Gold

Vers 6.0	ion	Revision Date: 27.02.2023		S Number: 2000029273	Print Date: 28.02.2023 Date of first issue: 02.03.2018
	Decom	position temperature	:	No data available	9
	рН		:	substance/mixtu	re is non-soluble (in water)
	Visc	cosity, kinematic	:	No data available	9
	Wat	er solubility	:	No data available	9
	Solu	ubility in other solvents	:	No data available	9
	Partitio octanol	n coefficient: n- /water	:	No data available	9
	Vapour	pressure	:	No data available	9
	Relativ	e density	:	No data available	9
	Density	/	:	No data available	9
	Relativ	e vapour density	:	No data available	9
	Part	ticle Size Distribution	:	No data available	9
0.20)than in	formation			

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	: Stable under recommended storage conditions.		
		No decomposition if stored and applied as directed.		
10.4 Conditions to avoid				
Conditions to avoid	:	Do not allow evaporation to dryness.		
		No data available		
10.5 Incompatible materials				
10.6 Hazardous decomposition	10.6 Hazardous decomposition products			

Thermal decomposition : Carbon monoxide, carbon dioxide and unburned

according to Regulation (EC) No. 1907/2006



Version Revision Date: SDS Number: Print Date: 28.02.2023 6.0 27.02.2023 102000029273 Date of first issue: 02.03.2018 hydrocarbons (smoke).

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.		
Product:		
Acute oral toxicity	:	Acute toxicity estimate: 1,627 mg/kg Method: Calculation method
Components:		
Copper:		
Acute oral toxicity	:	Assessment: The component/mixture is moderately toxic after single ingestion.
zinc powder — zinc dust (sta	bi	lised):
Acute oral toxicity	:	(Rat): > 2,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 5.41 mg/l Exposure time: 4 h Test atmosphere: dust/mist
amines, hydrogenated tallow	ı al	kyl:
Acute oral toxicity	:	LD50 (Rat): > 2,000 - 5,000 mg/kg Method: OECD Test Guideline 401
Skin corrosion/irritation		
Not classified based on availab	ole	information.
Product:		
Remarks	:	May cause skin irritation in susceptible persons.
Components:		
Copper:		
Remarks	:	May cause skin irritation in susceptible persons.
octadecylamine:		
Assessment	:	Irritating to skin.
amines, hydrogenated tallow	ı al	kyl:
Result	:	Skin irritation

according to Regulation (EC) No. 1907/2006



Versio 6.0	'n	Revision Date: 27.02.2023		9S Number: 2000029273	Print Date: 28.02.2023 Date of first issue: 02.03.2018			
R	emark	S	:	May cause skin irr	itation in susceptible persons.			
S	erious	s eye damage/eye irri	tati	on				
C	auses	serious eye irritation.						
	roduc							
R	emark	S	:	: May cause irreversible eye damage.				
<u>C</u>	ompo	nents:						
C	opper	:						
R	esult		:	Eye irritation				
0	ctade	cylamine:						
	ssessi	•	:	Corrosive				
a	mines	, hydrogenated tallov	<i>n</i> al	kvl:				
	esult	, . ,	: Irreversible effects on the eye					
R	emark	S	:	May cause irrever	sible eye damage.			
R	espira	atory or skin sensitis	atio	n				
S	kin se	ensitisation						
N	lot clas	sified based on availa	ble	information.				
	-	atory sensitisation						
N	lot clas	sified based on availa	ble	information.				
		ell mutagenicity	bla	information				
		ssified based on availa ogenicity	bie	mormation.				
		ssified based on availa	ble	information.				
R	eprod	uctive toxicity						
N	lot clas	sified based on availa	ble	information.				
		single exposure						
		sified based on availa	ble	information.				
		repeated exposure sified based on availa	hle	information				
		nents:	516					
		cylamine: re routes	:	Ingestion				
		Organs	:		stem, Immune system			

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0001 Rich Gold

0	Revision Date: 27.02.2023	SDS Number: 102000029273	Print Date: 28.02.2023 Date of first issue: 02.03.2018					
Assessment		: May cause dar exposure.	: May cause damage to organs through prolonged or repeated exposure.					
amin	es, hydrogenated ta	llow alkyl:						
	et Organs ssment	: The substance	Liver, Gastrointestinal tract, Immune system The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.					
-	ration toxicity							
	lassified based on av	allable information.						
Com	ponents:							
	lecylamine:							
Mayt	pe fatal if swallowed a	and enters airways.						
	es, hydrogenated ta be fatal if swallowed a	•						
May t I .2 Infor		and enters airways.						
May t I .2 Infor	be fatal if swallowed a mation on other haz her information	and enters airways.	ble					
May b I.2 Infor Furth <u>Produ</u> Rema	be fatal if swallowed a mation on other haz her information	and enters airways.	ble					
May b I.2 Infor Furth <u>Produ</u> Rema	be fatal if swallowed a mation on other haz her information <u>uct:</u> arks ponents:	and enters airways.	ble					
May b I.2 Inform Furth <u>Produ</u> Rema <u>Com</u> j	be fatal if swallowed a mation on other haz her information <u>uct:</u> arks ponents: per:	and enters airways.						
May b I.2 Inform Furth Produ Rema Copp Rema	be fatal if swallowed a mation on other haz her information <u>uct:</u> arks ponents: per: arks	and enters airways. cards : No data availal : No data availal						
May b I.2 Inform Furth Produ Rema Copp Rema	be fatal if swallowed a mation on other haz her information <u>uct:</u> arks ponents: per: arks powder — zinc dust	and enters airways. cards : No data availal : No data availal	ble					
May t I.2 Infor Furth Produ Rema Copp Rema zinc	be fatal if swallowed a mation on other haz her information <u>uct:</u> arks ponents: per: arks powder — zinc dust	and enters airways. cards : No data availa : No data availa (stabilised):	ble					

Components:Copper:M-Factor (Short-term (acute))aquatic hazard)M-Factor (Long-term
(chronic) aquatic hazard)10

according to Regulation (EC) No. 1907/2006



Versi 6.0	ion	Revision Date: 27.02.2023	-	S Number: 2000029273	Print Date: 28.02.2023 Date of first issue: 02.03.2018
	Ecoto	kicology Assessment			
		aquatic toxicity	:	Very toxic to aqua	tic life.
	Chronie	c aquatic toxicity	:	Very toxic to aqua	tic life with long lasting effects.
:	zinc po	owder — zinc dust (sta	abil	ised):	
	Ecoto	kicology Assessment			
	Acute a	aquatic toxicity	:	Very toxic to aqua	tic life.
	Chronic	c aquatic toxicity	:	Very toxic to aqua	tic life with long lasting effects.
	octade	ecylamine:			
		or (Short-term (acute) hazard)	:	10	
		or (Long-term c) aquatic hazard)	:	10	
	Ecoto	cicology Assessment			
	Acute a	aquatic toxicity	:	Very toxic to aqua	tic life.
	Chronie	c aquatic toxicity	: Very toxic to aquatic life with long lasting effects.		
i	amines	s, hydrogenated tallov	v al	kyl:	
		or (Short-term (acute) hazard)	:	10	
		or (Long-term c) aquatic hazard)	:	10	
	Ecoto	kicology Assessment			
	Acute a	aquatic toxicity	:	Very toxic to aqua	tic life.
	Chronic	c aquatic toxicity	:	Very toxic to aqua	tic life with long lasting effects.
		tence and degradabili a available	ty		
		cumulative potential a available			
		ty in soil a available			
12.5	Result	s of PBT and vPvB as	ses	sment	
	Produc	<u>ct:</u>			



according to Regulation (EC) No. 1907/2006



Version 6.0	Revision Date: 27.02.2023		OS Number: 2000029273	Print Date: 28.02.2023 Date of first issue: 02.03.2018
Assessment		:	to be either per	/mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
	ocrine disrupting prop ata available	ertie	S	
12.7 Othe	r adverse effects			
	uct: ional ecological nation	:	unprofessional	tal hazard cannot be excluded in the event of handling or disposal. uatic life with long lasting effects.
Com	ponents:			
	ber: ional ecological nation	:	unprofessional	tal hazard cannot be excluded in the event of handling or disposal. uatic life with long lasting effects.
zinc	powder — zinc dust (s	tabi	lised):	
	ional ecological nation	:	: An environmental hazard cannot be excluded in the even unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.	
amin	es, hydrogenated tallo	ow a	lkyl:	
Addit	ional ecological nation	:	 An environmental hazard cannot be excluded in the unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects. 	
SECTION	N 13: Disposal consi	dera	ations	
Europ	bean Waste Catalogue	:	: 08 03 12 - waste ink containing dangerous substances	
13.1 Wast	te treatment methods			
Produ		:	courses or the s Do not contami chemical or use	nate ponds, waterways or ditches with

A member of **C ALTANA**

according to Regulation (EC) No. 1907/2006



Version 6.0	Revision Date: 27.02.2023	SDS Number: 102000029273		Print Date: 28.02.2023 Date of first issue: 02.03.2018	
SECTION	14: Transport infor	nation			
14.1 UN nu	mber or ID number				
ADR		: UN 308	32		
IMDG		: UN 308	32		
ΙΑΤΑ		: UN 3082			
14.2 UN pro	oper shipping name				
ADR		N.O.S.	ONMENTA	LLY HAZARDOUS SUBSTANCE, LIQUID,	
IMDG		N.O.S.	ONMENTA	LLY HAZARDOUS SUBSTANCE, LIQUID, wder)	
ΙΑΤΑ			nmentally h r metal po	azardous substance, liquid, n.o.s. wder)	
14.3 Transp	oort hazard class(es)				
		Class		Subsidiary risks	
ADR		: 9			
IMDG		: 9			
ΙΑΤΑ		: 9			
14.4 Packir	ng group				
Classif Hazard Labels	g group ication Code I Identification Number restriction code	: III : M6 : 90 : 9 : (-)			
IMDG Packing Labels EmS C	g group ode	: III : 9 : F-A, S-	F		
Packin aircraft		: 964			
	g instruction (LQ) g group	: Y964 : III : 9			
Packin	Passenger) g instruction nger aircraft)	: 964			
	g instruction (LQ)	: Y964			

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0001 Rich Gold

Version 6.0	Revision Date: 27.02.2023		DS Number: 02000029273	Print Date: 28.02.2023 Date of first issue: 02.03.2018
Labels	g group onmental hazards	:	 9	
ADR				
7.2	nmentally hazardous	:	yes	
IMDG				
Marine	pollutant	:	yes	
14.6 Specia	al precautions for use	er		
Remar	ks	:	packagings conta	gings <=5L / 5 kg, or combination ining inner packagings <= 5L / 5 kg net per SV375 ADR, 2.10.2.7 IMDG-Code, A197 be applied.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

15.2 Chemical safety assessment

No data available

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0001 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 28.02.2023
6.0	27.02.2023	102000029273	Date of first issue: 02.03.2018

SECTION 16: Other information

Full text of H-Statements		
H302	:	Harmful if swallowed.
H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ns	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.		Eye irritation
Skin Irrit.	:	Skin irritation
STOT RE	:	Specific target organ toxicity - repeated exposure
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0001 Rich Gold

Version	Revision Date:	SDS Number:	Print Date: 28.02.2023
6.0	27.02.2023	102000029273	Date of first issue: 02.03.2018

Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the	Classification procedure:	
Acute Tox. 4	H302	Calculation method
Eye Irrit. 2	H319	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN