according to Regulation (EC) No. 1907/2006



# STAPA 15 ZnMg26 Zinc Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
3.0	13.02.2023	102000022664	Date of first issue: 26.02.2015

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: STAPA 15 ZnMg26 Zinc Paste
Product code	: 032069KJ0
1.2 Relevant identified uses	s of the substance or mixture and uses advised against
Use of the	: Colouring agents, pigments

#### 1.3 Details of the supplier of the safety data sheet

Company	: ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	: +499152770
Telefax	: +499152777008
E-mail address of person responsible for the SDS	: msds.eckart@altana.com

#### 1.4 Emergency telephone number

Substance/Mixture

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard,<br/>Category 1H400: Very toxic to aquatic life.Long-term (chronic) aquatic hazard,<br/>Category 1H410: Very toxic to aquatic life with long lasting<br/>effects.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006



# STAPA 15 ZnMg26 Zinc Paste

Version 3.0	Revision Date: 13.02.2023	-	DS Number: 02000022664	Print Date: 16.04.2024 Date of first issue: 26.02.2015
Hazard pictograms		:	*	
Signal	word	:	Warning	
Hazaro	statements	:	H410	Very toxic to aquatic life with long lasting effects.
Precautionary statements		:	Prevention: P273 Response: P391 Disposal: P501	Avoid release to the environment. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.

#### 2.3 Other hazards

**Combustible Solids** 

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
zinc powder — zinc dust	7440-66-6	Aquatic Acute 1;	>= 50 - <= 100
(stabilised)		H400	
	231-175-3	Aquatic Chronic 1;	
	030-001-01-9	H410	
	01-2119467174-37		
magnesium, powder or turnings	7439-95-4	Flam. Sol. 1; H228	>= 20 - < 25
		Self-heat. 1; H251	
	231-104-6	Water-react. 2; H261	
	012-002-00-9		
Naphtha (petroleum),	64742-48-9	Asp. Tox. 1; H304	>= 10 - < 20
hydrotreated heavy; Low boiling			
point ydrogen treated naphtha	918-481-9		
	01-2119457273-39		

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006



# STAPA 15 ZnMg26 Zinc Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
3.0	13.02.2023	102000022664	Date of first issue: 26.02.2015

#### **SECTION 4: First aid measures**

4.1 Description of first aid measures					
General advice :	Move the victim to fresh air. Remove from exposure, lie down. No hazards which require special first aid measures.				
If inhaled :	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.				
In case of skin contact :	Wash off immediately with soap and plenty of water.				
In case of eye contact :	Immediately flush eye(s) with plenty of water. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.				
	Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.				
If swallowed :	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.				

#### **4.2 Most important symptoms and effects, both acute and delayed** None known.

4.3 Indication of any immediate medical attention and special treatment needed

#### **SECTION 5: Firefighting measures**

:	Dry sand Special powder against metal fire
:	Carbon dioxide (CO2) Water
the	e substance or mixture
:	Contact with water liberates extremely flammable gas (hydrogen).
	Do not allow run-off from fire fighting to enter drains or water courses.
	: the

according to Regulation (EC) No. 1907/2006



# STAPA 15 ZnMg26 Zinc Paste

Version 3.0	Revision Date: 13.02.2023		DS Number: 2000022664	Print Date: 16.04.2024 Date of first issue: 26.02.2015
5.3 Advice for firefighters Special protective equipment for firefighters		:	Wear self-contained breathing apparatus for firefighting if necessary.	
Further information		:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective Personal precautions :	equipment and emergency procedures Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid dust formation.
6.2 Environmental precautions	
Environmental precautions :	Do not flush into surface water.
	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for contain	nment and cleaning up
Methods for cleaning up :	Use mechanical handling equipment.
	Pick up and transfer to properly labelled containers. Do not flush with water. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
	Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	Avoid creating dust.	
		Routine housekeeping should be instituted to ensure that	

according to Regulation (EC) No. 1907/2006



# STAPA 15 ZnMg26 Zinc Paste

Vers 3.0	sion	Revision Date: 13.02.2023		DS Number: 2000022664	Print Date: 16.04.2024 Date of first issue: 26.02.2015
Advice on protection against fire and explosion		:	For personal prof Smoking, eating a application area. Dispose of rinse regulations.	umulate on surfaces. rection see section 8. and drinking should be prohibited in the water in accordance with local and national heat and sources of ignition. No smoking.	
				Normal measures	for preventive fire protection.
	Hygien	e measures	:	Wash hands befo	pre breaks and at the end of workday.
7.2 (	Conditi	ons for safe storage,	inc	luding any incom	patibilities
Requirements for storage areas and containers		:	measures to prevexplosion-proof econtainer tightly of Keep containers	iners and apparatuses is essential. Take rent the build up of electrostatic charge. Use equipment. Store in original container. Keep closed in a dry and well-ventilated place. tightly closed in a cool, well-ventilated place. sources of ignition - No smoking.	
				place. Electrical i	ghtly closed in a dry and well-ventilated nstallations / working materials must comply gical safety standards.
		r information on e conditions	:	Protect from hum	idity and water.
	Advice	e on common storage	:	strongly acid mat	oxidizing agents, strongly alkaline and erials in order to avoid exothermic reactions. other with oxidizing and self-igniting products.
		r information on e stability	:	No decompositio	n if stored and applied as directed.
739	Snecifi	c end use(s)			

#### 7.3 Specific end use(s)

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40
magnesium, powder or turnings	7439-95-4	TWA (Inhalable)	10 mg/m3	GB EH40

according to Regulation (EC) No. 1907/2006



# STAPA 15 ZnMg26 Zinc Paste

			VA (Respirable 4 n action)	ng/m3	GB EH40
Derive	ed No Effect Lev	vel (DNEL) acco	rding to Regulation	(EC) No. 1907/2006:	
Subst	ance name	End Use	Exposure routes	Potential health effects	Value
	owder — zinc stabilised)	Workers	Inhalation	Long-term systemic effects	5 mg/m3
		Workers	Skin contact	Long-term systemic effects	83 mg/kg
		Consumers	Inhalation	Long-term systemic effects	2.5 mg/m3
		Consumers	Skin contact	Long-term systemic effects	83 mg/kg
		Consumers	Ingestion	Long-term systemic effects	0.83 mg/kg
magne or turr	esium, powder nings	Workers	Inhalation	Long-term systemic effects	10 mg/m3
¥	Workers	Inhalation	Acute systemic effects	10 mg/m3	
		Workers	Inhalation	Acute local effects	10 mg/m3
	Workers	Inhalation	Long-term local effects	10 mg/m3	
	Workers	Skin contact	Long-term systemic effects	5 mg/kg	
		Workers	Skin contact	Acute systemic effects	80 mg/kg
		Workers	Skin contact	Acute local effects	2.5 mg/cm2
		Workers	Skin contact	Long-term local effects	2.5 mg/cm2
		Consumers	Inhalation	Acute systemic effects	5 mg/m3
		Consumers	Inhalation	Acute local effects	5 mg/m3
		Consumers	Inhalation	Long-term systemic effects	5 mg/m3
		Consumers	Inhalation	Long-term local effects	5 mg/m3
		Consumers	Skin contact	Long-term systemic effects	2.5 mg/kg
		Consumers	Skin contact	Acute systemic effects	40 mg/kg
		Consumers	Skin contact	Long-term local effects	1.25 mg/cm
		Consumers	Skin contact	Acute local effects	1.25 mg/cm
		Consumers	Ingestion	Long-term systemic effects	3.6 mg/kg
		Consumers	Ingestion	Acute systemic effects	100 mg/kg
	ha (petroleum), treated heavy;	Workers	Inhalation	Acute systemic effects	1500 mg/m

according to Regulation (EC) No. 1907/2006



# STAPA 15 ZnMg26 Zinc Paste

ersion 0	Revision Date: 13.02.2023	SDS Nu 1020000			ate: 16.04.2024 f first issue: 26.02.201	5
ydrog naphtl	en treated ha					
		Workers	Skin con	tact	Long-term systemic effects	300 mg/kg
		Consumers	Ingestior	1	Long-term systemic effects	300 mg/kg
		Consumers	Skin con	tact	Long-term systemic effects	300 mg/kg
		Consumers	Inhalatio	า	Long-term systemic effects	900 mg/m3
Predic	cted No Effect Co	oncentration (	PNEC) acco	rding to	Regulation (EC) No.	1907/2006:
Subst	ance name	En	vironmental	Compartr	ment	Value

Substance name	Environmental Compartment value		
zinc powder — zinc dust	Fresh water	0.0206 mg/l	
(stabilised)			
	Marine water	0.0061 mg/l	
	STP	0.100 mg/l	
	Fresh water sediment	235.6 mg/kg	
	Marine sediment	121 mg/kg	
	Soil	35.6 mg/kg	
magnesium, powder or turnings	Fresh water	0.41 - 2 mg/l	
	Marine water	0.41 - 26.5 mg/l	
	Intermittent water release	1.4 - 2 mg/l	
	STP	10.8 mg/l	
	Marine sediment	8.78 - 268 mg/l	
	Fresh water sediment	87.8 - 268 mg/l	
	Soil	28.7 - 268 mg/kg	
	Secondary Poisoning	212 mg/kg	
	Air	10 mg/m3	

#### 8.2 Exposure controls

Personal protective equipmen Eye/face protection : Hand protection Material :	t Safety glasses Solvent-resistant gloves (butyl-rubber)
Remarks :	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective

according to Regulation (EC) No. 1907/2006

# STAPA 15 ZnMg26 Zinc Paste



Version 3.0	Revision Date: 13.02.2023	SDS Number: 102000022664	Print Date: 16.04.2024 Date of first issue: 26.02.2015
		gloves.	
Skin and body protection			rotection according to the amount and f the dangerous substance at the work place.
Respiratory protection		: Use suitable bre requires.	eathing protection if workplace concentration

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	Pasty solid
Colour	:	silver
Odour	:	characteristic
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	175 - 220 °C
Flammability	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	65 °C
Auto-ignition temperature	:	Not relevant
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility Solubility in other solvents	:	insoluble No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available

according to Regulation (EC) No. 1907/2006

# **C**ECKART

# STAPA 15 ZnMg26 Zinc Paste

Ver 3.0	sion	Revision Date: 13.02.2023		S Number: 2000022664	Print Date: 16.04.2024 Date of first issue: 26.02.2015
Relative density		:	No data available		
	Density		:	No data available	)
	Relative vapour density		:	No data available	)
	Particle Size Distribution		:		
<b>9.2 Other information</b> Flammable solids Burning number		:	1		
	Self-ignition		:	No data available	
	Self-heating substances		:	The substance o	r mixture is not classified as self heating.
Substances and mixtures, which in contact with water, emit flammable gases Miscibility with water		:	contact with wate	r mixture does not emit flammable gases in r.	
		:	immiscible		

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous react	tio	ns
Hazardous reactions	:	Contact with acids and alkalis may release hydrogen.
		No decomposition if stored and applied as directed.
10.4 Conditions to avoid		
Conditions to avoid	:	Do not allow evaporation to dryness.
		No data available
10.5 Incompatible materials		
Materials to avoid	:	Acids Bases Oxidizing agents

#### 10.6 Hazardous decomposition products

This information is not available.

according to Regulation (EC) No. 1907/2006



# STAPA 15 ZnMg26 Zinc Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
3.0	13.02.2023	102000022664	Date of first issue: 26.02.2015

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

#### **Components:**

zinc powder — zinc dust (stabilised):					
Acute oral toxicity	:	(Rat): > 2,000 mg/kg			
Acute inhalation toxicity	:	LC50 (Rat): 5.41 mg/l Exposure time: 4 h Test atmosphere: dust/mist			

#### Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): Test atmosphere: vapour Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### **Respiratory sensitisation** Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

#### Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:

Germ cell mutagenicity-<br/>Assessment: Classified based on benzene content < 0.1% (Regulation (EC)<br/>1272/2008, Annex VI, Part 3, Note P)

according to Regulation (EC) No. 1907/2006



# STAPA 15 ZnMg26 Zinc Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
3.0	13.02.2023	102000022664	Date of first issue: 26.02.2015

#### Carcinogenicity

Not classified based on available information.

#### Components:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:Carcinogenicity -:Classified based on benzene content < 0.1% (Regulation (EC)</td>Assessment1272/2008, Annex VI, Part 3, Note P)

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### Components:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha: May be fatal if swallowed and enters airways.

#### 11.2 Information on other hazards

#### **Further information**

# Product:

Remarks

: No data available

#### Components:

zinc powder — zinc dust (	(stabil	ised):
Remarks	:	No data available

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

 Components:

 zinc powder — zinc dust (stabilised):

 Ecotoxicology Assessment

 Acute aquatic toxicity
 :

 Very toxic to aquatic life.

 Chronic aquatic toxicity
 :

 Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006



# STAPA 15 ZnMg26 Zinc Paste

Version 3.0	Revision Date: 13.02.2023		8 Number: 000022664	Print Date: 16.04.2024 Date of first issue: 26.02.2015		
	stence and degradabi	lity				
No da	ta available					
	<b>cumulative potential</b> ta available					
<b>12.4 Mobil</b> No da	l <b>ity in soil</b> ta available					
12.5 Resul	ts of PBT and vPvB a	ssess	ment			
Produ	<u>ict:</u>					
Asses	sment	1	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.			
	<b>crine disrupting prop</b> otation to the second structure of the second structure	erties				
12.7 Other	adverse effects					
Produ	ict:					
Additi inform	onal ecological nation	I	unprofessional h	I hazard cannot be excluded in the event of andling or disposal. Jatic life with long lasting effects.		
<u>Comp</u>	onents:					
zinc p	oowder — zinc dust (s	tabilis	sed):			
Additi inform	onal ecological nation	1	unprofessional h	Il hazard cannot be excluded in the event of andling or disposal. Jatic life with long lasting effects.		
Napht	ha (petroleum), hydro	otreate	ed heavy; Low	boiling point ydrogen treated naphtha:		
Additi inform	onal ecological nation	:	No data availabl	e		
SECTION	13: Disposal consi	derat	ions			
Europ	ean Waste Catalogue	:	12 01 04 - non-f	errous metal dust and particles		
	ean Waste Catalogue	:	10 03 21 - other	particulates and dust (including ball-mill dust dous substances		
13.1 Waste	e treatment methods					
Produ	ct		The product sho	uld not be allowed to enter drains, water		

courses or the soil.

according to Regulation (EC) No. 1907/2006



# STAPA 15 ZnMg26 Zinc Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
3.0	13.02.2023	102000022664	Date of first issue: 26.02.2015
Conta	aminated packaging	chemical o Send to a In accorda : Empty rem Dispose o Do not re-u	ntaminate ponds, waterways or ditches with or used container. licensed waste management company. ance with local and national regulations. haining contents. f as unused product. use empty containers. ance with local and national regulations.

### **SECTION 14: Transport information**

14.1	I UN number or ID number			
	ADR	:	UN 3077	
	IMDG	:	UN 3077	
	ΙΑΤΑ	:	UN 3077	
14.2	2 UN proper shipping name			
	ADR	:	ENVIRONMENTALLY N.O.S. (Zinc powder, stabilized	HAZARDOUS SUBSTANCE, SOLID, ed)
	IMDG	:	ENVIRONMENTALLY N.O.S. (Zinc powder, stabilized	HAZARDOUS SUBSTANCE, SOLID, ed)
	ΙΑΤΑ	:	Environmentally haza (Zinc powder, stabilized	rdous substance, solid, n.o.s. ed)
14.3	3 Transport hazard class(es)			
			Class	Subsidiary risks
	ADR	:	9	
	IMDG	:	9	
	ΙΑΤΑ	:	9	
14.4	Packing group			
	ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code IMDG Packing group Labels	: : : : : : : : : : : : : : : : : : : :	III M7 90 9 (-) III 9	
	EmS Code	:	5 F-A, S-F	

according to Regulation (EC) No. 1907/2006



# STAPA 15 ZnMg26 Zinc Paste

Version 3.0	Revision Date: 13.02.2023		DS Number: 02000022664	Print Date: 16.04.2024 Date of first issue: 26.02.2015
Remarks		:	IMDG Code segre salts	egation group 7 - Heavy metals and their
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels		:	956 Y956 III 9	
IAT/ Pac (pas Pac	A (Passenger) king instruction senger aircraft) king instruction (LQ) king group	:	956 Y956 III 9	
14.5 Env	ironmental hazards			
IMD	ronmentally hazardous	:	yes yes	
14.6 Spe	cial precautions for use arks	er :	packagings conta	gings <=5L / 5 kg, or combination aining inner packagings <= 5L / 5 kg net per SV375 ADR, 2.10.2.7 IMDG-Code, A197 be applied.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: magnesium, powder or turnings (Number on list 40) Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen
--	--	---	--

according to Regulation (EC) No. 1907/2006



# STAPA 15 ZnMg26 Zinc Paste

Version 3.0	Revision Date: 13.02.2023	SDS Number: 102000022664			ate: 16.04.2024 f first issue: 26.02.2015
					treated naphtha (Number on list 3)
•	ation (EC) No 1005/200 e the ozone layer	9 on substances that		:	Not applicable
•	ACH List of substance	es subject to authorisat	ion	:	Not applicable
15.2 Chem	ical safety assessme	nt			

No data available

#### **SECTION 16: Other information**

#### Full text of H-Statements

H228	:	Flammable solid.
H251	:	Self-heating: may catch fire.
H261	:	In contact with water releases flammable gases.
H304	:	May be fatal if swallowed and enters airways.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ons	
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Flam. Sol.	:	Flammable solids
Self-heat.	:	Self-heating substances and mixtures
Water-react.	:	Substances and mixtures, which in contact with water, emit
		flammable gases
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of

according to Regulation (EC) No. 1907/2006



# STAPA 15 ZnMg26 Zinc Paste

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
3.0	13.02.2023	102000022664	Date of first issue: 26.02.2015

Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information						
Classification of the m	ixture:	Classification procedure:				
Aquatic Acute 1	H400	Calculation method				
Aquatic Chronic 1	H410	Calculation method				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN