according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
5.0	27.02.2023	102000029276	Date of first issue: 02.03.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: METALSTAR Eco 10 0871 PANTONE 871
Product code	: 072881RN0
1.2 Relevant identified uses	of the substance or mixture and uses advised against
Use of the Substance/Mixture	: Colorant; Printing ink related material; Printing ink, Colouring agents, dyes
1.3 Details of the supplier of	the safety data sheet

Company	:	ECKART Suisse SA Route de la Brasserie 2 1963 Vétroz
Telephone	:	+410273454800
Telefax	:	+410273454859
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard,	H400: Very toxic to aquatic life.
Category 1	
Long-term (chronic) aquatic hazard,	H410: Very toxic to aquatic life with long lasting
Category 1	effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

Version 5.0	Revision Date: 27.02.2023	-	DS Number: 02000029276	Print Date: 16.04.2024 Date of first issue: 02.03.2018
Hazard	pictograms	:		
Signal	word	:	Warning	
Hazard	statements	:	H302 H319 H410	Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Precau	tionary statements	:	Prevention: P264 P273 P280 Response: P337 + P313 P391 Disposal: P501	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection. If eye irritation persists: Get medical advice/ attention. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label: Copper

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

components			-
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	. ,
	Registration number		
Copper	7440-50-8	Acute Tox. 4; H302	>= 25 - < 50
		Eye Irrit. 2; H319	
	231-159-6	Aquatic Acute 1;	
	01-2119480154-42	H400	
		Aquatic Chronic 1;	
		H410	
		M-Factor (Acute	
		aquatic toxicity): 10	
		M-Factor (Chronic	

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

sion			nt Date: 16.04.2024 ee of first issue: 02.03.2018	\$
			aquatic toxicity): 10	
zinc p (stabi	owder — zinc dust lised)	7440-66-6 231-175-3 030-001-01-9 01-2119467174-37	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - <2
octad	ecylamine	124-30-1 204-695-3 612-282-00-8 01-2119473804-32	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT RE 2; H373 (Liver, Gastrointestinal tract, Immune system) Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 0.25 - <
amine	es, hydrogenated tallow alk	yl 61788-45-2 (90640-32-7) 262-976-6 612-284-00-9	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT RE 2; H373 (Liver, Gastrointestinal tract, Immune system) Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 0.025 - 0.1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

: Move the victim to fresh air.

Move out of dangerous area. Show this safety data sheet to the doctor in attendance. according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

Version 5.0	Revision Date: 27.02.2023	SDS Number: 102000029276	Print Date: 16.04.2024 Date of first issue: 02.03.2018		
		Do not leave	the victim unattended.		
lf inhaled		If unconscionadvice.	 Remove to fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. 		
In case of skin contact		: Wash off im	Wash off immediately with soap and plenty of water.		
In case of eye contact		Remove con Keep eye wi	flush eye(s) with plenty of water. tact lenses. de open while rinsing. n persists, consult a specialist.		
If swallowed		Do not give r Never give a	tory tract clear. nilk or alcoholic beverages. nything by mouth to an unconscious person. persist, call a physician.		

4.2 Most important symptoms and effects, both acute and delayed

Risks	: Harmful if swallowed.
	Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	Special powder against metal fire Dry sand ABC powder
Unsuitable extinguishing media	:	Water High volume water jet Carbon dioxide (CO2)
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during firefighting	:	
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires.
		Collect contaminated fire extinguishing water separately. This

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

Version 5.0	Revision Date: 27.02.2023	SDS Number: 102000029276	Print Date: 16.04.2024 Date of first issue: 02.03.2018
		be disposed of in Use extinguishing	arged into drains. contaminated fire extinguishing water must accordance with local regulations. measures that are appropriate to local d the surrounding environment.
SECTION	6: Accidental releas	e measures	
	al precautions, protect al precautions	tive equipment and e : Evacuate personn Ensure adequate Use personal prot	ventilation.
6.2 Enviror	mental precautions		
Environmental precautions :		: The product shou courses or the soi	ld not be allowed to enter drains, water I.
		Prevent further lea	rom entering drains. akage or spillage if safe to do so. taminates rivers and lakes or drains inform ties.
6.3 Method	s and material for cor	tainment and cleanir	na up
	ds for cleaning up		andling equipment.
		Do not flush with v Contain spillage, a absorbent materia vermiculite) and p	er to properly labelled containers. water. and then collect with non-combustible I, (e.g. sand, earth, diatomaceous earth, lace in container for disposal according to gulations (see section 13).
		acid binder, unive	absorbent material (e.g. sand, silica gel, rsal binder, sawdust). closed containers for disposal.
6.4 Referen	ce to other sections		
For persona	al protection see sectior	n 8.	

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours/dust.
		Avoid contact with skin and eyes.

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

Versi 5.0	on	Revision Date: 27.02.2023		DS Number: 2000029276	Print Date: 16.04.2024 Date of first issue: 02.03.2018
		on protection against explosion	:	Smoking, eating a application area. Dispose of rinse v regulations.	ection see section 8. and drinking should be prohibited in the water in accordance with local and national meat and sources of ignition. No smoking.
				Normal measures	for preventive fire protection.
ł	Hygiene	e measures	:	When using do no	hygiene practice. ot eat or drink. When using do not smoke. ore breaks and at the end of workday.
7.2 C	onditio	ons for safe storage,	inc	luding any incom	patibilities
	Requirements for storage areas and containers		:	store near combu closed in a cool, v	sources of ignition - No smoking. Do not Istible materials. Keep containers tightly well-ventilated place. To maintain product ore in heat or direct sunlight.
				place. Containers resealed and kep	ghtly closed in a dry and well-ventilated which are opened must be carefully t upright to prevent leakage. Electrical king materials must comply with the ety standards.
		information on conditions	:	Protect from hum	idity and water.
,	Advice	on common storage	:	strongly acid mate	oxidizing agents, strongly alkaline and erials in order to avoid exothermic reactions. ther with oxidizing and self-igniting products.
[Dampn	ess	:	Keep in a dry, coo	ol and well-ventilated place.
		information on stability	:	No decomposition	n if stored and applied as directed.
7.3 S	pecific	end use(s)			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3 (Copper)	GB EH40
		TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

27.02.2023	1020	0002927	76 Da	te of	f first issue: 02.03.2018	
		STEL mists)	(Dusts and		ng/m3 opper)	GB EH40
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (Inhalable)	10	mg/m3	GB EH40
		TWA (fractio			ng/m3	GB EH40
Derived No Effect Le	vel (DNEL) a	ccordin	g to Regulat	ion	(EC) No. 1907/2006:	
Substance name	End Use	E	xposure rout	es	Potential health effects	Value
Copper	Workers	S	kin contact		Long-term systemic effects	137 mg/kg
	Workers	S	Skin contact		Acute systemic effects	273 mg/kg
	Workers		halation		Long-term systemic effects	20 mg/m3
	Consumers		halation		Long-term local effects	1 mg/m3
	Consumers		nhalation		Acute local effects	1 mg/m3
	Consumers		Skin contact		Long-term systemic effects	137 mg/kg
	Consumers		Skin contact		Acute systemic effects	273 mg/kg
	Consumers		ngestion		Long-term systemic effects	0.041 mg/k
zinc powder — zinc dust (stabilised)	Workers	Ir	halation		Long-term systemic effects	5 mg/m3
	Workers		Skin contact		Long-term systemic effects	83 mg/kg
	Consumers		halation		Long-term systemic effects	2.5 mg/m3
	Consumers		Skin contact		Long-term systemic effects	83 mg/kg
	Consumers		ngestion		Long-term systemic effects	0.83 mg/kg
amines, hydrogenated tallow alkyl			halation		Long-term systemic effects	0.38 mg/m
	Workers		halation		Long-term local effects	1 mg/m3
	Workers		nhalation		Acute local effects	1 mg/m3
	Consumers		halation		Long-term systemic effects	0.035 mg/r
	Consumers	s C	Dral		Long-term systemic effects	0.04 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Copper	Fresh water	0.0078 mg/l
	Marine water	0.0052 mg/l
	STP	0.230 mg/l

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

Version 5.0	Revision Date: 27.02.2023	SDS Number: 102000029276	Print Date: 16.04.2024 Date of first issue: 02.03	.2018
		Fresh water s	ediment	87 mg/kg
		Marine sedim	ent	676 mg/kg
		Soil		65 mg/kg
	oowder — zinc dust ilised)	Fresh water		0.0206 mg/l
		Marine water		0.0061 mg/l
		STP		0.100 mg/l
		Fresh water s	ediment	235.6 mg/kg
		Marine sedim	ent	121 mg/kg
		Soil		35.6 mg/kg
amine alkyl	es, hydrogenated tallov	Fresh water		0.00026 mg/l
		Marine water		0.000026 mg/l
		Sewage treat	ment plant	0.55 mg/kg
		Fresh water s	ediment	3.76 mg/kg
		Marine sedim	ent	376 mg/kg
		Soil		10 mg/kg
		Intermittent R	elease	0.0016 mg/l

8.2 Exposure controls

Personal protective equipment Eye/face protection Safety glasses : Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems. Hand protection Material Solvent-resistant gloves (butyl-rubber) Take note of the information given by the producer Remarks concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Skin and body protection Impervious clothing : Choose body protection according to the amount and concentration of the dangerous substance at the work place. Respiratory protection Use suitable breathing protection if workplace concentration : requires. Equipment should conform to EN 14387

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
5.0	27.02.2023	102000029276	Date of first issue: 02.03.2018

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid	
Colour	gold	
Odour	characteristic	
Odour Threshold	No data available	
Freezing point	No data available	
Boiling point/boiling range	: > 100 °C	
Flammability	No data available	
Upper explosion limit / Upper flammability limit	No data available	
Lower explosion limit / Lower flammability limit	No data available	
Flash point	: > 100 °C	
Auto-ignition temperature	Not relevant	
Decomposition temperature	No data available	
рН	substance/mixture is non-solu	ble (in water)
Viscosity, kinematic	No data available	
Water solubility	No data available	
Solubility in other solvents	No data available	
Partition coefficient: n- octanol/water	No data available	
Vapour pressure	No data available	
Relative density	No data available	
Density	No data available	
Relative vapour density	No data available	
Particle Size Distribution	No data available	

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
5.0	27.02.2023	102000029276	Date of first issue: 02.03.2018

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

: Stable under recommended storage conditions.

No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Hazardous reactions

Conditions to avoid : Do not allow evaporation to dryness.

No data available

10.5 Incompatible materials

10.6 Hazardous decomposition products

Thermal decomposition : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.		
Product:		
Acute oral toxicity	: Acute toxicity estimate: 1,597 mg/kg Method: Calculation method	
Components:		
Copper:		
Acute oral toxicity	: Assessment: The component/mixture is moderately toxic after single ingestion.	
zinc powder — zinc dus	(stabilised):	
Acute oral toxicity	· (Rat)· > 2 000 mg/kg	

Version

5.0

according to Regulation (EC) No. 1907/2006


Revision Date:

27.02.2023

METALSTAR Eco 10 0871 PANTONE 871

SDS Number:

102000029276







Print Date: 16.04.2024

Date of first issue: 02.03.2018

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
5.0	27.02.2023	102000029276	Date of first issue: 02.03.2018

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

octadecylamine:

Exposure routes	: Ingestion
Target Organs	: Liver, digestive system, Immune system
Assessment	 May cause damage to organs through prolonged or repeated exposure.

amines, hydrogenated tallow alkyl:

Target Organs	:	Liver, Gastrointestinal tract, Immune system
Assessment	:	The substance or mixture is classified as specific target organ
		toxicant, repeated exposure, category 2.

Aspiration toxicity

Not classified based on available information.

Components:

octadecylamine:

May be fatal if swallowed and enters airways.

amines, hydrogenated tallow alkyl:

May be fatal if swallowed and enters airways.

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

Version 5.0	Revision Date: 27.02.2023	SDS Number: 102000029276	Print Date: 16.04.2024 Date of first issue: 02.03.2018				
11.2 Inf	ormation on other haza	ards					
Fu	rther information						
	oduct: marks	: No data avai	lable				
<u>Co</u>	mponents:						
Co	pper:						
Re	marks	: No data avai	lable				
zin	zinc powder — zinc dust (stabilised):						
Re	marks	: No data avai	lable				
SECTION 12: Ecological information							
	-						
<u></u>	mponents:						

Copper:		
M-Factor (Short-term (acute) aquatic hazard)	:	10
M-Factor (Long-term (chronic) aquatic hazard)	:	10
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.
zinc powder — zinc dust (st	abi	lised):
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.
octadecylamine:		
M-Factor (Short-term (acute) aquatic hazard)	:	10
M-Factor (Long-term (chronic) aquatic hazard)	:	10
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Very toxic to aquatic life.

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

Versio 5.0	n	Revision Date: 27.02.2023	-	9S Number: 2000029276	Print Date: 16.04.2024 Date of first issue: 02.03.2018
С	hronic	aquatic toxicity	:	Very toxic to aqu	atic life with long lasting effects.
a	mines	, hydrogenated tallow	v al	kyl:	
		or (Short-term (acute) hazard)	:	10	
N	I-Facto	or (Long-term c) aquatic hazard)	:	10	
E	cotox	icology Assessment			
A	cute a	quatic toxicity	:	Very toxic to aqu	atic life.
С	hronic	aquatic toxicity	:	Very toxic to aqu	atic life with long lasting effects.
		ence and degradabili a available	ity		
		umulative potential a available			
		y in soil a available			
12.5 R	Results	s of PBT and vPvB as	ses	ssment	
<u>P</u>	roduc	<u>t:</u>			
A	ssess	ment	:	to be either persi	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
		rine disrupting prope a available	rtie	S	
12.7 C	Other a	adverse effects			
P	roduc	<u>t:</u>			
	ddition nforma	nal ecological tion	:	unprofessional h	I hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.
<u>C</u>	ompo	nents:			
С	opper	:			
	ddition nforma	nal ecological tion	:	unprofessional h	I hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.
	inc po	wder — zinc dust (st	abil	ised):	
Z		nal ecological	:	An environmenta	

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

Versio 5.0	n Revision Date: 27.02.2023	SDS Numl 102000029		Print Date: 16.04.2024 Date of first issue: 02.03.2018
		Very to	oxic to aqua	atic life with long lasting effects.
a	nines, hydrogenated tallo	w alkyl:		
	dditional ecological formation	unprof	essional ha	hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.
SECT	ION 13: Disposal consid	derations		
E	uropean Waste Catalogue	: 08 03	12 - waste i	ink containing dangerous substances
13.1 W	laste treatment methods			
Ρ	roduct	course Do not chemic	es or the so contamina cal or used	te ponds, waterways or ditches with
C	ontaminated packaging	Dispo		contents. used product. pty containers.

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	UN 3082	
IMDG	:	UN 3082	
ΙΑΤΑ	:	UN 3082	
14.2 UN proper shipping name			
ADR	:	ENVIRONMENTALLY N.O.S. (Copper metal powde	HAZARDOUS SUBSTANCE, LIQUID,
IMDG	:	ENVIRONMENTALLY N.O.S. (Copper metal powde	HAZARDOUS SUBSTANCE, LIQUID,
ΙΑΤΑ	:	Environmentally haza (Copper metal powde	ardous substance, liquid, n.o.s. er)
14.3 Transport hazard class(es)			
		Class	Subsidiary risks
ADR	:	9	

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

Versior 5.0	n Revision Date: 27.02.2023		DS Number: 2000029276	Print Date: 16.04.2024 Date of first issue: 02.03.2018
	DG TA	:	9 9	
14.4 Pa	acking group			
Cla Ha La	DR acking group assification Code azard Identification Number bels nnel restriction code	:	III M6 90 9 (-)	
Pa La	DG acking group bels nS Code	:	III 9 F-A, S-F	
Pa air Pa Pa	TA (Cargo) acking instruction (cargo craft) acking instruction (LQ) acking group bels	:	964 Y964 III 9	
Pa (pa Pa Pa	TA (Passenger) acking instruction assenger aircraft) acking instruction (LQ) acking group bels	:	964 Y964 III 9	
14.5 Eı	nvironmental hazards			
IM	DR Ivironmentally hazardous IDG arine pollutant	:	yes	
14.6 Sp	pecial precautions for use	r :	For single packag	gings <=5L / 5 kg, or combination aining inner packagings <= 5L / 5 kg net per SV375 ADR, 2.10.2.7 IMDG-Code, A197 be applied.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
5.0	27.02.2023	102000029276	Date of first issue: 02.03.2018

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H302	:	Harmful if swallowed.
H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
STOT RE	:	Specific target organ toxicity - repeated exposure
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)



METALSTAR Eco 10 0871 PANTONE 871

Version	Revision Date:	SDS Number:	Print Date: 16.04.2024
5.0	27.02.2023	102000029276	Date of first issue: 02.03.2018

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the	Classification procedure:	
Acute Tox. 4	H302	Calculation method
Eye Irrit. 2	H319	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN

according to Regulation (EC) No. 1907/2006



METALSTAR Eco 10 0871 PANTONE 871

Version 5.0 27.02.2023

Revision Date:

SDS Number: 102000029276 Print Date: 16.04.2024 Date of first issue: 02.03.2018