

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

### STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : STAPA AC REFLEXAL 2532/85 Aluminum Paste

Material number : 046290FH0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

#### 1.3 Details of the supplier of the safety data sheet

Company : ECKART GmbH

Guentersthal 4 91235 Hartenstein

Telephone : +499152770 Telefax : +499152777008

E-mail address : msds.eckart@altana.com

Responsible/issuing person

#### 1.4 Emergency telephone number

### NCEC:

(contract no.: ECKART29003-NCEC)

- +44 1235 239671 (Middle East/Africa, call and response in your language)
- +1 215 207 0061 (Americas, call and response in your language)
- +65 3158 1074 (Asia-Pacific, call and response in your language)

#### **SECTION 2: Hazards identification**

#### **GHS Classification**

Not a dangerous substance according to GHS.

### Information concerning particular hazards for human and environment:

Page 1 / 17	102000026650	A member of <b>C</b> ALTANA



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

### STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023

Please refer to our website for further important safety instructions for handling aluminium powder: http://www.eckart.net/fileadmin/eckart/Service/GDA\_Alupulver\_Safety\_engl.pdf

#### **GHS-Labelling**

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Hazardous components which must be listed on the label

Other hazards which do not result in classification

Combustible Solids

### **SECTION 3: Composition/information on ingredients**

Substance No. :

#### Hazardous components

Chemical name	CAS-No.	Classification and	Concentration[%]
	EINECS-No.	labelling	
aluminium	7429-90-5 231-072-3	Flam. Sol.;1;H228	50 - 100
	231 072 3		

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : Move the victim to fresh air.

No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water.

Page 2 / 17 102000026650	A member of <b>C ALTANA</b>
--------------------------	-----------------------------



### STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023

In case of eye contact : Remove contact lenses.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Dry sand, Special powder against metal fire

Unsuitable extinguishing

media

: ABC powder, Carbon dioxide (CO2), Water, Foam

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Contact with water liberates extremely flammable gas

(hydrogen).

#### 5.3 Advice for firefighters

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Standard procedure for chemical fires. Use extinguishing

measures that are appropriate to local circumstances and the

surrounding environment.

Page 3 / 17	102000026650	A member of <b>C</b> ALTANA
-------------	--------------	-----------------------------



### STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Evacuate personnel to safe areas.

Avoid dust formation.

#### 6.2 Environmental precautions

Environmental precautions : The product should not be allowed to enter drains, water

courses or the soil.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

Do not use a vacuum cleaner.

Pick up and arrange disposal without creating dust.

Sweep up and shovel. Do not flush with water.

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid creating dust. Routine housekeeping should be

instituted to ensure that dusts do not accumulate on surfaces. Keep away from heat and sources of ignition. Do not smoke.

For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.

Page 4 / 17	102000026650	A member of <b>C</b> ALTANA



### STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023

Advice on protection against

fire and explosion

: During processing, dust may form explosive mixture in air.
Take measures to prevent the build up of electrostatic charge.
Earthing of containers and apparatuses is essential. Use explosion-proof equipment. When transferring from one container to another apply earthing measures and use conductive hose material.

Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

 Reaction with water liberates extremely flammable gas (hydrogen) Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep container closed when not in use. Keep away from sources of ignition - No smoking.

Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions

: Protect from humidity and water.

Advice on common storage

: Do not store together with oxidizing and self-igniting products. Never allow product to get in contact with water during storage. Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic

reactions.

Other data : Keep in a dry place. No decomposition if stored and applied

as directed.

#### 7.3 Specific end use(s)

This information is not available.

Page 5 / 17 102000026650 A member of <b>()</b> ALTAI	Page 5 / 17
--	-------------



## STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Germany:

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
aluminium	7429-90-5	AGW (Inhalable fraction)	10 mg/m3	2021-07-02	DE TRGS 900
Peak-limit: excursion 2;(II) factor (category)					
Further inform	Further information		When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child		
aluminium	7429-90-5	AGW (Alveolate fraction)	1,25 mg/m3	2021-07-02	DE TRGS 900
	Peak-limit: excursion factor (category) 2;(II)				
Further inform	ation	When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			cal tolerance

### United States of America (USA):

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
aluminium	7429-90-5	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
aluminium	7429-90-5	TWA (Respirable)	5 mg/m3	2013-10-08	
aluminium	7429-90-5	TWA (total dust)	15 mg/m3	2012-07-01	
aluminium	7429-90-5	TWA (total)	10 mg/m3	2013-10-08	
aluminium	7429-90-5	TWA (respirable fraction)	5 mg/m3	2012-07-01	
aluminium	7429-90-5	TWA (respirable fraction)	15 Million particles per cubic foot	2012-07-01	
aluminium	7429-90-5	PEL (Total dust)	10 mg/m3	2014-11-26	
aluminium	7429-90-5	PEL (respirable	5 mg/m3	2014-11-26	

Page 6 / 17	102000026650	A member of <b>C</b> ALTANA



# STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023

	dust fraction)			
7429-90-5	TWA (Respirable particulate matter)	1 mg/m3	2008-01-01	
		, ,		
	` ,	,		
7429-90-5	(Respirable fraction)	Ü		
7429-90-5		-	2011-07-01	
7429-90-5	TWA (respirable fraction)	5 mg/m3	2011-07-01	
	dust)	·		
	dust fraction)	· ·		
7429-90-5	fumes)	•		
7429-90-5	TWA (pyro powders)	5 mg/m3	2013-10-08	
7429-90-5	TWA (Respirable particulate matter)	1 mg/m3	2013-03-01	
7429-90-5	TWA (Fumes)	5 mg/m3	1989-01-19	
7429-90-5	PEL (Welding fumes)	5 mg/m3	2017-10-02	
7429-90-5	PEL (Pyro powders)	5 mg/m3	2017-10-02	
7429-90-5	TWA (powder)	5 mg/m3	1989-01-19	
8002-74-2	TWA	2 mg/m3	2007-01-01	
8002-74-2	TWA (Fumes)	2 mg/m3	2005-09-01	
		J		
8002-74-2	TWA	2 mg/m3	1989-01-19	
	7429-90-5 7429-90-5 7429-90-5 7429-90-5 7429-90-5 7429-90-5 7429-90-5 7429-90-5 7429-90-5 7429-90-5 7429-90-5 7429-90-5 8002-74-2	7429-90-5         TWA (Respirable particulate matter)           7429-90-5         TWA (Total)           7429-90-5         TWA (Total)           7429-90-5         TWA (Respirable fraction)           7429-90-5         TWA (total dust)           7429-90-5         TWA (Total dust)           7429-90-5         TWA (Total dust)           7429-90-5         TWA (respirable dust fraction)           7429-90-5         TWA (welding fumes)           7429-90-5         TWA (pyro powders)           7429-90-5         TWA (Fumes)           7429-90-5         PEL (Welding fumes)           7429-90-5         PEL (Pyro powders)           7429-90-5         TWA (powder)           8002-74-2         TWA (Fumes)	7429-90-5         TWA (Respirable particulate matter)         1 mg/m3           7429-90-5         TWA (Total)         15 mg/m3           7429-90-5         TWA (Total)         15 mg/m3           7429-90-5         TWA (total dust)         15 mg/m3           7429-90-5         TWA (total dust)         15 mg/m3           7429-90-5         TWA (respirable fraction)         5 mg/m3           7429-90-5         TWA (respirable dust fraction)         5 mg/m3           7429-90-5         TWA (velding fumes)         5 mg/m3           7429-90-5         TWA (pyro powders)         5 mg/m3           7429-90-5         TWA (pyro powders)         5 mg/m3           7429-90-5         TWA (Fumes)         5 mg/m3           7429-90-5         TWA (Fumes)         5 mg/m3           7429-90-5         TWA (Fumes)         5 mg/m3           7429-90-5         TWA (pyro powders)         5 mg/m3	7429-90-5         TWA (Respirable particulate matter)         1 mg/m3         2008-01-01           7429-90-5         TWA         5 mg/m3         2005-09-01           7429-90-5         TWA (Total)         15 mg/m3         1989-01-19           7429-90-5         TWA (Respirable fraction)         5 mg/m3         2011-07-01           7429-90-5         TWA (total dust)         15 mg/m3         2011-07-01           7429-90-5         TWA (respirable fraction)         5 mg/m3         1989-01-19           7429-90-5         TWA (respirable dust fraction)         5 mg/m3         2013-10-08           7429-90-5         TWA (welding fumes)         5 mg/m3         2013-10-08           7429-90-5         TWA (pyro powders)         5 mg/m3         2013-10-08           7429-90-5         TWA (pyro powders)         5 mg/m3         2013-03-01           7429-90-5         TWA (Fumes)         5 mg/m3         2013-03-01           7429-90-5         PEL (Welding fumes)         5 mg/m3         2017-10-02           7429-90-5         TWA (Fumes)         5 mg/m3         2017-10-02           7429-90-5         TWA (pyro powders)         5 mg/m3         2017-10-02           7429-90-5         TWA (pyro powders)         5 mg/m3         2007-01-01

Page 7 / 17 102000026650 A member of **C ALTANA** 



# STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023

Hydrocarbon waxes					
Paraffin waxes and Hydrocarbon waxes	8002-74-2	TWA (Fumes)	2 mg/m3	2010-03-01	
Paraffin waxes and Hydrocarbon waxes	8002-74-2	TWA (Fumes)	2 mg/m3	2013-10-08	
Paraffin waxes and Hydrocarbon waxes	8002-74-2	PEL (Fumes)	2 mg/m3	2014-11-26	
Paraffin waxes and Hydrocarbon waxes	8002-74-2	TWA (Fumes)	2 mg/m3	1989-01-19	

### 8.2 Exposure controls

Personal protective equipment

Eye protection : Face-shield

: Safety glasses

Hand protection

Material : Leather

Glove length : Long sleeve gloves Remarks : Leather gloves

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different

from one producer to the other.

Skin and body protection : Anti-static and fire resistant protective clothing. DIN EN

11612; EN 533; EN 1149-1. Anti-static safety shoes.

Respiratory protection : Use suitable breathing protection if workplace concentration

Page 8 / 17 102000026650	A member of <b>C</b> ALTANA
--------------------------	-----------------------------



### STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023

requires.

Breathing apparatus with filter.

P1 filter

### **Environmental exposure controls**

General advice : The product should not be allowed to enter drains, water

courses or the soil.

: If the product contaminates rivers and lakes or drains inform

respective authorities.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance : powder

Colour : silver

Odour : odourless

pH : substance/mixture is non-soluble (in water)

Melting point/range : 660 °C

Boiling point/boiling range : No data available

Flash point : > 94 °C

Bulk density : No data available Flammability (solid, gas) : Combustible Solids

Auto-flammability : No data available
Upper explosion limit : No data available

Lower explosion limit : 30 g/m3

Vapour pressure : No data available
Density : 2,0 g/cm3 (ca. )

Page 9 / 17	102000026650	A member of <b>C</b> ALTANA
-------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023

Solubility(ies)

Water solubility : insoluble

Miscibility with water : immiscible

Solubility in other solvents : No data available
Partition coefficient: n-octanol/water : No data available
Ignition temperature : No data available
Thermal decomposition : No data available
Viscosity, dynamic : No data available
Viscosity, kinematic : No data available
Flow time : No data available

#### 9.2 Other information

No data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Contact with acids and alkalis may release hydrogen.

Stable under recommended storage conditions.

Dust may form explosive mixture in air.

Page 10 / 17	102000026650	A member of <b>C</b> ALTANA
--------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023

10.4 Conditions to avoid

Conditions to avoid

: No data available

10.5 Incompatible materials

Materials to avoid : Acids

Bases

Oxidizing agents

Water

10.6 Hazardous decomposition products

Other information : No data available

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity** 

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Carcinogenicity

No data available

### Toxicity to reproduction/fertility

Page 11 / 17	102000026650	A member of <b>C</b> ALTANA
--------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023

No data available

### Reprod.Tox./Development/Teratogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

**Aspiration toxicity** 

No data available

**Further information** 

**Product** 

No data available

### **SECTION 12: Ecological information**

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

Page 12 / 17	102000026650	A member of <b>() ALTANA</b>



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

#### 12.6 Other adverse effects

### **Product:**

Additional ecological

information

: No data available

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : In accordance with local and national regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

In accordance with local and national regulations.

### **SECTION 14: Transport information**

#### 14.1 UN number

**ADR** 

Page 13 / 17 102000026650 A member of C ALTAN	e 13 / 17
---	-----------



## STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023

Not dangerous goods

**TDG** 

Not dangerous goods

**CFR** 

Not dangerous goods

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

### 14.2 Proper shipping name

**ADR** 

Not dangerous goods

**TDG** 

Not dangerous goods

**CFR** 

Not dangerous goods

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

### 14.3 Transport hazard class

**ADR** 

Not dangerous goods

**TDG** 

Not dangerous goods

**CFR** 

Not dangerous goods

Page 14 / 17	102000026650	A member of <b>C ALTANA</b>



# STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

### 14.4 Packing group

**ADR** 

Not dangerous goods

**TDG** 

Not dangerous goods

**CFR** 

Not dangerous goods

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

### 14.5 Environmental hazards

### 14.6 Special precautions for user

Not classified as dangerous in the meaning of transport regulations.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

Page 15 / 17	102000026650	A member of <b>C</b> ALTANA
--------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

### STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that

deplete the ozone layer

Regulation (EU) 2019/1021 on persistent organic : Not applicable

pollutants (recast)

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

: Not applicable

: Not applicable

: Banned and/or restricted (aluminium powder (stabilised))

### 15.2 Chemical safety assessment

No data available

#### **SECTION 16: Other information**

#### Full text of H-Statements

H228 : Flammable solid.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Page 16 / 17	102000026650	A member of <b>C</b> ALTANA
--------------	--------------	-----------------------------



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

# STAPA AC REFLEXAL 2532/85 Aluminum Paste

Version 1.0 Revision Date 11.04.2023 Print Date 12.04.2023