

Version	Revision Date:	SDS Number:	Print Date: 04.02.2023
6.0	03.02.2023	102000000497	Date of first issue: 13.01.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: STANDART Lac E 900 Deep Gold Bronze Powder
Product code	: 063408C20

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colouring agents, pigments
Substance/Mixture		

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)Flammable solids, Category 1H228: Flammable solid.			
Acute toxicity, Category 4	H302: Harmful if swallowed.		
Eye irritation, Category 2	H319: Causes serious eye irritation.		
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.		
Long-term (chronic) aquatic hazard,	H410: Very toxic to aquatic life with long lasting		

according to Regulation (EC) No. 1907/2006



STANDART Lac E 900 Deep Gold Bronze Powder

Version 6.0	Revision Date: 03.02.2023		SDS Number: 02000000497	Print Date: 04.02.2023 Date of first issue: 13.01.2014
Categ	ory 1		effects.	
2.2 Label o	elements			
	ling (REGULATION (d pictograms	E C) :	No 1272/2008)	!
Signa	l word	:	Danger	
Hazar	d statements	:	H228 H302 H319 H410	Flammable solid. Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Precautionary statements		:	Prevention: P210 P264 P273 Response:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash skin thoroughly after handling. Avoid release to the environment.
			P391 P370 + P378 P370 + P378	Collect spillage. In case of fire: Use for extinction: Special powder for metal fires. In case of fire: Use for extinction: Dry sand.

Hazardous components which must be listed on the label:

Copper

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

CAS-No.	ClassificationREGUL	Concentration
EC-No.	ATION (EC) No	(% w/w)
Index-No.	1272/2008	
Registration number		
7440-50-8	Acute Tox. 4; H302	>= 50 - <= 100
	EC-No. Index-No. Registration number	EC-No.ATION (EC) NoIndex-No.1272/2008Registration number1272/2008

according to Regulation (EC) No. 1907/2006



STANDART Lac E 900 Deep Gold Bronze Powder

ersion 0	Revision Date: 03.02.2023	SDS Number: 102000000497	Print Date: 04.02.2023 Date of first issue: 13.01.2014
		231-159-6 01-211948015	4-42 H400 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10
	oowder — zinc dust lised)	7440-66-6 231-175-3 030-001-01-9 01-211946717	4-37 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Aquatic Chronic 1;

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Move out of dangerous area. Show this safety data sheet to the doctor in attendance.	
If inhaled : If unconscious, place in recovery position and seek med advice. If symptoms persist, call a physician.	lical
In case of skin contact : Wash off immediately with soap and plenty of water.	
If on skin, rinse well with water. If on clothes, remove clothes.	
In case of eye contact : Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed : Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious persor If symptoms persist, call a physician.	٦.

4.2 Most important symptoms and effects, both acute and delayed

Risks	: Harmful if swallowed.
	Causes serious eye irritation.



Version	Revision Date:	SDS Number:	Print Date: 04.02.2023
6.0	03.02.2023	10200000497	Date of first issue: 13.01.2014

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Special powder against metal fire Dry sand ABC powder
Unsuitable extinguishing media	:	Water High volume water jet Carbon dioxide (CO2)
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires.
		Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
-	Evacuate personnel to safe areas.
	Use personal protective equipment.
	Avoid dust formation.
	Avoid breathing dust.
	Remove all sources of ignition.

6.2 Environmental precautions

Environmental precautions	:	The product should not be allowed to enter drains, water	
		courses or the soil.	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



STANDART Lac E 900 Deep Gold Bronze Powder

Version 6.0	Revision Date: 03.02.2023	-	DS Number: 02000000497	Print Date: 04.02.2023 Date of first issue: 13.01.2014
			Prevent further le	rom entering drains. akage or spillage if safe to do so.
			If the product con respective author	taminates rivers and lakes or drains inform ities.
C 2 Matha			inment and cleani	
	Is and material for co ds for cleaning up			ng up nandling equipment.
			Pick up and trans	fer to properly labelled containers.
			Keep in suitable,	closed containers for disposal.
	nce to other sections al protection see sectio			

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid creating dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
		Avoid dust formation. Keep away from open flames, hot surfaces and sources of ignition.
Hygiene measures	:	General industrial hygiene practice. Do not smoke. Wash hands before breaks and at the end of workday. Keep away from food and drink. Keep away from tobacco products.
		When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Vers 6.0	sion	Revision Date: 03.02.2023		OS Number: 2000000497	Print Date: 04.02.2023 Date of first issue: 13.01.2014
7.2 (Conditi	ons for safe storage,	inc	uding any incom	patibilities
		ements for storage and containers	:	Electrical installat the technological	ions / working materials must comply with safety standards.
				store near combu closed in a cool, v	sources of ignition - No smoking. Do not stible materials. Keep containers tightly vell-ventilated place. To maintain product re in heat or direct sunlight.
				ventilated place. I	p container tightly closed in a dry and well- Electrical installations / working materials the technological safety standards.
		r information on e conditions	:	Protect from hum	idity and water.
	Advice	on common storage	:	strongly acid mate	oxidizing agents, strongly alkaline and erials in order to avoid exothermic reactions. ther with oxidizing and self-igniting products.
	Dampr	iess	:	Keep in a dry, coo	ol and well-ventilated place.
		r information on e stability	:	Keep in a dry place No decomposition	ce. n if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Copper	7440-50-8	TWA (Fumes)	0.2 mg/m3 (Copper)	GB EH40
		TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40
		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40
zinc powder — zinc dust (stabilised)	7440-66-6	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:



Ver 6.0	sion	Revision Date 03.02.2023	SDS Num 10200000		ate: 04.02.2023 f first issue: 13.01.2014	
	Substa	nce name	End Use	Exposure routes	Potential health effects	Value
	Coppe	ſ	Workers	Skin contact	Long-term systemic effects	137 mg/kg
			Workers	Skin contact	Acute systemic effects	273 mg/kg
			Workers	Inhalation	Long-term systemic effects	20 mg/m3
			Consumers	Inhalation	Long-term local effects	1 mg/m3
			Consumers	Inhalation	Acute local effects	1 mg/m3
			Consumers	Skin contact	Long-term systemic effects	137 mg/kg
			Consumers	Skin contact	Acute systemic effects	273 mg/kg
			Consumers	Ingestion	Long-term systemic effects	0.041 mg/kg
		wder — zinc tabilised)	Workers	Inhalation	Long-term systemic effects	5 mg/m3
			Workers	Skin contact	Long-term systemic effects	83 mg/kg
			Consumers	Inhalation	Long-term systemic effects	2.5 mg/m3
			Consumers	Skin contact	Long-term systemic effects	83 mg/kg
			Consumers	Ingestion	Long-term systemic effects	0.83 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Copper	Fresh water	0.0078 mg/l
	Marine water	0.0052 mg/l
	STP	0.230 mg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Soil	65 mg/kg
zinc powder — zinc dust (stabilised)	Fresh water	0.0206 mg/l
	Marine water	0.0061 mg/l
	STP	0.100 mg/l
	Fresh water sediment	235.6 mg/kg
	Marine sediment	121 mg/kg
	Soil	35.6 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection

: Safety glasses

Wear face-shield and protective suit for abnormal processing

according to Regulation (EC) No. 1907/2006



STANDART Lac E 900 Deep Gold Bronze Powder

Version 6.0	Revision Date: 03.02.2023	SDS Number: 102000000497	Print Date: 04.02.2023 Date of first issue: 13.01.2014
		problems.	
	d protection Aaterial	: Leather	
F	Remarks	only depend on and is differer break through producer and preventive ski The suitability	s The choice of an appropriate glove does not on its material but also on other quality features of from one producer to the other. The exact a time can be obtained from the protective glove this has to be observed. Recommended in protection of or a specific workplace should be discussed ucers of the protective gloves.
Skir	and body protection	: Long sleeved Safety shoes	clothing
		Choose body	us protective suit protection according to the amount and of the dangerous substance at the work place.
Res	piratory protection	: Use suitable b requires. Respirator wit P1 filter	preathing protection if workplace concentration

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: powder
Colour	: gold
Odour	: odourless
Odour Threshold	: No data available
Freezing point	: No data available
Boiling point/boiling range	: No data available
Flammability	: The substance or mixture is a flammable solid with the category 1.



Vers 6.0	sion	Revision Date: 03.02.2023		S Number: 2000000497	Print Date: 04.02.2023 Date of first issue: 13.01.2014
		explosion limit / Upper ability limit	:	No data available	9
		explosion limit / Lower ability limit	:	No data available	9
	Flash p	point	:	No data available	9
	Auto-ig	nition temperature	:	Not relevant	
	Decom	position temperature	:	No data available	9
	рН		:	substance/mixtu	re is non-soluble (in water)
	Viso	cosity, kinematic	:	No data available	9
	Wat	ter solubility	:	No data available	9
	Solu	ubility in other solvents	:	No data available	9
	Partitio octano	n coefficient: n- I/water	:	No data available	9
	Vapou	r pressure	:	No data available	9
	Relativ	e density	:	No data available	9
	Density	4	:	No data available	9
	Relativ	e vapour density	:	No data available	2

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Stable under recommended storage conditions.
	No hazards to be specially mentioned.
	No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.



/ersion 6.0	Revision Date: 03.02.2023		S Number: 2000000497	Print Date: 04.02.2023 Date of first issue: 13.01.2014
0.4 Conc	litions to avoid			
Cond	itions to avoid	:	No data availa	ble
			Heat, flames a	and sparks.
0.5 Incor	mpatible materials			
	rdous decompositio	-	lucts	
SECTION	11: Toxicological	infor	mation	
1.1 Infor	mation on hazard cla	asses	as defined in R	egulation (EC) No 1272/2008
	e toxicity			
Harm	ful if swallowed.			
Prod	uct:			
Acute	oral toxicity	:	Acute toxicity e Method: Calcu	estimate: 565.61 mg/kg lation method
<u>Com</u>	oonents:			
Сорр	er:			
Acute	oral toxicity	:	Assessment: T single ingestion	he component/mixture is moderately toxic afte ח.
zinc	powder — zinc dust	(stabil	ised):	
Acute	oral toxicity	:	(Rat): > 2,000	mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 5.4 Exposure time: Test atmosphe	: 4 h
	corrosion/irritation lassified based on ava	ailable	information.	
Prod	uct:			
Rema		:	May cause skir	n irritation in susceptible persons.
Com	oonents:			
Сорр	er:			



Version 6.0	Revision Date: 03.02.2023	SDS Number: 102000000497	Print Date: 04.02.2023 Date of first issue: 13.01.2014			
Serio	us eye damage/eye	irritation				
Cause	es serious eye irritatio	n.				
Produ	uct:					
Rema	arks	: Eye irritation				
Com	oonents:					
Сорр	er:					
Resul	lt	: Eye irritation				
Resp	iratory or skin sensi	tisation				
-	sensitisation assified based on ava	ailable information.				
-	Respiratory sensitisation Not classified based on available information.					
	Germ cell mutagenicity Not classified based on available information.					
	nogenicity assified based on ava	ailable information.				
-	oductive toxicity assified based on ava	ailable information.				
	- single exposure assified based on ava	ailable information.				
	STOT - repeated exposure Not classified based on available information.					
-	ation toxicity assified based on ava	ailable information				
	mation on other haz					
Furth	er information					
Produ	uct:					
Rema		: No data availa	ble			
<u>Com</u>	oonents:					
Сорр	er:					
	arks	: No data availa	ble			

zinc powder — zinc dust (stabilised):



Version 6.0	Revision Date: 03.02.2023	SDS Nur 1020000		Print Date: 04.02.2023 Date of first issue: 13.01.2014	
Rer	Remarks		ata available		
SECTIO	ON 12: Ecological info	mation			
12.1 To	kicity				
<u>Cor</u>	nponents:				
M-F	oper: factor (Short-term (acute) atic hazard)	: 10			
	actor (Long-term onic) aquatic hazard)	: 10			
Eco	otoxicology Assessment				
Acu	te aquatic toxicity	: Very	toxic to aqua	atic life.	
Chronic aquatic toxicity		: Very	Very toxic to aquatic life with long lasting effects.		
zino	c powder — zinc dust (st	abilised):			
	otoxicology Assessment				
Acu	te aquatic toxicity	: Very	toxic to aqua	atic life.	
Chr	onic aquatic toxicity	: Very	toxic to aqua	atic life with long lasting effects.	
	sistence and degradabil data available	ity			
	accumulative potential data available				
	bility in soil data available				
12.5 Res	sults of PBT and vPvB as	ssessmen	ıt		
<u>Pro</u>	duct:				
Ass	essment	to be very	either persis	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of	
	docrine disrupting prope data available	rties			



Version 6.0	Revision Date: 03.02.2023	SDS Numbe 1020000004	
12.7 Othe	er adverse effects		
Prod	uct:		
Additional ecological information		unprofes	onmental hazard cannot be excluded in the event of ssional handling or disposal. ic to aquatic life with long lasting effects.
<u>Com</u>	ponents:		
Сорр	per:		
	ional ecological nation	unprofes	onmental hazard cannot be excluded in the event of ssional handling or disposal. ic to aquatic life with long lasting effects.
zinc	powder — zinc dust (s	tabilised):	
Addit	ional ecological nation	: An envir unprofes	onmental hazard cannot be excluded in the event of ssional handling or disposal. ic to aquatic life with long lasting effects.
SECTIO	N 13: Disposal consi	derations	
	pean Waste Catalogue pean Waste Catalogue	: 10 03 2 ²	 non-ferrous metal dust and particles other particulates and dust (including ball-mill dust ng hazardous substances
13.1 Was	te treatment methods		
Prod	uct	courses Do not o chemica Send to	duct should not be allowed to enter drains, water or the soil. ontaminate ponds, waterways or ditches with I or used container. a licensed waste management company. dance with local and national regulations.
Conta	aminated packaging		emaining contents. of as unused product.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. In accordance with local and national regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR

: UN 3089



Version 6.0	Revision Date: 03.02.2023		DS Number: 2000000497	Print Date: 04.02.2023 Date of first issue: 13.01.2014		
IMDG		:	UN 3089			
ΙΑΤΑ		:	UN 3089			
14.2 UN pi	roper shipping name					
ADR		:	METAL POWDER, FLAMMABLE, N.O.S. (Gold bronze powder)			
IMDG		:	METAL POWDER, FLAMMABLE, N.O.S. (Gold bronze powder, Copper metal powder)			
ΙΑΤΑ		:	Metal powder, fla	mmable, n.o.s.		
14.3 Trans	sport hazard class(es)					
			Class	Subsidiary risks		
ADR		:	4.1			
IMDG		:	4.1			
ΙΑΤΑ		:	4.1			
14.4 Packing group						
ADR						
Packi	ng group ification Code	:	ll F3			
Hazar	d Identification Number	:	40			
Labels	s el restriction code	:	4.1 (E)			
IMDG		•	(-)			
Packi	ng group	:	II			
Labels EmS (:	4.1 F-G, S-G			
Rema		:	IMDG Code segre	egation group 7 - Heavy metals and their e segregation group 15 - Powdered metals		
	(Cargo) ng instruction (cargo ft)	:	448			
Packii	ng instruction (LQ)	:	Y441			
Packii Labels	ng group	:	ll 4.1			
	(Passenger)	•				
Packi	ng instruction enger aircraft)	:	445			
Packi	ng instruction (LQ)	:	Y441			
Packii Labels	ng group	:	ll 4.1			
	onmental hazards	•				



Version	Revision Date:	SDS Number:	Print Date: 04.02.2023
6.0	03.02.2023	102000000497	Date of first issue: 13.01.2014

ADR

Environmentally hazardous : yes IMDG Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: aluminium powder (stabilised) (Number on list 40)
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements		
H302	:	Harmful if swallowed.
H319	:	Causes serious eye irritation.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviatio	ns	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard



Version	Revision Date: 03.02.2023	SDS Number:	Print Date: 04.02.2023
6.0		102000000497	Date of first issue: 13.01.2014
Eye Ir GB El GB El		: Eye irritation : UK. EH40 WE : Long-term ex	nronic) aquatic hazard EL - Workplace Exposure Limits posure limit (8-hour TWA reference period) posure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:		
Flam. Sol. 1	H228	
Acute Tox. 4	H302	
Eye Irrit. 2	H319	
Aquatic Acute 1	H400	
Aquatic Chronic 1	H410	

Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Calculation method
Calculation method



Version	Revision Date:	SDS Number:	Print Date: 04.02.2023
6.0	03.02.2023	10200000497	Date of first issue: 13.01.2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN