

Globally Harmonized System of Classification and Labelling of
Chemicals (GHS)

LUXAN CFX C393

Version 2.1

Revision Date 25.03.2020

Print Date 07.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name : LUXAN CFX C393
Material number : 037218ML0

1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

1.3 Details of the supplier of the safety data sheet

Company :

Telephone :
Telefax :
E-mail address : msds.eckart@altana.com
Responsible/issuing person

1.4 Emergency telephone number**NCEC:**

(contract no.: ECKART29003-NCEC)

+44 1235 239671 (Middle East/Africa, call and response in your language)

+1 215 207 0061 (Americas, call and response in your language)

+65 3158 1074 (Asia-Pacific, call and response in your language)

SECTION 2: Hazards identification**GHS Classification**

Not a hazardous substance or mixture.

GHS-Labeling

Globally Harmonized System of Classification and Labelling of
Chemicals (GHS)

LUXAN CFX C393

Version 2.1

Revision Date 25.03.2020

Print Date 07.08.2020

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Hazardous components which must be listed on the label**SECTION 3: Composition/information on ingredients**

Substance name : luxan cfx c393

Substance No. :

No hazardous ingredients For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

- General advice : No hazards which require special first aid measures.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.
- In case of eye contact : Remove contact lenses.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

LUXAN CFX C393

Version 2.1

Revision Date 25.03.2020

Print Date 07.08.2020

This information is not available.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

This information is not available.

5.2 Special hazards arising from the substance or mixture

This information is not available.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Avoid dust formation.

6.2 Environmental precautions

This information is not available.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust.
Sweep up and shovel.
Keep in suitable, closed containers for disposal.

LUXAN CFX C393

Version 2.1

Revision Date 25.03.2020

Print Date 07.08.2020

6.4 Reference to other sections

This information is not available.

SECTION 7: Handling and storage
7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.

Advice on common storage : No materials to be especially mentioned.


Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection
8.1 Control parameters
Germany:

Components	CAS-No.	Value type	Control	Update	Basis
------------	---------	------------	---------	--------	-------

Page 4 / 16	102000000644	A member of 			
-------------	--------------	---------------------------------------------------------------------------------------------------	--	--	--

LUXAN CFX C393

Version 2.1

Revision Date 25.03.2020

Print Date 07.08.2020

		(Form of exposure)	parameters		
iron hydroxide oxide yellow	51274-00-1	AGW (Inhalable fraction)	10 mg/m ³	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substances Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
iron hydroxide oxide yellow	51274-00-1	AGW (Alveolate fraction)	1,25 mg/m ³	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substances Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
iron hydroxide oxide yellow	51274-00-1	AGW (Alveolate fraction)	2,6 mg/m ³	2009-02-16	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substances			
silicon dioxide	7631-86-9	AGW (Inhalable fraction)	4 mg/m ³	2013-09-19	DE TRGS 900
Further information		Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission). Colloidal amorphous silica, including pyrogenic silica and in wet processes manufactured silica (precipitated silica, silicagel). When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
titanium dioxide	13463-67-7	AGW (Inhalable fraction)	10 mg/m ³	2014-04-02	DE TRGS 900
Peak-limit: excursion		2;(II)			

LUXAN CFX C393

Version 2.1

Revision Date 25.03.2020

Print Date 07.08.2020

factor (category)					
Further information		Commission for dangerous substancesSenate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
titanium dioxide	13463-67-7	AGW (Alveolate fraction)	1,25 mg/m3	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substancesSenate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
titanium dioxide	13463-67-7	AGW (Inhalable fraction)	10 mg/m3	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values.Commission for dangerous substancesSenate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
titanium dioxide	13463-67-7	AGW (Alveolate fraction)	1,25 mg/m3	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values.Commission for dangerous substancesSenate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			

United States of America (USA):

iron	51274-00-	TWA (total dust)	50 Million particles	2012-07-01	
------	-----------	------------------	----------------------	------------	--

LUXAN CFX C393

Version 2.1

Revision Date 25.03.2020

Print Date 07.08.2020

hydroxide oxide yellow	1		per cubic foot		
iron hydroxide oxide yellow	51274-00-1	TWA (total dust)	15 mg/m ³	2012-07-01	
iron hydroxide oxide yellow	51274-00-1	TWA (respirable fraction)	5 mg/m ³	2012-07-01	
iron hydroxide oxide yellow	51274-00-1	TWA (respirable fraction)	15 Million particles per cubic foot	2012-07-01	
iron hydroxide oxide yellow	51274-00-1	PEL (Total dust)	10 mg/m ³	2014-11-26	
iron hydroxide oxide yellow	51274-00-1	PEL (respirable dust fraction)	5 mg/m ³	2014-11-26	
silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot	2012-07-01	
silicon dioxide	7631-86-9	TWA (Dust)	80 mg/m ³ / %SiO ₂	2012-07-01	
silicon dioxide	7631-86-9	TWA	6 mg/m ³	2013-10-08	
silicon dioxide	7631-86-9	PEL	6 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m ³	2012-07-01	
titanium dioxide	13463-67-7	TWA (respirable fraction)	5 mg/m ³	2012-07-01	
titanium dioxide	13463-67-7	TWA (respirable fraction)	15 Million particles per cubic foot	2012-07-01	
titanium dioxide	13463-67-7	PEL (Total dust)	10 mg/m ³	2014-11-26	

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

LUXAN CFX C393

Version 2.1

Revision Date 25.03.2020

Print Date 07.08.2020

titanium dioxide	13463-67-7	PEL (respirable dust fraction)	5 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m ³	2011-07-01	
titanium dioxide	13463-67-7	TWA (Total dust)	10 mg/m ³	1989-01-19	
titanium dioxide	13463-67-7	PEL (Total dust)	10 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	PEL (respirable dust fraction)	5 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	TWA	10 mg/m ³	2014-03-01	

United States of America (USA):

iron hydroxide oxide yellow	51274-00-1	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
iron hydroxide oxide yellow	51274-00-1	TWA (total dust)	15 mg/m ³	2012-07-01	
iron hydroxide oxide yellow	51274-00-1	TWA (respirable fraction)	5 mg/m ³	2012-07-01	
iron hydroxide oxide yellow	51274-00-1	TWA (respirable fraction)	15 Million particles per cubic foot	2012-07-01	
iron hydroxide oxide yellow	51274-00-1	PEL (Total dust)	10 mg/m ³	2014-11-26	
iron hydroxide oxide yellow	51274-00-1	PEL (respirable dust fraction)	5 mg/m ³	2014-11-26	

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

LUXAN CFX C393

Version 2.1

Revision Date 25.03.2020

Print Date 07.08.2020

silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot	2012-07-01	
silicon dioxide	7631-86-9	TWA (Dust)	80 mg/m ³ / %SiO ₂	2012-07-01	
silicon dioxide	7631-86-9	TWA	6 mg/m ³	2013-10-08	
silicon dioxide	7631-86-9	PEL	6 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m ³	2012-07-01	
titanium dioxide	13463-67-7	TWA (respirable fraction)	5 mg/m ³	2012-07-01	
titanium dioxide	13463-67-7	TWA (respirable fraction)	15 Million particles per cubic foot	2012-07-01	
titanium dioxide	13463-67-7	PEL (Total dust)	10 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	PEL (respirable dust fraction)	5 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m ³	2011-07-01	
titanium dioxide	13463-67-7	TWA (Total dust)	10 mg/m ³	1989-01-19	
titanium dioxide	13463-67-7	PEL (Total dust)	10 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	PEL (respirable dust fraction)	5 mg/m ³	2014-11-26	
titanium	13463-67-	TWA	10 mg/m ³	2014-03-01	

LUXAN CFX C393

Version 2.1

Revision Date 25.03.2020

Print Date 07.08.2020

dioxide	7				
---------	---	--	--	--	--

8.2 Exposure controls
Personal protective equipment

Eye protection : Safety glasses

SECTION 9: Physical and chemical properties
9.1 Information on basic physical and chemical properties

Appearance	: solid
Colour	: No data available
Odour	: characteristic
pH	: No data available
Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: No data available
Bulk density	: 0,56 - 0,66 g/cm ³
Flammability (solid, gas)	: No data available
Auto-flammability	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Density	: 2,52 - 3,03 g/cm ³

LUXAN CFX C393

Version 2.1

Revision Date 25.03.2020

Print Date 07.08.2020

Water solubility	: No data available
Miscibility with water	: immiscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

LUXAN CFX C393

Version 2.1

Revision Date 25.03.2020

Print Date 07.08.2020

10.6 Hazardous decomposition products

Hazardous decomposition products : No data available

Other information : No data available

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Carcinogenicity

No data available

Toxicity to reproduction/fertility

No data available

Reprod.Tox./Development/Teratogenicity

Globally Harmonized System of Classification and Labelling of
Chemicals (GHS)

LUXAN CFX C393

Version 2.1

Revision Date 25.03.2020

Print Date 07.08.2020

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information**Product**

No data available

SECTION 12: Ecological information**12.1 Toxicity**

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

LUXAN CFX C393

Version 2.1

Revision Date 25.03.2020

Print Date 07.08.2020

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects**Product:**

Additional ecological information : No data available

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product : In accordance with local and national regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
In accordance with local and national regulations.

SECTION 14: Transport information**14.1 UN number****14.2 Proper shipping name****14.3 Transport hazard class****14.4 Packing group**

LUXAN CFX C393

Version 2.1

Revision Date 25.03.2020

Print Date 07.08.2020

14.5 Environmental hazards**14.6 Special precautions for user**

Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Globally Harmonized System of Classification and Labelling of
Chemicals (GHS)

LUXAN CFX C393

Version 2.1

Revision Date 25.03.2020

Print Date 07.08.2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.