

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

## STAPA ALUPOR N 100 Aluminium Paste

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : STAPA ALUPOR N 100 Aluminium Paste  
Material number : 051647L70

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

#### 1.3 Details of the supplier of the safety data sheet

Company :  
  
Telephone :  
Telefax :  
E-mail address : msds.eckart@altana.com  
Responsible/issuing person

#### 1.4 Emergency telephone number

**NCEC:**

(contract no.: ECKART29003-NCEC)

+44 1235 239671 (Middle East/Africa, call and response in your language)

+1 215 207 0061 (Americas, call and response in your language)

+65 3158 1074 (Asia-Pacific, call and response in your language)

### SECTION 2: Hazards identification

#### GHS Classification

: Acute toxicity, Category 5, Oral, H303  
Skin corrosion/irritation, Category 3, H316  
Serious eye damage/eye irritation, Category 2A, H319

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## STAPA ALUPOR N 100 Aluminium Paste

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

### GHS-Labeling

Symbol(s)

:



Signal word

:

Warning

Hazard statements

:

H303: May be harmful if swallowed.  
 H316: Causes mild skin irritation.  
 H319: Causes serious eye irritation.

Precautionary statements

:

**Prevention:**  
 P264 Wash skin thoroughly after handling.  
 P280 Wear eye protection/ face protection.

**Response:**  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P312 Call a POISON CENTER/doctor if you feel unwell.  
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.

### Hazardous components which must be listed on the label

Identification

CAS-No.

2,2'-oxydiethanol

111-46-6

### Other hazards which do not result in classification

Combustible Solids

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## STAPA ALUPOR N 100 Aluminium Paste

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

### SECTION 3: Composition/information on ingredients

Substance name : STAPA\* Alupor N 1000

Substance No. :

#### Hazardous components

Chemical name	CAS-No. EINECS-No.	Classification and labelling	Concentration[%]
aluminium powder (stabilised)	7429-90-5 231-072-3	Flam. Sol.;1;H228	50 - 100
2,2' -oxybisethanol	111-46-6 203-872-2	Acute Tox.;4;H302	25 - 50
calcium dodecylbenzenesulphonate	26264-06-2 247-557-8	;2;H315 ;1;H318	1 - 3

For the full text of the H-Statements mentioned in this Section, see Section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General advice : Move the victim to fresh air.  
Do not leave the victim unattended.

Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

**STAPA ALUPOR N 100 Aluminium Paste**

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
  
Wash off immediately with soap and plenty of water.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.  
  
Immediately flush eye(s) with plenty of water.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

**4.2 Most important symptoms and effects, both acute and delayed**

This information is not available.

**4.3 Indication of any immediate medical attention and special treatment needed**

This information is not available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

- Suitable extinguishing media : Dry sand, Special powder against metal fire
- Unsuitable extinguishing media : Water, Foam, ABC powder, Carbon dioxide (CO<sub>2</sub>)

**5.2 Special hazards arising from the substance or mixture**

This information is not available.

**STAPA ALUPOR N 100 Aluminium Paste**

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Use personal protective equipment.

Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.  
Avoid dust formation.  
Evacuate personnel to safe areas.  
Use personal protective equipment.  
Remove all sources of ignition.

**6.2 Environmental precautions**

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

**6.3 Methods and materials for containment and cleaning up**

Methods for cleaning up : Use mechanical handling equipment.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Do not flush with water.  
Keep in suitable, closed containers for disposal.

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## STAPA ALUPOR N 100 Aluminium Paste

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Keep away from heat and sources of ignition. Avoid dust formation. Ensure adequate ventilation.

Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Keep away from open flames, hot surfaces and sources of ignition. Earthing of containers and apparatuses is essential.

Avoid dust formation.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.

Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep container closed when not in use. Keep away from sources of ignition - No smoking.

Further information on storage conditions : Protect from humidity and water. Do not allow to dry.

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## STAPA ALUPOR N 100 Aluminium Paste

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

Advice on common storage : Do not store together with oxidizing and self-igniting products. Never allow product to get in contact with water during storage. Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Other data : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

This information is not available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Germany:

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
aluminium powder (stabilised)	7429-90-5	AGW (Inhalable fraction)	10 mg/m <sup>3</sup>	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substancesSenate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
aluminium powder (stabilised)	7429-90-5	AGW (Alveolate fraction)	1,25 mg/m <sup>3</sup>	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substancesSenate commission for the review of compounds at the work place dangerous for the health			

**STAPA ALUPOR N 100 Aluminium Paste**

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

		(MAK-commission).			
2,2' - oxybisethano I	111-46-6	AGW	10 ppm 44 mg/m <sup>3</sup>	2008-06-01	DE TRGS 900
Peak-limit: excursion factor (category)		4;(II)			
Further information		Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
2,2' - oxybisethano I	111-46-6	AGW (Vapour and aerosols)	10 ppm 44 mg/m <sup>3</sup>	2013-09-19	DE TRGS 900
Peak-limit: excursion factor (category)		4;(II)			
Further information		Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).Sum of vapor and aerosols.When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

## 8.2 Exposure controls

### Personal protective equipment

Eye protection : Eye wash bottle with pure water  
Wear face-shield and protective suit for abnormal processing problems.

Hand protection

Material : Solvent-resistant gloves

Remarks

: Take note of the information given by the producer concerning permeability and break through times, and of special



Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## STAPA ALUPOR N 100 Aluminium Paste

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

workplace conditions (mechanical strain, duration of contact).

The exact break through time can be obtained from the protective glove producer and this has to be observed.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Recommended preventive skin protection

Skin should be washed after contact.

The suitability for a specific workplace should be discussed with the producers of the protective gloves.

- |                          |  |
|--------------------------|--|
| Skin and body protection | <ul style="list-style-type: none"> <li>: The suitability for a specific workplace should be discussed with the producers of the protective gloves.</li> <li>: Long sleeved clothing</li> <li>Safety shoes</li> <li>Choose body protection according to the amount and concentration of the dangerous substance at the work place.</li> <li>: Choose body protection according to the amount and concentration of the dangerous substance at the work place.</li> </ul> |
| Respiratory protection   | <ul style="list-style-type: none"> <li>: Use suitable breathing protection if workplace concentration requires.</li> <li>: In the case of dust or aerosol formation use respirator with an approved filter.</li> <li>Dust safety masks are recommended when the dust concentration is more than 10 mg/m<sup>3</sup>.</li> </ul>  |

**STAPA ALUPOR N 100 Aluminium Paste**

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

**Environmental exposure controls**

- General advice : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform  
respective authorities.
- Water :  
: The product should not be allowed to enter drains, water  
courses or the soil.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

- Appearance : Pasty solid
- Colour : silver
- Odour : characteristic
- pH : No data available
- Freezing point : No data available
- Boiling point/boiling range : No data available
- Flash point : No data available
- Bulk density : No data available
- Flammability (solid, gas) : Combustible Solids
- Auto-flammability : not auto-flammable
- Upper explosion limit : No data available
- Lower explosion limit : No data available

**STAPA ALUPOR N 100 Aluminium Paste**

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

Vapour pressure	: No data available
Density	: No data available
Water solubility	: No data available
Miscibility with water	: immiscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available
Explosive properties	: Not explosive

**9.2 Other information**

Self-Accelerating decomposition temperature (SADT)	: No data available
Self-heating substances	: No data available
Heat of combustion	: No data available
Impact sensitivity	: No data available
Surface tension	: No data available
Conductivity	: No data available
Sublimation point	: No data available
Molecular weight	: No data available

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

## STAPA ALUPOR N 100 Aluminium Paste

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Reacts with alkalis, acids, halogenes and oxidizing agents.  
Contact with acids and alkalis may release hydrogen.  
Mixture reacts slowly with water resulting in evolution of hydrogen.  
Vapour/air-mixtures are explosive at intense warming.

Stable under recommended storage conditions.

#### 10.4 Conditions to avoid

Conditions to avoid : Do not allow to dry.

No data available

#### 10.5 Incompatible materials

Materials to avoid : Acids  
Bases  
Oxidizing agents  
Highly halogenated compounds

#### 10.6 Hazardous decomposition products

Other information : No data available

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

## STAPA ALUPOR N 100 Aluminium Paste

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

---

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

###### Components:

###### **2,2' -oxybisethanol :**

Acute oral toxicity : LD50 Humans: 1 120 mg/kg

Acute inhalation toxicity : Rat: &gt; 4,6 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 Rabbit: 13 300 mg/kg

##### Skin corrosion/irritation

###### Product

May cause skin irritation and/or dermatitis.

##### Serious eye damage/eye irritation

###### Product

May cause irreversible eye damage.

##### Respiratory or skin sensitisation

No data available

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

**STAPA ALUPOR N 100 Aluminium Paste**

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

---

**Carcinogenicity**

No data available

**Toxicity to reproduction/fertility**

No data available

**Reprod.Tox./Development/Teratogenicity**

No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Aspiration toxicity**

No data available

**Further information****Product**

No data available

---

**SECTION 12: Ecological information****12.1 Toxicity**

No data available

**STAPA ALUPOR N 100 Aluminium Paste**

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

---

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

No data available

**12.6 Other adverse effects****Product:**

Additional ecological information : No data available

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**Product : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with  
chemical or used container.  
Send to a licensed waste management company.

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## STAPA ALUPOR N 100 Aluminium Paste

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

### SECTION 14: Transport information

#### 14.1 UN number

#### 14.2 Proper shipping name

#### 14.3 Transport hazard class

#### 14.4 Packing group

#### 14.5 Environmental hazards

#### 14.6 Special precautions for user

Not classified as dangerous in the meaning of transport regulations.

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product contains substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57). (Nonylphenol ethoxylates)

Regulation (EC) No 1005/2009 on substances that : Not applicable



Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

## STAPA ALUPOR N 100 Aluminium Paste

Version 3.0

Revision Date 03.12.2019

Print Date 28.12.2020

deplete the ozone layer

Regulation (EC) No 850/2004 on persistent organic  
pollutants : Not applicable

### 15.2 Chemical safety assessment

No data available

---

## SECTION 16: Other information

### Full text of H-Statements

H228 : Flammable solid.  
H302 : Harmful if swallowed.  
H303 : May be harmful if swallowed.  
H315 : Causes skin irritation.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.