

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sample Floristics Silver Spray 400 ml

1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

1.3 Details of the supplier of the safety data sheet

Company : ECKART GmbH
Guentersthal 4
91235 Hartenstein
Telephone : +499152770
Telefax : +499152777008
E-mail address : msds.eckart@altana.com
Responsible/issuing person

1.4 Emergency telephone number

GBK Gefahrgut Büro GmbH, Ingelheim, Germany:
From outside US: : (001) 352-323-3500
(First call in English, response in your language is possible)
US & Canada (toll free) : 1-800-5355-053

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable aerosols , Category 1	H222: Extremely flammable aerosol.
Eye irritation , Category 2	H319: Causes serious eye irritation.
Skin sensitisation , Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single exposure , Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Chronic aquatic toxicity , Category 3	H412: Harmful to aquatic life with long lasting effects.

Classification (67/548/EEC, 1999/45/EC)

Extremely flammable	R12: Extremely flammable.
Sensitising	R43: May cause sensitisation by skin contact. R67: Vapours may cause drowsiness and dizziness.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014



Print Date 20.11.2018

Dangerous for the environment

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	 	
Signal word	:	Danger	
Hazard statements	:	H222 H317 H319 H336 H412	Extremely flammable aerosol. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
Supplemental Hazard Statements	:	EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements	:	P101 P102 P103 Prevention: P271 P280 Storage: P405 Disposal: P501	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Use only outdoors or in a well-ventilated area. Wear protective gloves. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:
67-64-1 acetone

Additional Labelling:

,,, S16, S 2 ; Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C., Do not pierce or burn, even after use., Do not spray on a naked flame or any

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

incandescent material., Keep away from sources of ignition - No smoking., Keep out of the reach of children.

2.3 Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
propane	74-98-6 200-827-9	F+; R12	Flam. Gas 1; H220 Press. Gas C; H280	>= 20 - < 25
butane	106-97-8 203-448-7	F+; R12	Flam. Gas 1; H220 Press. Gas C; H280	>= 20 - < 25
acetone	67-64-1 200-662-2 01-2119471330-49	F; R11 Xi; R36 R66 R67	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	>= 15 - < 20
Solvent naphtha (petroleum), light arom.	64742-95-6 265-199-0 01-2119455851-35	Xn; R65 Xi; R37 N; R51/53 R10 R66 R67	Flam. Liq. 3; H226 Asp. Tox. 1; H304 STOT SE 3; H335, H336 Aquatic Chronic 2; H411	>= 2.5 - < 10
aluminium	7429-90-5 231-072-3 01-2119529243-45	F; R11	Flam. Sol. 1; H228	< 10
xylene	1330-20-7 215-535-7 01-2119488216-32	R10 Xn; R20/21 Xi; R38	Flam. Liq. 3; H226 Acute Tox. 4; H312 Acute Tox. 4; H332 Skin Irrit. 2; H315	>= 1 - < 5
Naphtha (petroleum), hydrodesulfurized	92045-53-9 295-434-2	Xn; R65 F-Xn-N; R11- R67-R38-R65-	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Skin Irrit. 2; H315	>= 2.5 - < 5

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

light, dearomatized		R51/53	STOT SE 3; H336 Aquatic Chronic 2; H411	
n-butyl acetate	123-86-4 204-658-1 01-2119485493-29	R10 R66 R67	Flam. Liq. 3; H226 STOT SE 3; H336	< 10
Naphtha (petroleum), hydrotreated light	64742-49-0 265-151-9	Xn; R65 F; R11 N; R51/53 R66 R67	Flam. Liq. 2; H225 Asp. Tox. 1; H304 STOT SE 3; H336 Aquatic Chronic 2; H411	>= 2.5 - < 10
Naphtha (petroleum), hydrotreated heavy	64742-48-9 265-150-3	Xn; R65	Asp. Tox. 1; H304	>= 1 - < 10
Orange, sweet, ext.	8028-48-6 232-433-8 01-2119493353-35	Xn; R38-R43- R65	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Aquatic Acute, Aquatic Chronic 1; H400, H410 Skin Irrit. 2; H315 Skin Sens. 1; H317	>= 1 - < 2.5

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
- If inhaled : Consult a physician after significant exposure.
If unconscious place in recovery position and seek medical advice.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

This information is not available.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self contained breathing apparatus for fire fighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.
Avoid breathing dust.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Do not flush with water.

6.4 Reference to other sections

This information is not available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
butane	106-97-8	STEL	750 ppm 1,810 mg/m ³	2007-08-01	GB EH40
Further information		Capable of causing cancer and/or heritable genetic damage. The identified substances include those which: - are assigned the risk phrases 'R45: May cause cancer'; 'R46: may cause heritable genetic damage'; 'R49: May cause cancer by inhalation' or - a substance or process listed in Schedule 1 of COSHH. Carcinogenic only applies if butane contains more than 0.1% of buta-1,3-diene			
butane	106-97-8	TWA	600 ppm 1,450 mg/m ³	2007-08-01	GB EH40
Further information		Capable of causing cancer and/or heritable genetic damage. The identified substances include those which: - are assigned the risk phrases 'R45: May cause cancer'; 'R46: may cause heritable genetic damage'; 'R49: May cause cancer by inhalation' or - a substance or process listed in Schedule 1 of COSHH. Carcinogenic only applies if butane contains more than 0.1% of buta-1,3-diene			
Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
acetone	67-64-1	TWA	500 ppm 1,210 mg/m ³	2000-06-16	2000/39/EC
Further information		Indicative			

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

acetone	67-64-1	TWA	500 ppm 1,210 mg/m ³	2005-04-06	GB EH40
acetone	67-64-1	STEL	1,500 ppm 3,620 mg/m ³	2005-04-06	GB EH40
Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
aluminium	7429-90-5	TWA (Inhalable)	10 mg/m ³	2011-12-01	GB EH40
Further information	The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m ⁻³ 8-hour TWA of inhalable dust or 4 mg.m ⁻³ 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit. Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used				
aluminium	7429-90-5	TWA (Respirable)	4 mg/m ³	2011-12-01	GB EH40
Further information	The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m ⁻³ 8-hour TWA of inhalable dust or 4 mg.m ⁻³ 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit. Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used				
aluminium	7429-90-5	TWA (Inhalable)	10 mg/m ³	2005-04-06	GB EH40
Further information	For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust. The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m ⁻³ 8-hour TWA of inhalable dust or 4 mg.m ⁻³ 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit. Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory				

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

		<p>system and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/3. Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with. Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used</p>			
aluminium	7429-90-5	TWA (Respirable)	4 mg/m ³	2005-04-06	GB EH40
Further information		<p>For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust. The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m⁻³ 8-hour TWA of inhalable dust or 4 mg.m⁻³ 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit. Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/3. Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with. Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used</p>			
Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
xylene	1330-20-7	TWA	50 ppm 220 mg/m ³	2005-04-06	GB EH40
Further information		Can be absorbed through skin. The assigned substances are			

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

		those for which there are concerns that dermal absorption will lead to systemic toxicity.			
xylene	1330-20-7	STEL	100 ppm 441 mg/m ³	2005-04-06	GB EH40
Further information		Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
xylene	1330-20-7	TWA	50 ppm 221 mg/m ³	2000-06-16	2000/39/EC
Further information		Identifies the possibility of significant uptake through the skin Indicative			
xylene	1330-20-7	STEL	100 ppm 442 mg/m ³	2000-06-16	2000/39/EC
Further information		Identifies the possibility of significant uptake through the skin Indicative			
Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
n-butyl acetate	123-86-4	TWA	150 ppm 724 mg/m ³	2005-04-06	GB EH40
n-butyl acetate	123-86-4	STEL	200 ppm 966 mg/m ³	2005-04-06	GB EH40

DNEL:

acetone (67-64-1)

End Use: Workers
Exposure routes: Skin contact
Potential health effects: long term – systemic effects
Value: 186 mg/kg

DNEL:

acetone (67-64-1)

End Use: Workers
Exposure routes: Inhalation
Potential health effects: long term – systemic effects
Value: 1210 mg/m³

DNEL:

acetone (67-64-1)

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: long term – systemic effects
Value: 62 mg/kg

DNEL:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

acetone (67-64-1)

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: long term – systemic effects
Value: 62 mg/kg

DNEL:

acetone (67-64-1)

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: long term – systemic effects
Value: 200 mg/m³

DNEL:

Solvent naphtha (petroleum),
light arom. (64742-95-6)

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: long term – systemic effects
Value: 11 mg/kg

DNEL:

Solvent naphtha (petroleum),
light arom. (64742-95-6)

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: long term – systemic effects
Value: 11 mg/kg

DNEL:

Solvent naphtha (petroleum),
light arom. (64742-95-6)

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: long term – systemic effects
Value: 32 mg/m³

DNEL:

xylene (1330-20-7)

End Use: Workers
Exposure routes: Inhalation
Potential health effects: short term – local effects
Value: 289 mg/m³

DNEL:

xylene (1330-20-7)

End Use: Workers
Exposure routes: Inhalation
Potential health effects: short term – systemic effects
Value: 289 mg/m³

DNEL:

xylene (1330-20-7)

End Use: Workers
Exposure routes: Inhalation
Potential health effects: long term – systemic effects
Value: 77 mg/m³

DNEL:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

xylene (1330-20-7)

End Use: Workers
Exposure routes: Skin contact
Potential health effects: long term – systemic effects
Value: 180 mg/kg

DNEL:

xylene (1330-20-7)

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: short term – local effects
Value: 174 mg/m3

DNEL:

xylene (1330-20-7)

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: short term – systemic effects
Value: 174 mg/m3

DNEL:

xylene (1330-20-7)

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: long term – systemic effects
Value: 108 mg/kg

DNEL:

xylene (1330-20-7)

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: long term – systemic effects
Value: 14.8 mg/m3

DNEL:

xylene (1330-20-7)

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: long term – systemic effects
Value: 1.6 mg/kg

DNEL:

n-butyl acetate (123-86-4)

End Use: Workers
Exposure routes: Inhalation
Potential health effects: short term – local effects
Value: 960 mg/m3

DNEL:

n-butyl acetate (123-86-4)

End Use: Workers
Exposure routes: Inhalation
Potential health effects: short term – systemic effects
Value: 960 mg/m3

DNEL:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

n-butyl acetate (123-86-4)

End Use: Workers
Exposure routes: Inhalation
Potential health effects: long term – local effects
Value: 480 mg/m³

DNEL:

n-butyl acetate (123-86-4)

End Use: Workers
Exposure routes: Inhalation
Potential health effects: long term – systemic effects
Value: 480 mg/m³

DNEL:

n-butyl acetate (123-86-4)

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: short term – local effects
Value: 859.7 mg/m³

DNEL:

n-butyl acetate (123-86-4)

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: short term – systemic effects
Value: 859.7 mg/m³

DNEL:

n-butyl acetate (123-86-4)

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: long term – local effects
Value: 102.34 mg/m³

DNEL:

n-butyl acetate (123-86-4)

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: long term – systemic effects
Value: 102.34 mg/m³

DNEL:

Naphtha (petroleum),
hydrotreated heavy (64742-
48-9)

End Use: Workers
Exposure routes: Skin contact
Potential health effects: long term – systemic effects
Value: 300 mg/kg

DNEL:

Naphtha (petroleum),
hydrotreated heavy (64742-
48-9)

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: long term – systemic effects
Value: 300 mg/kg

DNEL:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

Naphtha (petroleum),
hydrotreated heavy (64742-
48-9)

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: long term – systemic effects
Value: 300 mg/kg

DNEL:

Naphtha (petroleum),
hydrotreated heavy (64742-
48-9)

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: long term – systemic effects
Value: 900 mg/m³

PNEC:

acetone (67-64-1)

:
Soil
Value: 29.5 mg/kg

PNEC:

acetone (67-64-1)

:
Fresh water
Value: 10.6 mg/l

PNEC:

acetone (67-64-1)

:
Fresh water sediment
Value: 30.4 mg/kg

PNEC:

acetone (67-64-1)

:
Marine water
Value: 1.06 mg/l

PNEC:

acetone (67-64-1)

:
Marine sediment
Value: 3.04 mg/kg

PNEC:

xylene (1330-20-7)

:
Soil
Value: 2.31 mg/kg

PNEC:

xylene (1330-20-7)

:
Fresh water
Value: 0.327 mg/l

PNEC:

xylene (1330-20-7)

:
Fresh water sediment
Value: 12.46 mg/kg

PNEC:

xylene (1330-20-7)

:
Marine water
Value: 0.327 mg/l

PNEC:

:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

xylene (1330-20-7)	:	Marine sediment Value: 12.46 mg/kg
PNEC: xylene (1330-20-7)	:	STP Value: 6.58 mg/l
PNEC: n-butyl acetate (123-86-4)	:	Soil Value: 0.0903 mg/kg
PNEC: n-butyl acetate (123-86-4)	:	Fresh water Value: 0.18 mg/l
PNEC: n-butyl acetate (123-86-4)	:	Fresh water sediment Value: 0.981 mg/kg
PNEC: n-butyl acetate (123-86-4)	:	STP Value: 35.6 mg/l
PNEC: n-butyl acetate (123-86-4)	:	Marine water Value: 0.018 mg/l
PNEC: n-butyl acetate (123-86-4)	:	Marine sediment Value: 0.0981 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles
Hand protection	:	
Material	:	Solvent-resistant gloves (butyl-rubber)
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves. Take note of the information given by the producer concerning

Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

The exact break through time can be obtained from the protective glove producer and this has to be observed.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Recommended preventive skin protection

Skin should be washed after contact.

The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.
In the case of dust or aerosol formation use respirator with an approved filter.

Environmental exposure controls

General advice : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance : aerosol

Colour : no data available

Odour : characteristic

pH : no data available

Freezing point : no data available

Boiling point/boiling range : -44 °C

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

Flash point	: -97 °C
Bulk density	: no data available
Flammability (solid, gas)	: no data available
Auto-flammability	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Density	: no data available
Water solubility	: no data available
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: no data available
Flow time	: no data available

9.2 Other information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

10.5 Incompatible materials

Materials to avoid : no data available

10.6 Hazardous decomposition products

Hazardous decomposition products : no data available

Other information : no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product

Acute inhalation toxicity : Acute toxicity estimate : > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 2,000 mg/kg
Method: Calculation method

Components:

7429-90-5 :

Acute inhalation toxicity : LC50 rat: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

1330-20-7 :

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

Acute dermal toxicity : Acute toxicity estimate : 1,100 mg/kg
Method: Converted acute toxicity point estimate

Skin corrosion/irritation

Product

May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Product

May cause irreversible eye damage.

Respiratory or skin sensitisation

no data available

Carcinogenicity

no data available

Toxicity to reproduction/fertility

no data available

Reprod.Tox./Development/Teratogenicity

no data available

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

Product

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

Product:

Additional ecological information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

SECTION 13: Disposal considerations

European Waste Catalogue : 16 05 04 - gases in pressure containers (including halons) containing dangerous substances

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number

ADR : 1950

IMDG : 1950

IATA : 1950

14.2 Proper shipping name

ADR : AEROSOLS

IMDG : AEROSOLS

IATA : AEROSOLS, FLAMMABLE

14.3 Transport hazard class

ADR : 2

IMDG : 2.1

IATA : 2.1

14.4 Packing group

ADR

Classification Code : 5F

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

Labels : 2.1

Tunnel restriction code : (D)

IMDG

Labels : 2.1

EmS Number : F-D, S-U

IATA

Packing instruction (cargo aircraft) : 203

Packing instruction (passenger aircraft) : 203

Packing instruction (LQ) : Y203

Labels : 2.1

14.5 Environmental hazards

14.6 Special precautions for user

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class : WGK 2 water endangering (Germany)

Volatile organic compounds : 84.9 %

15.2 Chemical Safety Assessment

no data available

Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018

SECTION 16: Other information**Full text of R-Phrases**

R10	Flammable.
R11	Highly flammable.
R12	Extremely flammable.
R20/21	Harmful by inhalation and in contact with skin.
R36	Irritating to eyes.
R37	Irritating to respiratory system.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

Full text of H-Statements

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H228	Flammable solid.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sample Floristics Silver Spray 400 ml

Version 1.0

Revision Date 29.01.2014

Print Date 20.11.2018
