according to Regulation (EC) No. 1907/2006



# **MASTERSAFE SYMIC C393**

 Version
 Revision Date:
 SDS Number:
 Print Date:
 19.11.2018

 1.2
 07.11.2017
 102000025816
 Date of first issue:
 31.03.2017

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : MASTERSAFE SYMIC C393

Product code : 023037GD0 023037GD0

1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

1.3 Details of the supplier of the safety data sheet

Company : ECKART GmbH

Guentersthal 4 91235 Hartenstein

Telephone : +499152770

Telefax : +499152777008

E-mail address of person

responsible for the SDS

: msds.eckart@altana.com

#### 1.4 Emergency telephone number

GBK Gefahrgut Büro GmbH, Ingelheim, Germany:

From outside US: : (001) 352-323-3500

(First call in English, response in your language is possible)

US & Canada (toll free) : 1-800-5355-053

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Not a dangerous substance or mixture according to the Globally Harmonised System (GHS).

#### **Additional Labelling**

EUH210 Safety data sheet available on request.

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006



# **MASTERSAFE SYMIC C393**

 Version
 Revision Date:
 SDS Number:
 Print Date:
 19.11.2018

 1.2
 07.11.2017
 102000025816
 Date of first issue: 31.03.2017

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### **Hazardous components**

Chemical name	CAS-No.	Classification	Concentration	
	EC-No.	REGULATION (EC)	(% w/w)	
	Index-No.	No 1272/2008		
	Registration number			
Substances with a workplace exposure limit :				
Fluorphlogopite	12003-38-2		>= 25 - < 50	
(Mg3K[AIF2O(SiO3)3])	234-426-5			
	01-2119971065-37			

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

In case of eye contact : Remove contact lenses.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

None known.

# 4.3 Indication of any immediate medical attention and special treatment needed

#### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

# 5.2 Special hazards arising from the substance or mixture

#### 5.3 Advice for firefighters

for firefighters

Special protective equipment :

Wear self-contained breathing apparatus for firefighting if

necessary.

according to Regulation (EC) No. 1907/2006



# **MASTERSAFE SYMIC C393**

 Version
 Revision Date:
 SDS Number:
 Print Date:
 19.11.2018

 1.2
 07.11.2017
 102000025816
 Date of first issue:
 31.03.2017

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid dust formation.

#### 6.2 Environmental precautions

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust.

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Advice on protection against

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Hygiene measures : General industrial hygiene practice.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Electrical installations / working materials must comply with

the technological safety standards.

Advice on common storage : No materials to be especially mentioned.

Further information on storage stability

No decomposition if stored and applied as directed.

# 7.3 Specific end use(s)

This information is not available.

according to Regulation (EC) No. 1907/2006



# **MASTERSAFE SYMIC C393**

 Version
 Revision Date:
 SDS Number:
 Print Date:
 19.11.2018

 1.2
 07.11.2017
 102000025816
 Date of first issue: 31.03.2017

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# **Occupational Exposure Limits**

	Value type (Form	Control parameters	Basis (Version
10100 07 7		40 / 0	Date)
13463-67-7	`	10 mg/m3	GB EH40 (2011-
<b>-</b>	,		12-01)
For the purposes of these limits, respirable dust and inhalable dust are those			
purposes terr	med 'inhalable' and '	respirable'., Inhalable du	st approximates to
the fraction o	of airborne material th	nat enters the nose and n	nouth during
exchange region of the lung. Fuller definitions and explanatory material are			
exposure sno		1 mg/m3	GB EH40 (2011-
	, ,	4 1119/1113	12-01)
For the purpo	,	ı resnirahle dust and inhal:	,
dust of any k	ind when present at	a concentration in air equ	ual to or greater
than 10 mg.n	n-3 8-hour TWA of ir	nhalable dust or 4 mg.m-3	3 8-hour TWA of
are exposed above these levels. Some dusts have been assigned specific			
WELs and exposure to these must comply with the appropriate limit., Most			
industrial dusts contain particles of a wide range of sizes. The behaviour,			
purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to			
the fraction of airborne material that enters the nose and mouth during			
breathing and is therefore available for deposition in the respiratory tract.			
	fractions of a undertaken in methods for dust, The CC dust of any k than 10 mg.r respirable duare exposed WELs and eximulation and size of the purposes tenthe fraction of breathing and Respirable dexchange regiven in MDH assigned WE specific short exposure shows than 10 mg.r respirable duare exposed WELs and eximulation in methods for dust, The CC dust of any k than 10 mg.r respirable duare exposed WELs and eximulation and size of the purposes tenthe fraction of breathing and size of the purposes tenthe fraction of breathing and size of the purposes tenthe fraction of breathing and size of the purposes tenthe fraction of breathing and size of the purposes tenthe fraction of breathing and size of the purposes tenthe fraction of breathing and size of the purposes tenthe fraction of breathing and size of the purposes tenthe fraction of breathing and size of the purposes tenthe fraction of breathing and size of the purposes tenthe fraction of breathing and size of the purposes tenthe fraction of breathing and size of the purposes tenthe fraction of breathing and size of the purposes tenthe fraction of breathing and size of the purposes tenthe fraction of breathing and size of the purposes tenthe fraction of the purposes tenthe fra	For the purposes of these limits, fractions of airborne dust which we undertaken in accordance with the methods for sampling and graving dust, The COSHH definition of a dust of any kind when present at than 10 mg.m-3 8-hour TWA of ir respirable dust. This means that are exposed above these levels. WELs and exposure to these must industrial dusts contain particles of deposition and fate of any particular respiratory system and the body and size of the particle. HSE distingurposes termed 'inhalable' and 'the fraction of airborne material the breathing and is therefore available Respirable dust approximates to exchange region of the lung. Fullingiven in MDHS14/3., Where dust assigned WEL, all the relevant lir specific short-term exposure limit exposure should be used  TWA (Respirable dust)  For the purposes of these limits, fractions of airborne dust which we undertaken in accordance with the methods for sampling and graving dust, The COSHH definition of a dust of any kind when present at than 10 mg.m-3 8-hour TWA of ir respirable dust. This means that are exposed above these levels. WELs and exposure to these must industrial dusts contain particles of deposition and fate of any particular respiratory system and the body and size of the particle. HSE distingurposes termed 'inhalable' and 'the fraction of airborne material the breathing and is therefore available breathing and is therefore available.	For the purposes of these limits, respirable dust and inhala fractions of airborne dust which will be collected when san undertaken in accordance with the methods described in I methods for sampling and gravimetric analysis of respirable dust, The COSHH definition of a substance hazardous to dust of any kind when present at a concentration in air equitan 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-respirable dust. This means that any dust will be subject to and exposure to these must comply with the approprindustrial dusts contain particles of a wide range of sizes. deposition and fate of any particular particle after entry intrespiratory system and the body response that it elicits, defands and size of the particle. HSE distinguishes two size fraction fraction of airborne material that enters the nose and robreathing and is therefore available for deposition in the respirable dust approximates to the fraction that penetrate exchange region of the lung. Fuller definitions and explanagiven in MDHS14/3., Where dusts contain components the assigned WEL, all the relevant limits should be complied a specific short-term exposure limit is listed, a figure three tiexposure should be used  TWA (Respirable dust methods described in 1 methods for sampling and gravimetric analysis of respirable dust, The COSHH definition of a substance hazardous to dust of any kind when present at a concentration in air equitant 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-5 dust, The COSHH definition of a substance hazardous to dust of any kind when present at a concentration in air equitant 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-5 dust, The COSHH definition of a substance hazardous to dust of any kind when present at a concentration in air equitant 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-5 dust, The COSHH definition of a substance hazardous to dust of any kind when present at a concentration in air equitant of any kind when present at a concentration in air equitant 10 mg.m-3 8-hour TWA of inhalable dust or 4

according to Regulation (EC) No. 1907/2006



# **MASTERSAFE SYMIC C393**

 Version
 Revision Date:
 SDS Number:
 Print Date:
 19.11.2018

 1.2
 07.11.2017
 102000025816
 Date of first issue: 31.03.2017

	given in MDF assigned WE specific short exposure sho	AS14/3., Where dust EL, all the relevant lir t-term exposure limit ould be used TWA (Inhalable)	er definitions and explanas contain components the nits should be complied visibilities is listed, a figure three ti	at have their own with., Where no mes the long-term  GB EH40 (2011-12-01)
Further information	The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are			
	exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
		TWA (Respirable)	4 mg/m3	GB EH40 (2011- 12-01)
Further information	The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
Fluorphlogopite (Mg3K[AIF2O(SiO3) 3])	12003-38-2	TWA	2.5 mg/m3 (Fluorine)	2000/39/EC (2000-06-16)
Further information	Indicative			
		TWA	2.5 mg/m3 (Fluorine)	GB EH40 (2007- 08-01)
Further information		ecific short-term exp posure should be us	osure limit is listed, a figued	ure three times the
diiron trioxide	1309-37-1	TWA (Inhalable)	10 mg/m3	GB EH40 (2011- 12-01)
Further information	The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
		TWA (Respirable)	4 mg/m3	GB EH40 (2011- 12-01)
Further information	any kind whe mg.m-3 8-ho dust. This me exposed abo and exposure	definition of a substen present at a conce our TWA of inhalable eans that any dust we ve these levels. Son to these must com	ance hazardous to healthentration in air equal to or dust or 4 mg.m-3 8-hour ill be subject to COSHH in dusts have been assignly with the appropriate list is listed, a figure three ti	r greater than 10 TWA of respirable if people are gned specific WELs mit., Where no

according to Regulation (EC) No. 1907/2006



# **MASTERSAFE SYMIC C393**

 Version
 Revision Date:
 SDS Number:
 Print Date:
 19.11.2018

 1.2
 07.11.2017
 102000025816
 Date of first issue: 31.03.2017

	exposure should be used			
		TWA (inhalable dust)	10 mg/m3	GB EH40 (2011- 12-01)
Further information	fractions of a undertaken in methods for dust, The CC dust of any k than 10 mg.r respirable duare exposed WELs and exindustrial dust deposition ar respiratory si and size of the purposes ter the fraction of breathing and Respirable dexchange regiven in MDH assigned WE	irborne dust which we accordance with the sampling and graving SHH definition of a ind when present at m-3 8-hour TWA of ir lest. This means that above these levels. Exposure to these musts contain particles and fate of any particular above the body are particle. HSE distinct of airborne material the distinct approximates to gion of the lung. Full HS14/3., Where dust term exposure limit term exposure limit	respirable dust and inhal vill be collected when sar e methods described in letric analysis of respirable substance hazardous to a concentration in air equal and albeled ust or 4 mg. many dust will be subject to Some dusts have been a st comply with the approport a wide range of sizes. It alter particle after entry interesponse that it elicits, do inquishes two size fraction respirable'., Inhalable dunat enters the nose and role for deposition in the rette fraction that penetrate definitions and explants contain components the rist should be complied with the state of the first and the state of the state of the first and the state of	mpling is MDHS14/3 General ble and inhalable health includes ual to or greater 3 8-hour TWA of to COSHH if people assigned specific briate limit., Most The behaviour, to the human epend on the nature ans for limit-setting st approximates to mouth during espiratory tract. es to the gas atory material are at have their own with., Where no
	exposure sin	TWA (Respirable dust)	4 mg/m3	GB EH40 (2011- 12-01)
Further information	fractions of a undertaken in methods for dust, The CC dust of any k than 10 mg.r respirable duare exposed WELs and exindustrial dust deposition ar respiratory stand size of the purposes ter the fraction of breathing an Respirable dexchange regiven in MDH assigned WE	bess of these limits, irborne dust which we accordance with the sampling and graving SHH definition of a ind when present at in-3 8-hour TWA of irst. This means that above these levels. According particles and fate of any particles. HSE distinct of the lang and list therefore availables to gion of the lung. Full HS14/3., Where dust the term exposure limit term exposure limit	respirable dust and inhal will be collected when sare methods described in letric analysis of respirable substance hazardous to a concentration in air equal and dust or 4 mg.many dust will be subject to Some dusts have been a set comply with the appropora wide range of sizes. It alter particle after entry intresponse that it elicits, deinguishes two size fraction respirable. Inhalable dunat enters the nose and rolle for deposition in the rest the fraction that penetrate the definitions and explants contain components the fits should be complied with the sits listed, a figure three times and respirable to the complied with the second components the sits listed, a figure three times and respirate the second components the sits listed, a figure three times and respirate the second components the sits listed, a figure three times and components the sits listed, a figure three times and components the sits listed, a figure three times and components the sits listed.	able dust are those inpling is MDHS14/3 General le and inhalable health includes ual to or greater 3 8-hour TWA of a COSHH if people assigned specific briate limit., Most The behaviour, of the human epend on the nature and for limit-setting st approximates to mouth during espiratory tract, es to the gas atory material are at have their own with., Where no

according to Regulation (EC) No. 1907/2006



# **MASTERSAFE SYMIC C393**

 Version
 Revision Date:
 SDS Number:
 Print Date:
 19.11.2018

 1.2
 07.11.2017
 102000025816
 Date of first issue: 31.03.2017

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health	Value
			effects	
titanium dioxide	Workers	Inhalation	long term – local effects	10 mg/m3
	Consumers	Ingestion	long term – systemic effects	700 mg/kg

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide	Soil	100 mg/kg
	Fresh water	0.127 mg/l
	Fresh water sediment	1000 mg/kg
	Marine water	1 mg/l
	Marine sediment	100 mg/kg
	STP	100 mg/l

#### 8.2 Exposure controls

## Personal protective equipment

Eye protection : Safety glasses

Respiratory protection : No personal respiratory protective equipment normally

required.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance : pellets

Colour : No data available

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Freezing point : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Will not burn

Self-ignition : No data available

according to Regulation (EC) No. 1907/2006



# **MASTERSAFE SYMIC C393**

 Version
 Revision Date:
 SDS Number:
 Print Date:
 19.11.2018

 1.2
 07.11.2017
 102000025816
 Date of first issue:
 31.03.2017

Auto-ignition temperature : No data available

Smoldering temperature : No data available

Decomposition temperature : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Upper explosion limit / Upper

flammability limit

: No data available

Lower explosion limit / Lower

flammability limit

: No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Decomposition temperature : No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

# 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006



# **MASTERSAFE SYMIC C393**

Version Revision Date: SDS Number: Print Date: 19.11.2018

1.2 07.11.2017 102000025816 Date of first issue: 31.03.2017

## 10.2 Chemical stability

No decomposition if stored and applied as directed.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

# 10.6 Hazardous decomposition products

Contact with water or humid

: This information is not available.

air

Thermal decomposition : This information is not available.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Further information**

**Product:** 

Remarks: No data available

# **Components:**

#### Fluorphlogopite (Mg3K[AIF2O(SiO3)3]):

Remarks: No data available

# **SECTION 12: Ecological information**

## 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

according to Regulation (EC) No. 1907/2006



# **MASTERSAFE SYMIC C393**

 Version
 Revision Date:
 SDS Number:
 Print Date:
 19.11.2018

 1.2
 07.11.2017
 102000025816
 Date of first issue: 31.03.2017

#### 12.5 Results of PBT and vPvB assessment

## **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

#### 12.6 Other adverse effects

#### **Product:**

Additional ecological

information

: No data available

#### **Components:**

# Fluorphlogopite (Mg3K[AIF2O(SiO3)3]):

Additional ecological

information

: No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : In accordance with local and national regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

In accordance with local and national regulations.

# **SECTION 14: Transport information**

14.1 UN number

14.2 UN proper shipping name

14.3 Transport hazard class(es)

14.4 Packing group

14.5 Environmental hazards

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport

regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006



# **MASTERSAFE SYMIC C393**

 Version
 Revision Date:
 SDS Number:
 Print Date:
 19.11.2018

 1.2
 07.11.2017
 102000025816
 Date of first issue:
 31.03.2017

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

# 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

#### Full text of other abbreviations

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

2000/39/EC / TWA : Limit Value - eight hours

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical

according to Regulation (EC) No. 1907/2006



# **MASTERSAFE SYMIC C393**

 Version
 Revision Date:
 SDS Number:
 Print Date:
 19.11.2018

 1.2
 07.11.2017
 102000025816
 Date of first issue: 31.03.2017

Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB/EN