

OPTIGEL-CK

Gelling Agent for Water Phases in Cosmetic Applications

Product Data

INCI Name

Bentonite

Product Description

OPTIGEL-CK is an activated bentonite product. OPTIGEL-CK is used as a thixotropic agent in water-based systems with excellent anti-settling and stabilizing properties. OPTIGEL-CK is non-irradiated and may contain variable amounts of micro-organisms. OPTIGEL-CK is certified according to the natural and organic standards of ECOCERT.

Typical Properties

The values indicated in this data sheet are typical and do not constitute specification limits.

Form:	Free flowing powder
Color:	Greyish
Specific Weight:	2.5 g/cm ³
Primary Particle Size at Complete Dispersion:	1 - 5 µm
Water Content:	max. 13.0 %
Loose Bulk Density:	550 - 750 g/l
Dry Sieve Residue 45 µm:	max. 5.0 %
pH Value (2 % suspension in water):	9 - 11
Brightness (Elrepho R 457):	about 60-65 %

Recommended Use

Application areas:	Personal Care:	Cream and Lotion Sunscreen Product Shower Gel and Shampoo Face Mask
	Color Cosmetics:	Liquid Make-up Foundation Blush Eye Product

Incorporation and Processing Instructions

To get the optimum efficiency, a complete dispersion of the material is required. Therefore OPTIGEL-CK should be incorporated applying high shear forces e.g. by using a dissolver or a mill. To facilitate the dispersion, warm water can be used. OPTIGEL-CK is then added slowly to the water (emulsion) under slow agitation. OPTIGEL-CK can also be incorporated as powder added to the grind base.

OPTIGEL-CK can also be used as pre-manufactured pre-gel (containing 5 – 10 % OPTIGEL-CK). To avoid post thickening effects, this pre-gel should be allowed to age overnight. Stirring for approx. 15 minutes under high shear is therefore recommended.

Recommended Levels

Depending on application, 0.5 – 3 % of OPTIGEL-CK (based upon total formulation weight) is used.

OPTIGEL-CK

Data Sheet
Issue 05/2018

These levels are suggested as guideline; optimum levels can be determined by laboratory tests.

Special Note

OPTIGEL-CK is compatible with most emulsions, pigments or extenders. Higher concentration of electrolytes should be avoided since otherwise the gel structure can be damaged. By using OPTIGEL-CK, storage stable systems can be produced. Due to the thixotropic behaviour, the application is significantly improved. OPTIGEL-CK is purely inorganic and stable against diluted acids and bases. Gels produced with OPTIGEL-CK also withstand oxidation or microbial degradation. OPTIGEL-CK is compatible with anionic and nonionic surfactants. The irradiated base material is available under the name OPTIGEL-CK XR.

Storage and Transportation

OPTIGEL-CK should be stored dry in unopened, original packaging at temperature between 0°C and 30°C.

BYK-Chemie GmbH
P.O. Box 10 02 45
46462 Wesel
Germany
Tel +49 281 670-0
Fax +49 281 65735

info@byk.com
www.byk.com/additives

ACTAL®, ADJUST-4®, ADVITROL®, BENTOLITE®, CLAYTONE®, CLOISITE®, COPISIL®, FULACOLOR®, FULCAT®, FULGEL®, FULMONT®, GARAMITE®, GELWHITE®, LAPONITE®, MINERAL COLLOID®, OPTIBENT®, OPTIFLO®, OPTIGEL®, PERMONT®, PURE THIX®, RHEOCIN®, RHEOTIX®, RIC-SYN®, SCP®, TIXOGEL®, Y25® are registered trademarks of BYK Additives.

ANTI-TERRA®, BYK®, BYK-DYNWET®, BYK-SILCLEAN®, BYKANOL®, BYKETOL®, BYKJET®, BYKOPLAST®, BYKUMEN®, CARBOBYK®, DISPERBYK®, DISPERPLAST®, LACTIMON®, NANOBYK®, PAPERBYK®, SILBYK®, VISCOBYK®, and Greenability® are registered trademarks of BYK-Chemie. AQUACER®, AQUAMAT®, AQUATIX®, CERACOL®, CERAFK®, CERAFLOUR®, CERAMAT®, CERATIX®, HORDAMER®, and MINERPOL® are registered trademarks of BYK-Cera.

SCONA® is a registered trademark of BYK Kometra.

This information is given to the best of our knowledge. Because of the multitude of formulations, production, and application conditions, all the above-mentioned statements have to be adjusted to the circumstances of the processor. No liabilities, including those for patent rights, can be derived from this fact for individual cases.

This issue replaces all previous versions – Printed in Germany