according to Regulation (EC) No. 1907/2006



Titanium powder ASTM Gd1 20-53 µm

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
2.0	23.11.2023	102000036891	Date of first issue: 25.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Titanium powder ASTM Gd1 20-53 μm
Product code	:	031214UD0
Substance name	:	titanium
EC-No.	:	231-142-3

1.2 Relevant identified uses of the substance or mixture and uses advised against This information is not available.

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART TLS GmbH PC-Straße 5 06749 Bitterfeld-Wolfen Germany
Telephone	:	+493493929590
Telefax	:	+4934939295999
E-mail address of person responsible for the SDS	:	info.eckart.tls@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) Flammable solids, Category 1 H228: Flammable solid.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006



Titanium powder ASTM Gd1 20-53 µm

Version 2.0	Revision Date: 23.11.2023	-	DS Number: 02000036891	Print Date: 15.04.2024 Date of first issue: 25.10.2023
Hazai	rd pictograms	:		
Signa	al word	:	Danger	
Hazaı	rd statements	:	H228	Flammable solid.
Preca	autionary statements	:	Prevention: P210 P240	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment.
			P241 P280	Use explosion-proof electrical/ventilating/ lighting equipment. Wear protective gloves/protective clothing/ eye protection/face protection/hearing protection.
			Response: P370 + P378 P370 + P378	In case of fire: Use for extinction: Special powder for metal fires. In case of fire: Use for extinction: Dry sand.
				,

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name	:	titanium
EC-No.	:	231-142-3

Components

Chemical name	CAS-No.	Concentration (%	M-Factor, SCL, ATE
	EC-No.	w/w)	
	Index-No.		
	Registration number		
titanium	7440-32-6	>= 50 - <= 100	
	231-142-3		

according to Regulation (EC) No. 1907/2006



Titanium powder ASTM Gd1 20-53 μm

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
2.0	23.11.2023	102000036891	Date of first issue: 25.10.2023

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice	:	Move the victim to fresh air.		
		Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.		
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.		
In case of skin contact	:	Wash off immediately with soap and plenty of water.		
		If on skin, rinse well with water. If on clothes, remove clothes.		
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.		

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Dry sand Special powder against metal fire
Unsuitable extinguishing media	:	ABC powder Carbon dioxide (CO2) Foam Water

5.2 Special hazards arising from the substance or mixture

Specific hazards during	:	Contact with water liberates extremely flammable gas
firefighting		(hydrogen).

according to Regulation (EC) No. 1907/2006



Titanium powder ASTM Gd1 20-53 µm

Version 2.0	Revision Date: 23.11.2023	-	DS Number: 2000036891	Print Date: 15.04.2024 Date of first issue: 25.10.2023
5.3 Advice for firefighters Special protective equipment for firefighters		:	Wear self-contained breathing apparatus for firefighting necessary.	
Further information		:	separately in clos	s in case of fire, cans should be stored ed containments. y to cool fully closed containers.

SECTION 6: Accidental release measures

	equipment and emergency procedures Use personal protective equipment. Evacuate personnel to safe areas. Avoid dust formation. Remove all sources of ignition.
6.2 Environmental precautions	
General advice :	The product should not be allowed to enter drains, water courses or the soil. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for contair	nment and cleaning up
Methods for cleaning up :	Use mechanical handling equipment. Do not use a vacuum cleaner.
	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling	 Avoid creating dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Store away from heat. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.

according to Regulation (EC) No. 1907/2006



Titanium powder ASTM Gd1 20-53 µm

Version 2.0	Revision Date: 23.11.2023		DS Number: 2000036891	Print Date: 15.04.2024 Date of first issue: 25.10.2023
	ce on protection against nd explosion	:	Dispose of rinse v regulations. Use explosion-pr form explosive m build up of electro	ully as content may be under pressure. water in accordance with local and national pof equipment. During processing, dust may exture in air. Take measures to prevent the pstatic charge. When transferring from one her apply earthing measures and use material.
				ate exhaust ventilation at places where dust way from open flames, hot surfaces and n.
Hygie	ene measures	:	Wash hands befo	re breaks and at the end of workday.
7.2 Condi	tions for safe storage,	inc	luding any incom	patibilities
	irements for storage and containers	 Earthing of containers and apparatuses is essential. F with water liberates extremely flammable gas (hydrog explosion-proof equipment. Store in original container away from sources of ignition - No smoking. Keep con closed when not in use. 		es extremely flammable gas (hydrogen) Use equipment. Store in original container. Keep es of ignition - No smoking. Keep container
			ventilated place.	p container tightly closed in a dry and well- Electrical installations / working materials the technological safety standards.
	er information on ge conditions	:	Protect from hum	idity and water.
Advid	ce on common storage	:	Never allow prod storage. Keep away from	ther with oxidizing and self-igniting products. uct to get in contact with water during oxidizing agents, strongly alkaline and erials in order to avoid exothermic reactions.
stora	er information on ge stability	:	No decompositio	n if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium	7440-32-6	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40

according to Regulation (EC) No. 1907/2006



Titanium powder ASTM Gd1 20-53 µm

Version 2.0	Revision Date: 23.11.2023		DS Number: 2000036891	Print Date: 15.04.2024 Date of first issue: 25.10.2023				
8.2 Expo	sure controls							
Pers	sonal protective equip	ment						
Eye	face protection	:		Face-shield Tightly fitting safety goggles				
Hand	d protection							
	laterial	:	Leather					
G	Blove length	:	Long sleeve glov	es				
	Remarks	:	only depend on it and is different fr The suitability for with the producer	ne choice of an appropriate glove does not s material but also on other quality features om one producer to the other. ra specific workplace should be discussed s of the protective gloves.				
Skin	and body protection	:	11612; EN 533; E Dust impervious p Choose body pro	e resistant protective clothing. DIN EN N 1149-1. Anti-static safety shoes. Protective suit tection according to the amount and the dangerous substance at the work place.				
Res	piratory protection	:	Use suitable brea requires. Breathing appara P1 filter	thing protection if workplace concentration tus with filter.				

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	:	granular
Colour	:	No data available
Odour	:	characteristic
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	The substance or mixture is a flammable solid with the category 1.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available

according to Regulation (EC) No. 1907/2006



Titanium powder ASTM Gd1 20-53 µm

Ver 2.0	sion	Revision Date: 23.11.2023		S Number: 2000036891	Print Date: 15.04.2024 Date of first issue: 25.10.2023
	Auto-ig	nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	рН		:	substance/mixtu	re is non-soluble (in water)
	Viscos	ity, kinematic	:	No data available	2
		ity(ies) solubility ity in other solvents	:	insoluble No data available	9
	Partitio octano	n coefficient: n- I/water	:	No data available	9
	Vapou	r pressure	:	No data available	9
	Relativ	e density	:	No data available	9
	Density	ý	:	No data available	9
	Relativ	e vapour density	:	No data available	2
		e characteristics ticle Size Distribution	:	No data available	9
9.2	•	n formation a available			

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions		Contact with acids and alkalis may release hydrogen.		
		No decomposition if stored and applied as directed.		
		Dust may form explosive mixture in air.		
10.4 Conditions to avoid				
Conditions to avoid	:	Heat, flames and sparks.		

10.5 Incompatible materials

Materials to avoid

: Acids Bases

according to Regulation (EC) No. 1907/2006



Titanium powder ASTM Gd1 20-53 µm

VersionRevision Date:SDS Number:2.023.11.2023102000036891

Print Date: 15.04.2024 Date of first issue: 25.10.2023

Oxidizing agents Water

10.6 Hazardous decomposition products

This information is not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Further information

Product:

Remarks

: No data available

according to Regulation (EC) No. 1907/2006



Titanium powder ASTM Gd1 20-53 µm

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
2.0	23.11.2023	102000036891	Date of first issue: 25.10.2023

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological : No data available information

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number or ID number

according to Regulation (EC) No. 1907/2006



Titanium powder ASTM Gd1 20-53 µm

Versi 2.0	on	Revision Date: 23.11.2023		OS Number: 2000036891	Print Date: 15.04.2024 Date of first issue: 25.10.2023	
	ADR		:	UN 3089		
I	MDG		:	UN 3089		
I	ATA		:	UN 3089		
14.2	UN pro	oper shipping name				
	ADR		:	METAL POWD	ER, FLAMMABLE, N.O.S.	
I	MDG		:	METAL POWD	ER, FLAMMABLE, N.O.S.	
I	ΑΤΑ		:	Metal powder,	flammable, n.o.s.	
14.3	Transp	port hazard class(es)				
				Class	Subsidiary risks	
	ADR		:	4.1		
I	MDG		:	4.1		
I	ΑΤΑ		:	4.1		
14.4	Packir	ng group				
	ADR					
		g group	:	II		
(Classif	ication Code	:	F3		
		Identification Number	:	40		
	Labels Tunnel	restriction code	÷	4.1 (E)		
1	MDG					
		g group	:	II		
	Labels		:	4.1		
	EmS C		:	F-G, S-G		
F	Remarl	KS	:	IMDG Code segregation group 7 - Heavy metals and their salts, IMDG Code segregation group 15 - Powdered metals		
I		Cargo)				
F	Packin aircraft	g instruction (cargo)	:	448		
		g instruction (LQ)	:	Y441		
	Packin Labels	g group	:	ll 4.1		
1	ATA (Passenger)				
F	Packin	g instruction	:	445		
		nger aircraft)				
		g instruction (LQ)	:	Y441		
	Packin Labels	g group	:	ll 4.1		
14.5	Enviro	onmental hazards				
	ADR					
		nmentally hazardous	:	no		

according to Regulation (EC) No. 1907/2006



Titanium powder ASTM Gd1 20-53 µm

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
2.0	23.11.2023	102000036891	Date of first issue: 25.10.2023

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 40 titanium (Number on list 40)
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of other abbreviations

GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -



Titanium powder ASTM Gd1 20-53 µm

Version	Revision Date:	SDS Number:	Print Date: 15.04.2024
2.0	23.11.2023	102000036891	Date of first issue: 25.10.2023

Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN